Regulation EC No 1907/2006 Art.31

| Productname : | FORMULA 14                |
|---------------|---------------------------|
| Ref.Nr.:      | BDS001107_3_20120111 (EN) |

Creationdate : Replaces: 11.01.12 Version : 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### FORMULA 14 Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Release Agents

#### 1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom Tel.: +44 1278 727200 Fax.: +44 1278 425644 E-mail : hse.uk@crcind.com

#### 1.4. Emergency telephone number

#### (+44)(0)1278 72 7200 (office hours)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture


#### Classification according to 67/548/EEC or 1999/45/EC:

| Health:      | R66: Repeated exposure may cause skin dryness or cracking.<br>R67: Vapours may cause drowsiness and dizziness. |
|--------------|--|
| Physical:    | EXTREMELY FLAMMABLE  |
| Environment: | R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.          |

#### 2.2. Label elements

Warning symbol(s) :

EXTREMELY FLAMMABLE



Risk-phrase(s) :



| Safety Data Sheet         |   | Regulation EC No 1907/2006 Art.31 |                        |  |  |  |
|---------------------------|---|-----------------------------------|------------------------|--|--|--|
| Productname :<br>Ref.Nr.: | FORMULA 14<br>BDS001107_3_20120111 (EN) | Creationdate :<br>Replaces:       | 11.01.12 Version : 1.0 |  |  |  |
|                           |   |                                   |                        |  |  |  |

|   | the aquatic environment.  |
|---|---|
|   | R66: Repeated exposure may cause skin dryness or cracking.  |
|   | R67: Vapours may cause drowsiness and dizziness.  |
| Safety-phrase(s) :                          | S2: Keep out of the reach of children.  |
|   | S16: Keep away from sources of ignition - No smoking.   |
|   | S23: Do not breathe vapours/spray.  |
|   | S24: Avoid contact with skin.   |
|   | S35: This material and its container must be disposed of in a safe way.   |
|   | S51: Use only in well-ventilated areas.   |
| Extra label elements accordi                | ngPressurised container: protect from sunlight and do not expose to   |
| to Aerosol Dispenser Directiv<br>75/324/EC: | <b>ve</b> temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.   |
|   | Without adequate ventilation formation of explosive mixtures may be possible.   |
| Other extra label elements:                 | Remark: Preparations classified as harmful on the basis of an aspiration hazard need not be labelled as harmful with R65 when placed on the market in aerosol containers or in containers fitted with a sealed spray attachment. (EU-Directive 67/548 Annex VI 9.4) |

### 2.3. Other hazards

None

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

| Hazardous ingredient   | CAS-nr.        | EC-nr         | w/w<br>% | symbol | R-phrases*            | Notes |
|--|----------------|---------------|----------|--------|-----------------------|-------|
| Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%) | 68512-91-<br>4 | 270-990-<br>9 | 30-60    | F+     | 12                    | к     |
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics             | -              | 927-241-<br>2 | 30-60    | Xn     | 10-52/53-65-66-<br>67 |       |
| hydrocarbons,C6,isoalkanes,< 5% n-hexane   | -              | 931-254-<br>9 | 10-30    | F,Xn,N | 11-38-51/53-65-<br>67 | B,P   |
| 2,6-di-tert-butyl-p-cresol   | 128-37-0       | 204-881-<br>4 | <1       |        |                       | в     |
| Explanation notes  |                |               |          |        |                       |       |
| B : substance with national established workplace exposure limit                 |                |               |          |        |                       |       |
| K : not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-      | nr. 203-450-   | ·8)           |          |        |                       |       |
| P : not classified as carcinogen, less than 0.1% w/w benzene (Einecs-nr. 20      | 0-753-7)       |               |          |        |                       |       |

| Hazardous ingredient  | Registration number  | CAS-<br>nr. | EC-nr         | /0        | Hazard Class and Category                                  |                     | Notes |
|---|----------------------|-------------|---------------|-----------|--|---------------------|-------|
| Hydrocarbons, C9-C10, n-alkanes,<br>isoalkanes, cyclics, < 2% aromatics | 01-2119471843-<br>32 | -           | 927-<br>241-2 | 30-<br>60 | Flam. Liq. 3, Aquatic Chronic<br>3, Asp. Tox. 1, STOT SE 3 | H226,H412,H304,H336 |       |
| (* Evaluation phrases : see c   | hantor 16)           |             |               |           |  |                     |       |

(\* Explanation phrases : see chapter 16)



# Safety Data Sheet

Regulation EC No 1907/2006 Art.31

| Productname : | FORMULA 14                |
|---------------|---------------------------|
| Ref.Nr.:      | BDS001107_3_20120111 (EN) |

Creationdate : Replaces: 11.01.12 Version : 1.0

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

| Contact with eyes : | If substance has got into eyes, immediately wash out with plenty of water Seek medical attention if irritation persists  |
|---------------------|--|
| Contact with skin : | Wash with water and soap.<br>Seek medical attention if irritation persists   |
| Inhalation :        | Fresh air, keep warm and at rest.<br>Seek medical attention if ill effects occur   |
| Ingestion :         | Ingestion is unlikely to occur<br>If swallowed do not induce vomiting because of risk of aspiration into the<br>lungs. If aspiration is suspected obtain immediate medical attention |

#### 4.2. Most important symptoms and effects, both acute and delayed

| Inhalation :   | Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness   |
|----------------|--|
| Ingestion :    | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.<br>Symptoms : sore throat, abdominal pain, nausea, vomiting |
| Skin contact : | May cause irritation.<br>Symptoms : redness and pain   |
| Eye contact :  | May cause irritation.<br>Symptoms : redness and pain   |

#### 4.3. Indication of any immediate medical attention and special treatment needed

General Advice :If you feel unwell, seek medical advice (show the label where possible<br/>If symptoms persist always call a doctor

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures



3 / 8

# **Safety Data Sheet**

Regulation EC No 1907/2006 Art.31

| Productname : | FORMULA 14                |
|---------------|---------------------------|
| Ref.Nr.:      | BDS001107_3_20120111 (EN) |

Creationdate : Replaces: 11.01.12 Version : 1.0

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation Wear suitable protective clothing and gloves.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

#### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Keep away from heat and sources of ignition Take precautionary measures against static discharges Equipment should be earthed Use explosion-proof electrical/ventilating/lighting/.../equipment. Use only non-sparking tools. Do not breathe aerosols or vapours. Ensure adequate ventilation Avoid contact with skin and eyes. Wash thoroughly after use Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C. Keep out of reach of children.

#### 7.3. Specific end use(s)

Release Agents

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Exposure limits :



| Productname : | FORMULA 14                  | Creationdate : | 11.01.12 Version : 1.0 |
|---------------|-----------------------------|----------------|------------------------|
| Ref.Nr.:      | BDS001107_3_20120111 (EN)   | Replaces:      |                        |
|               | $DD3001107_3_20120111 (LN)$ | Replaces.      |                        |

No information available

#### 8.2. Exposure controls

| Control procedures :  | Ensure adequate ventilation<br>Keep away from heat and sources of ignition<br>Take precautionary measures against static discharges                     |
|-----------------------|---|
| Personal protection : | Take precautions to avoid contact with skin and eyes when handling the product.<br>Ensure adequate ventilation  |
| inhalation :          | In case of insufficient ventilation, wear suitable respiratory equipment.<br>Air purifying respirator equiped with organic gas/vapor cartridge (type A) |
| hands and skin :      | Wear suitable protective gloves<br>Nitrile  |
| eyes :                | Wear safety eyewear according to EN 166.  |

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| (for aerosols data for the product | without propellant)              |
|------------------------------------|----------------------------------|
| Appearance : physical state :      | Propane/butane propelled liquid. |
| colour :                           | Colourless to yellow.            |
| odour :                            | Solvent.                         |
| pH :                               | Not applicable.                  |
| Boiling point/range :              | Not available.                   |
| Flash point :                      | < 0 °C                           |
| Evaporation rate :                 | Not available.                   |
| Explosion limits : upper limit :   | Not available.                   |
| lower limit :                      | Not available.                   |
| Vapour pressure :                  | Not available.                   |
| Relative density :                 | 0.736 g/cm3 (@ 20°C).            |
| Solubility in water :              | Insoluble in water               |
| Auto-ignition :                    | Not available.                   |
| Viscosity :                        | Not available.                   |

#### 9.2. Other information

VOC = volatile organic compounds 600 g/l

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose



5/8

| Safety 1 | Data | Sheet |
|----------|------|-------|
|----------|------|-------|

| Productname : | FORMULA 14                | Creationdate : | 11.01.12 Version : 1.0 |
|---------------|---------------------------|----------------|------------------------|
| Ref.Nr.:      | BDS001107_3_20120111 (EN) | Replaces:      |                        |

#### 10.2. Chemical stability

Stable

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

#### 10.4. Conditions to avoid

Avoid overheating

#### 10.5. Incompatible materials

Strong oxidising agent

#### 10.6. Hazardous decomposition products

CO,CO2

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

| Inhalation :   | Inhalation of solvent vapours may give rise to nausea, headaches and dizziness  |
|----------------|---|
| Ingestion :    | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.  |
| Skin contact : | Prolonged skin contact will result in defatting of the skin, leading to irritation,<br>and in some cases, dermatitis<br>Repeated exposure may cause skin dryness or cracking. |
| Eye contact :  | May cause irritation.   |

#### Toxicological data :

No information available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Ecotoxicological data:

No information available



| Productname :<br>Ref.Nr.:FORMULA 14<br>BDS001107_3_20120111 (EN)Creationdate :<br>Replaces:11.01.12 Version : 1.0Ref.Nr.:BDS001107_3_20120111 (EN)Replaces:11.01.12 Version : 1.0 | Safety Data Sheet |  | Regulation EC No 1907/2006 Art.31 |                        |
|---|-------------------|--|-----------------------------------|------------------------|
|   |                   |  |                                   | 11.01.12 Version : 1.0 |

#### 12.2. Persistence and degradability

No experimental data available

#### 12.3. Bioaccumulative potential

No experimental data available

#### 12.4. Mobility in soil

Insoluble in water

#### 12.5. Results of PBT and vPvB assessment

No information available

#### 12.6. Other adverse effects

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

| Product :                | This material and its container must be disposed of in a safe way.<br>Do not discharge into drains or the environment, dispose to an authorised<br>waste collection point. |
|--------------------------|--|
| Contaminated packaging : | Disposal should be in accordance with local, state or national legislation   |

# **SECTION 14: Transport information**

#### 14.1. UN number

UN-number: 1950

#### 14.2. UN proper shipping name

Proper shipping name: AEROSOLS

### 14.3. Transport hazard class(es)

Class: 2.1 ADR/RID - Classification code: 5F

#### 14.4. Packing group

Packing group: Not applicable.

#### 14.5. Environmental hazards



7 / 8

| Safety Data Sl | heet       | Regulation EC No 1907/200 | 6 Art.31               |  |
|----------------|------------|---------------------------|------------------------|--|
| Productname :  | FORMULA 14 | Creationdate :            | 11 01 12 Version · 1 0 |  |

| Frouuciname. |                           | Greationuale. |  |
|--------------|---------------------------|---------------|--|
| Ref.Nr.:     | BDS001107_3_20120111 (EN) | Replaces:     |  |
|              |                           |               |  |

| ADR/RID - Environmentally<br>hazardous: | No |
|---|----|
| IMDG - Marine pollutant:                | No |
| IATA/ICAO - Environmentally             | No |
| hazardous:                              |    |

#### 14.6. Special precautions for user

| ADR/RID - Tunnelcode: | (D)      |
|-----------------------|----------|
| IMDG - Ems:           | F-D, S-U |
| IATA/ICAO - PAX:      | 203      |
| IATA/ICAO - CAO       | 203      |

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements. Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC. EU-directive 99/45/EC Regulation (EC) No 1907/2006 (REACH)

#### 15.2. Chemical safety assessment

No information available

# SECTION 16: Other information

\*Explanation hazard statements: H226 : Flammable liquid and vapour.

- H304 : May be fatal if swallowed and enters airways.
  - H336 : May cause drowsiness or dizziness.
  - H412 : Harmful to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

