

# Safety Data Sheet

Copyright, 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 27-5041-2
 Version number:
 11.00

 Revision date:
 12/04/2024
 Supersedes date:
 20/07/2022

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

3M Glass Cleaner 08631

#### **Product Identification Numbers**

UU-0083-6204-6

7100138680

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### **Identified uses**

Automotive.

### 1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

 Telephone:
 +44 (0)1344 858 000

 E Mail:
 tox.uk@mmm.com

 Website:
 www.3M.com/uk

### 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

### **CLASSIFICATION:**

Aerosol, Category 3 - Aerosol 3; H229

For full text of H phrases, see Section 16.

#### 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

### SIGNAL WORD

WARNING.

### **HAZARD STATEMENTS:**

H229 Pressurised container: may burst if heated.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

**Storage:** 

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

### Notes on labelling

Updated per Regulation (EC) No. 648/2004 as amended for Great Britain on detergents.

Ingredients required per 648/2004: <5%: Aliphatic hydrocarbons.

10% by mass of the contents are flammable.

Product is nonflammable, per flammability test results.

### 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Ingredient      | Identifier(s)                             | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB  |
|-----------------|---|----------|---|
| Water           | (CAS-No.) 7732-18-5<br>(EC-No.) 231-791-2 | 80 - 100 | Substance not classified as hazardous   |
| 2-butoxyethanol | (CAS-No.) 111-76-2<br>(EC-No.) 203-905-0  | < 5      | Acute Tox. 4, H302(LD50 = 1200 mg/kg<br>**ATE values per GB MCL**)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Acute Tox. 3, H331 |
| butane          | (CAS-No.) 106-97-8<br>(EC-No.) 203-448-7  | < 3      | Flam. Gas 1A, H220<br>Liquified gas, H280<br>Nota C,U   |

| isobutane | (CAS-No.) 75-28-5<br>(EC-No.) 200-857-2   | 0.5 - 1.5 | Flam. Gas 1A, H220<br>Liquified gas, H280<br>Nota C,U  |
|-----------|---|-----------|--|
| propane   | (CAS-No.) 74-98-6<br>(EC-No.) 200-827-9   |           | Flam. Gas 1A, H220<br>Liquified gas, H280<br>Nota U  |
| ammonia   | (CAS-No.) 1336-21-6<br>(EC-No.) 215-647-6 |           | Skin Corr. 1B, H314<br>STOT SE 3, H335<br>Aquatic Acute 1, H400,M=1<br>Nota B<br>Met. Corr. 1, H290<br>Aquatic Chronic 2, H411 |

Please see section 16 for the full text of any H statements referred to in this section

### **Specific Concentration Limits**

| Ingredient | Identifier(s)                             | Specific Concentration Limits |
|------------|---|-------------------------------|
|            | (CAS-No.) 1336-21-6<br>(EC-No.) 215-647-6 | (C >= 5%) STOT SE 3, H335     |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation

Remove person to fresh air. Get medical attention.

### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

### Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

# If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

# **SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### **Hazardous Decomposition or By-Products**

**Substance** 

Carbon monoxide Carbon dioxide. Irritant vapours or gases.

#### Condition

During combustion. During combustion. During combustion.

### 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store away from heat.

# 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient   | CAS Nbr   | Agency | Limit type   | Additional comments |
|--|-----------|--------|--|---------------------|
| butane   | 106-97-8  | UK HSC | TWA:1450 mg/m <sup>3</sup> (600 ppm);STEL:1810 mg/m <sup>3</sup> (750 ppm) |                     |
| 2-butoxyethanol  | 111-76-2  | UK HSC | TWA:123 mg/m3(25 ppm);STEL:246 mg/m3(50 ppm)                               | SKIN                |
| Ammonia  | 1336-21-6 | UK HSC | TWA:18 mg/m3(25 ppm);STEL:25 mg/m3(35 ppm)                                 |                     |
| Ammonia released from ammonium hydroxide/aqueous ammonia solutions | 1336-21-6 | UK HSC | TWA:18 mg/m3(25 ppm);STEL:25 mg/m3(35 ppm)                                 |                     |
| propane  | 74-98-6   | UK HSC | Limit value not established:   | asphyxiant          |

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### **Biological limit values**

| Ingredient      | CAS<br>Nbr | Agency  | Determinant  | Biological<br>Specimen | Sampling<br>Time | Value        | Additional comments |
|-----------------|------------|---------|--------------|------------------------|------------------|--------------|---------------------|
| 2-butoxyethanol | 111-76-    | UK EH40 | Butoxyacetic | Creatinine in          | EOS              | 240 mmol/mol | l                   |
|                 | 2          | BMGVs   | acid         | urine                  |                  |              |                     |

UK EH40 BMGVs: UK. EH40 Biological Monitoring Guidance Values (BMGVs)

EOS: End of shift.

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

# Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards
Use gloves tested to EN 374

# Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136

Use a respirator conforming to EN 140 or EN 136: filter type A

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

| Physical state                         | Liquid.                                     |
|--|---|
| Specific Physical Form:                | Aerosol                                     |
| Colour                                 | Colourless                                  |
| Odor                                   | Sweet Odor, Spicy                           |
| Odour threshold                        | No data available.                          |
| Melting point/freezing point           | No data available.                          |
| Boiling point/boiling range            | Not applicable.                             |
| Flammability (solid, gas)              | Not applicable.                             |
| Flammable Limits(LEL)                  | No data available.                          |
| Flammable Limits(UEL)                  | No data available.                          |
| Flash point                            | Not applicable.                             |
| Autoignition temperature               | No data available.                          |
| Decomposition temperature              | No data available.                          |
| рН                                     | substance/mixture is non-soluble (in water) |
| Kinematic Viscosity                    | Not applicable.                             |
| Water solubility                       | No data available.                          |
| Solubility- non-water                  | No data available.                          |
| Partition coefficient: n-octanol/water | Not applicable.                             |
| Vapour pressure                        | No data available.                          |
| Density                                | 0.958 g/ml                                  |
| Relative density                       | 0.958 [ <i>Ref Std</i> :WATER=1]            |
| Relative Vapour Density                | No data available.                          |
| Particle Characteristics               | Not applicable.                             |
|  |   |

### 9.2. Other information

9.2.2 Other safety characteristics

**EU Volatile Organic Compounds** 

No data available.

Evaporation rate Percent volatile

Not applicable. 10.4 % weight

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

**Substance** 

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### **Additional Health Effects:**

# Single exposure may cause target organ effects:

Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

| Name            | Route                              | Species       | Value  |
|-----------------|------------------------------------|---------------|--|
| Overall product | Inhalation-<br>Vapour(4<br>hr)     |               | No data available; calculated ATE >50 mg/l     |
| Overall product | Ingestion                          |               | No data available; calculated ATE >5,000 mg/kg |
| 2-butoxyethanol | Dermal                             | Guinea<br>pig | LD50 > 2,000 mg/kg                             |
| 2-butoxyethanol | Inhalation-<br>Vapour (4<br>hours) | Guinea<br>pig | LC50 > 2.6 mg/l                                |
| 2-butoxyethanol | Ingestion                          | Guinea<br>pig | LD50 1,200 mg/kg                               |
| butane          | Inhalation-<br>Gas (4<br>hours)    | Rat           | LC50 277,000 ppm                               |
| isobutane       | Inhalation-<br>Gas (4<br>hours)    | Rat           | LC50 276,000 ppm                               |
| propane         | Inhalation-<br>Gas (4<br>hours)    | Rat           | LC50 > 200,000 ppm                             |
| ammonia         | Ingestion                          | Rat           | LD50 350 mg/kg                                 |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name            | Species   | Value                     |
|-----------------|-----------|---------------------------|
| 2-butoxyethanol | Rabbit    | Irritant                  |
| butane          | Professio | No significant irritation |
|                 | nal       |                           |
|                 | judgemen  |                           |
|                 | t         |                           |
| isobutane       | Professio | No significant irritation |
|                 | nal       |                           |
|                 | judgemen  |                           |
|                 | l t       |                           |
| propane         | Rabbit    | Minimal irritation        |
| ammonia         | Rabbit    | Corrosive                 |

Serious Eye Damage/Irritation

| Scrious Lyc Damage/IIIItation |           |                           |
|-------------------------------|-----------|---------------------------|
| Name                          | Species   | Value                     |
|                               | •         |                           |
|                               |           |                           |
| 2-butoxyethanol               | Rabbit    | Severe irritant           |
| butane                        | Rabbit    | No significant irritation |
| isobutane                     | Professio | No significant irritation |
|                               | nal       | -                         |
|                               | judgemen  |                           |
|                               | t         |                           |
| propane                       | Rabbit    | Mild irritant             |
| ammonia                       | Rabbit    | Corrosive                 |

### **Skin Sensitisation**

|  | Name | Species | Value |
|--|------|---------|-------|
|--|------|---------|-------|

| 2-butoxyethanol | Guinea<br>pig | Not classified |
|-----------------|---------------|----------------|

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name            | Route    | Value  |
|-----------------|----------|--|
|                 |          |  |
| 2-butoxyethanol | In Vitro | Some positive data exist, but the data are not |
|                 |          | sufficient for classification                  |
| butane          | In Vitro | Not mutagenic                                  |
| isobutane       | In Vitro | Not mutagenic                                  |
| propane         | In Vitro | Not mutagenic                                  |

Carcinogenicity

| Name            | Route      | Species         | Value  |
|-----------------|------------|-----------------|--|
| 2-butoxyethanol | Inhalation | Multiple animal | Some positive data exist, but the data are not sufficient for classification |
|                 |            | species         |  |

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

| Name            | Route      | Value                          | Species                       | Test result                 | Exposure<br>Duration    |
|-----------------|------------|--------------------------------|-------------------------------|-----------------------------|-------------------------|
| 2-butoxyethanol | Dermal     | Not classified for development | Rat                           | NOAEL<br>1,760<br>mg/kg/day | during<br>gestation     |
| 2-butoxyethanol | Ingestion  | Not classified for development | Rat                           | NOAEL 100<br>mg/kg/day      | during<br>organogenesis |
| 2-butoxyethanol | Inhalation | Not classified for development | Multiple<br>animal<br>species | NOAEL 0.48<br>mg/l          | during<br>organogenesis |

# Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

| Name            | Route      | Target Organ(s)                      | Value  | Species                           | Test result            | Exposure<br>Duration |
|-----------------|------------|--------------------------------------|--|-----------------------------------|------------------------|----------------------|
| 2-butoxyethanol | Dermal     | endocrine system                     | Not classified   | Rabbit                            | NOAEL 902<br>mg/kg     | 6 hours              |
| 2-butoxyethanol | Dermal     | liver                                | Not classified   | Rabbit                            | LOAEL 72<br>mg/kg      | not available        |
| 2-butoxyethanol | Dermal     | kidney and/or<br>bladder             | Not classified   | Rabbit                            | LOAEL 451<br>mg/kg     | 6 hours              |
| 2-butoxyethanol | Dermal     | blood                                | Not classified   | Multiple<br>animal<br>species     | NOAEL Not<br>available |                      |
| 2-butoxyethanol | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness  | Human                             | NOAEL Not available    |                      |
| 2-butoxyethanol | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification | Human                             | NOAEL Not<br>available |                      |
| 2-butoxyethanol | Inhalation | blood                                | Not classified   | Multiple<br>animal<br>species     | NOAEL Not<br>available |                      |
| 2-butoxyethanol | Ingestion  | central nervous<br>system depression | May cause drowsiness or dizziness  | Professio<br>nal<br>judgeme<br>nt | NOAEL Not<br>available |                      |

| 2-butoxyethanol | Ingestion  | blood                                | Not classified                    | Multiple<br>animal<br>species | NOAEL Not<br>available |                           |
|-----------------|------------|--------------------------------------|-----------------------------------|-------------------------------|------------------------|---------------------------|
| 2-butoxyethanol | Ingestion  | kidney and/or<br>bladder             | Not classified                    | Human                         | NOAEL Not available    | poisoning<br>and/or abuse |
| butane          | Inhalation | cardiac sensitisation                | Causes damage to organs           | Human                         | NOAEL Not available    |                           |
| butane          | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness | Human<br>and<br>animal        | NOAEL Not available    |                           |
| butane          | Inhalation | heart                                | Not classified                    | Dog                           | NOAEL<br>5,000 ppm     | 25 minutes                |
| butane          | Inhalation | respiratory irritation               | Not classified                    | Rabbit                        | NOAEL Not available    |                           |
| isobutane       | Inhalation | cardiac sensitisation                | Causes damage to organs           | Multiple<br>animal<br>species | NOAEL Not available    |                           |
| isobutane       | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness | Human<br>and<br>animal        | NOAEL Not<br>available |                           |
| isobutane       | Inhalation | respiratory irritation               | Not classified                    | Mouse                         | NOAEL Not available    |                           |
| propane         | Inhalation | cardiac sensitisation                | Causes damage to organs           | Human                         | NOAEL Not available    |                           |
| propane         | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness | Human                         | NOAEL Not available    |                           |
| propane         | Inhalation | respiratory irritation               | Not classified                    | Human                         | NOAEL Not available    |                           |
| ammonia         | Inhalation | respiratory irritation               | May cause respiratory irritation  | Human                         | NOAEL not available    |                           |

Specific Target Organ Toxicity - repeated exposure

| Name            | Route      | Target Organ(s)                  | Value          | Species                       | Test result            | Exposure<br>Duration |
|-----------------|------------|----------------------------------|----------------|-------------------------------|------------------------|----------------------|
| 2-butoxyethanol | Dermal     | blood                            | Not classified | Multiple<br>animal<br>species | NOAEL Not<br>available | not available        |
| 2-butoxyethanol | Dermal     | endocrine system                 | Not classified | Rabbit                        | NOAEL 150<br>mg/kg/day | 90 days              |
| 2-butoxyethanol | Inhalation | liver                            | Not classified | Rat                           | NOAEL 2.4<br>mg/l      | 14 weeks             |
| 2-butoxyethanol | Inhalation | kidney and/or<br>bladder         | Not classified | Rat                           | NOAEL 0.15<br>mg/l     | 14 weeks             |
| 2-butoxyethanol | Inhalation | blood                            | Not classified | Rat                           | LOAEL 0.15<br>mg/l     | 6 months             |
| 2-butoxyethanol | Inhalation | endocrine system                 | Not classified | Dog                           | LOAEL 1.9<br>mg/l      | 8 days               |
| 2-butoxyethanol | Ingestion  | blood                            | Not classified | Rat                           | LOAEL 69<br>mg/kg/day  | 13 weeks             |
| 2-butoxyethanol | Ingestion  | kidney and/or<br>bladder         | Not classified | Multiple<br>animal<br>species | NOAEL Not<br>available | not available        |
| butane          | Inhalation | kidney and/or<br>bladder   blood | Not classified | Rat                           | NOAEL<br>4,489 ppm     | 90 days              |
| isobutane       | Inhalation | kidney and/or<br>bladder         | Not classified | Rat                           | NOAEL<br>4,500 ppm     | 13 weeks             |

# **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

| Material        | CAS#      | Organism         | Type  | Exposure | Test endpoint | Test result |
|-----------------|-----------|------------------|---|----------|---------------|-------------|
| 2-butoxyethanol | 111-76-2  | Activated sludge | Experimental  | 16 hours | IC50          | >1,000 mg/l |
| 2-butoxyethanol | 111-76-2  | Eastern oyster   | Experimental  | 96 hours | LC50          | 89.4 mg/l   |
| 2-butoxyethanol | 111-76-2  | Green algae      | Experimental  | 72 hours | ErC50         | 1,840 mg/l  |
| 2-butoxyethanol | 111-76-2  | Rainbow trout    | Experimental  | 96 hours | LC50          | 1,474 mg/l  |
| 2-butoxyethanol | 111-76-2  | Water flea       | Experimental  | 48 hours | EC50          | 1,550 mg/l  |
| 2-butoxyethanol | 111-76-2  | Green algae      | Experimental  | 72 hours | ErC10         | 679 mg/l    |
| 2-butoxyethanol | 111-76-2  | Water flea       | Experimental  | 21 days  | NOEC          | 100 mg/l    |
| butane          | 106-97-8  | N/A              | Data not available or insufficient for classification | N/A      | N/A           | N/A         |
| isobutane       | 75-28-5   | N/A              | Data not available or insufficient for classification | N/A      | N/A           | N/A         |
| propane         | 74-98-6   | N/A              | Data not available or insufficient for classification | N/A      | N/A           | N/A         |
| ammonia         | 1336-21-6 | Invertebrate     | Estimated   | 48 hours | EC50          | 21 mg/l     |
| ammonia         | 1336-21-6 | Rainbow trout    | Estimated   | 96 hours | LC50          | 1.8 mg/l    |
| ammonia         | 1336-21-6 | Water flea       | Estimated   | 48 hours | LC50          | 7.36 mg/l   |
| ammonia         | 1336-21-6 | Rainbow trout    | Estimated   | 73 days  | NOEC          | 0.0278 mg/l |
| ammonia         | 1336-21-6 | Water flea       | Estimated   | 21 days  | NOEC          | 1.1 mg/l    |

# 12.2. Persistence and degradability

| Material        | CAS Nbr   | Test type                      | Duration | Study Type                        | Test result                               | Protocol                             |
|-----------------|-----------|--------------------------------|----------|-----------------------------------|---|--------------------------------------|
| 2-butoxyethanol | 111-76-2  | Experimental<br>Biodegradation | 28 days  | CO2 evolution                     | 90.4 %CO2<br>evolution/THCO2<br>evolution | OECD 301B - Modified<br>sturm or CO2 |
| 2-butoxyethanol | 111-76-2  | Experimental Biodegradation    | 28 days  | Dissolv. Organic<br>Carbon Deplet | 100 %removal of DOC                       | OECD 302B Zahn-<br>Wellens/EVPA      |
| butane          | 106-97-8  | Experimental Photolysis        |          | Photolytic half-life (in air)     | 12.3 days (t 1/2)                         |                                      |
| isobutane       | 75-28-5   | Experimental Photolysis        |          | Photolytic half-life (in air)     | 13.4 days (t 1/2)                         |                                      |
| propane         | 74-98-6   | Experimental<br>Photolysis     |          | Photolytic half-life (in air)     | 27.5 days (t 1/2)                         |                                      |
| ammonia         | 1336-21-6 | Analogous<br>Compound Soil     |          | Half-life (t 1/2)                 | 6 hours (t 1/2)                           |                                      |

|  | Metabolism |  |  |
|--|------------|--|--|
|  | Aerobic    |  |  |

# 12.3: Bioaccumulative potential

| Material        | Cas No.   | Test type                                 | Duration | Study Type | Test result | Protocol                          |
|-----------------|-----------|---|----------|------------|-------------|-----------------------------------|
| 2-butoxyethanol | 111-76-2  | Experimental Bioconcentration             |          | Log Kow    | 0.81        |                                   |
| butane          | 106-97-8  | Experimental Bioconcentration             |          | Log Kow    | 2.89        |                                   |
| isobutane       | 75-28-5   | Experimental Bioconcentration             |          | Log Kow    | 2.76        |                                   |
| propane         | 74-98-6   | Experimental Bioconcentration             |          | Log Kow    | 2.36        |                                   |
| ammonia         | 1336-21-6 | Analogous<br>Compound<br>Bioconcentration |          | Log Kow    | -1.14       | OECD 107 log Kow shke<br>flsk mtd |

# 12.4. Mobility in soil

| Material        | Cas No.  | Test type          | Study Type | Test result | Protocol |
|-----------------|----------|--------------------|------------|-------------|----------|
| 2-butoxyethanol | 111-76-2 | Estimated Mobility | Koc        | 67 l/kg     |          |
|                 |          | in Soil            |            |             |          |

### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Facility must be capable of handling aerosol cans. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

### EU waste code (product as sold)

16 05 04\* Gases in pressure containers (including halons) containing dangerous substances

### EU waste code (product container after use)

15 01 04 Metallic packaging

# **SECTION 14: Transportation information**

|  | Ground Transport (ADR)   | Air Transport (IATA)   | Marine Transport (IMDG)  |
|--|--|--|--|
| 14.1 UN number   | UN1950   | UN1950   | UN1950   |
| 14.2 UN proper shipping name   | AEROSOLS   | AEROSOLS, NON-<br>FLAMMABLE  | AEROSOLS   |
| 14.3 Transport hazard class(es)  | 2.2  | 2.2  | 2.2  |
| 14.4 Packing group   | Not applicable.  | Not applicable.  | Not applicable.  |
| 14.5 Environmental hazards   | Not Environmentally<br>Hazardous                                       | Not applicable   | Not a Marine Pollutant   |
| 14.6 Special precautions for user  | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk<br>according to Annex II<br>of Marpol 73/78 and<br>IBC Code | No data available.   | No data available.   | No data available.   |
| <b>Control Temperature</b>   | No data available.   | No data available.   | No data available.   |
| Emergency<br>Temperature   | No data available.   | No data available.   | No data available.   |
| ADR Classification<br>Code   | 5A   | Not applicable.  | Not applicable.  |
| IMDG Segregation<br>Code   | Not applicable.  | Not applicable.  | NONE   |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Carcinogenicity <u>Ingredient</u> | <u>CAS Nbr</u> | Classification          | Regulation                                  |
|-----------------------------------|----------------|-------------------------|---|
| 2-butoxyethanol                   | 111-76-2       | Gr. 3: Not classifiable | International Agency for Research on Cancer |

# Global inventory status

Contact 3M for more information.

# **COMAH Regulation, SI 2015/483**

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

| Dangerous Substances | Identifier(s) | Qualifying quantity     | Qualifying quantity (tonnes) for the application of |  |
|----------------------|---------------|-------------------------|---|--|
|                      |               | Lower-tier requirements | Upper-tier requirements                             |  |
|                      |               | requirements            |   |  |
| 2-butoxyethanol      | 111-76-2      | 50                      | 200   |  |
| ammonia              | 1336-21-6     | 50                      | 200   |  |
| ammonia              | 1336-21-6     | 100                     | 200   |  |
| butane               | 106-97-8      | 10                      | 50  |  |
| isobutane            | 75-28-5       | 10                      | 50  |  |
| propane              | 74-98-6       | 10                      | 50  |  |

# Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

# **SECTION 16: Other information**

### List of relevant H statements

| H220 | Extremely flammable gas.                            |
|------|---|
| H229 | Pressurised container: may burst if heated.         |
| H280 | Contains gas under pressure; may explode if heated. |
| H290 | May be corrosive to metals.                         |
| H302 | Harmful if swallowed.                               |
| H314 | Causes severe skin burns and eye damage.            |
| H315 | Causes skin irritation.                             |
| H319 | Causes serious eye irritation.                      |
| H335 | May cause respiratory irritation.                   |
| H400 | Very toxic to aquatic life.                         |
| H411 | Toxic to aquatic life with long lasting effects.    |
|      |   |

# **Revision information:**

EU Section 09: pH information information was modified.

GB Section 02: CLP Remark(phrase) information was added.

GB Section 02: Other hazards phrase information was added.

GB Section 04: Information on toxicological effects information was added.

GB Section 12: Classification Warning information was added.

GB Section 15: Carcinogenicity information information was added.

GB Section 15: Chemical Safety Assessment information was added.

GB Section 15: Label remarks and EU Detergent information was added.

GBSDS Section 14 Transport in bulk - Main Heading information was added.

GBSDS Section 14 UN Number information was added.

CLP Remark(phrase) information was deleted.

Label: CLP Percent Unknown information was deleted.

Section 2: Other hazards phrase information was deleted.

Section 3: Composition/Information of ingredients table information was added.

Section 3: Composition/Information of ingredients table information was deleted.

Section 03: SCL table information was added.

Section 03: SCL table information was deleted.

Section 04: Information on toxicological effects information was deleted.

- Section 6: Accidental release clean-up information information was modified.
- Section 8: glove data value information was deleted.
- Section 8: glove data value information was modified.
- Section 8: Occupational exposure limit table information was modified.
- Section 8: Personal Protection Skin/hand information information was modified.
- Section 8: Respiratory protection recommended respirators information information was modified.
- Section 09: Particle Characteristics N/A information was added.
- Section 9: Vapour density text information was modified.
- Section 11: Acute Toxicity table information was modified.
- Section 11: Classification disclaimer information was deleted.
- Section 11: GB Classification disclaimer information was added.
- Section 11: GB No endocrine disruptor information available warning information was added.
- Section 11: Health Effects Ingestion information information was modified.
- Section 11: No endocrine disruptor information available warning information was deleted.
- Section 12: 12.6. Endocrine Disrupting Properties information was deleted.
- Section 12: 12.6. Other adverse effects information was added.
- Section 12: 12.7. Other adverse effects information was deleted.
- Section 12: Classification Warning information was deleted.
- Section 12: Component ecotoxicity information information was modified.
- Prints No Data if Adverse effects information is not present information was deleted.
- Section 12: No endocrine disruptor information available warning information was added.
- Section 12: No endocrine disruptor information available warning information was deleted.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 13: Standard Phrase Category Waste GHS information was modified.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was deleted.
- Section 14 UN Number information was deleted.
- Section 15: Carcinogenicity information information was deleted.
- Section 15: Chemical Safety Assessment information was deleted.
- Section 15: Label remarks and EU Detergent information was deleted.
- Section 15: Seveso Substance Text information was added.
- Section 15: Seveso Substance Text information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

- Section 16: Web address information was added.
- Section 16: Web address information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

# 3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.