According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ARALDITE® 2011 HARDENER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45 3078 Everberg

Dolaium

Belgium hone : +41 61 299 20 41

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: + 91 22 42 87 5333

Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1/800/424.9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Hazard pictograms





Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection/ hearing

protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing.

Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Immediately call a POISON CENTER/

doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label: N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine

Amines, polyethylenepoly-, triethylenetetramine fraction

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Chemical nature : Polyamines

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
N'-(3-aminopropyl)-N,N- dimethylpropane-1,3-diamine	10563-29-8 234-148-4	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317	>= 5 - < 9.65
Amines, polyethylenepoly-, triethylenetetramine fraction	90640-67-8 292-588-2	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071	>= 3 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Exercise caution when using a high volume water jet as it may

scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation

and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this

product.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

precautions. Keep in properly labelled containers.

Advice on common storage : Do not store near acids.

Storage class (TRGS 510) : 8A, Combustible, corrosive hazardous materials

Further information on

storage stability

Stable under normal conditions.

Recommended storage

temperature

: 2 - 40 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N'-(3-aminopropyl)- N,N-dimethylpropane- 1,3-diamine	Workers	Inhalation	Long-term systemic effects	3.7 mg/m3
	Workers	Inhalation	Acute systemic effects	7.5 mg/m3
	Workers	Inhalation	Long-term local effects	3.7 mg/m3
	Workers	Inhalation	Acute local effects	7.5 mg/m3
	Workers	Dermal	Long-term systemic effects	0.67 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.65 mg/m3
	Consumers	Inhalation	Long-term local effects	0.65 mg/m3
	Consumers	Oral	Long-term systemic effects	0.2 mg/kg
Amines, polyethylenepoly-, triethylenetetramine fraction	Workers	Inhalation	Long-term systemic effects	0.54 mg/m3
	Consumers	Inhalation	Long-term systemic effects	0.096 mg/m3
	Consumers	Oral	Long-term systemic effects	14 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Substance name	Environmental Compartment	Value
N'-(3-aminopropyl)-N,N- dimethylpropane-1,3-diamine	Marine water	0.92 μg/l
	Freshwater - intermittent	92 μg/l
	Sewage treatment plant	18.1 mg/l
	Fresh water sediment	0.0336 mg/kg dry weight (d.w.)
	Marine sediment	0.0034 mg/kg dry weight (d.w.)
	Soil	0.0013 mg/kg dry weight (d.w.)
Amines, polyethylenepoly-, triethylenetetramine fraction	Fresh water	0.027 mg/l
	Marine water	0.003 mg/l
	Sewage treatment plant	0.13 mg/l
	Fresh water sediment	8.572 mg/kg dry weight (d.w.)
	Marine sediment	0.857 mg/kg dry weight (d.w.)
	Soil	1.25 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber Break through time : 10 - 480 min

Remarks : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be

discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 14387

Filter type : Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : light yellow

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : 11

Concentration: 50 %

Melting point : No data available

Boiling point : > 200 °C

Flash point : 110 °C

Method: Pensky-Martens closed cup

Flammability (solid, gas) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : 0.04 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 0.95 g/cm3 (25 °C)

Solubility(ies)

Water solubility : practically insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity

Viscosity, dynamic : 20,000 - 35,000 mPa.s (25 °C)

9.2 Other information

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Burning rate : No data is available on the product itself.

Evaporation rate : No data is available on the product itself.

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 2,000 mg/kg

Method: Calculation method

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Acute inhalation toxicity : (Rat, male and female): Exposure time: 8 h

Test atmosphere: vapour

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

HUNTSMAI Enriching lives through innovation

ARALDITE® 2011 HARDENER

Version Revision Date: SDS Number: Date of last issue: 24.01.2018 400001015904 1.1 27.09.2021 Date of first issue: 24.01.2018

Print Date 25.07.2022

Method: OECD Test Guideline 403

Acute dermal toxicity -

: Acute toxicity estimate : > 2,000 mg/kg

Product

Method: Calculation method

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Product:

Result: Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Product:

Species: Rabbit

Assessment: Corrosive Result: Corrosive

Respiratory or skin sensitisation

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Test Type: Maximisation Test

Exposure routes: Skin Species: Guinea pig

Method: OECD Test Guideline 406

Result: The product is a skin sensitiser, sub-category 1B.

GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:

Exposure routes: Skin Species: Humans

Assessment: Probability or evidence of skin sensitisation in humans Result: Probability or evidence of skin sensitisation in humans

Assessment: No data available

Germ cell mutagenicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine: Genotoxicity in vitro : Test Type: in vitro assay

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

GLP: yes

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

: Test Type: reverse mutation assay Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

: Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

: Test Type: reverse mutation assay

Test system: Salmonella tryphimurium and E. coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Amines, polyethylenepoly-, triethylenetetramine fraction:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Test species: Mouse (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Dose: 0 - 600 mg/kg

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity-

Assessment

: No data available

Carcinogenicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Mouse, male Application Route: Dermal Exposure time: 20 month(s) Dose: 1.25/56.3 mg/animal Frequency of Treatment: 3 daily

No observed adverse effect level: >= 56.3 mg/kg body weight

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

HUNTSMAI

Enriching lives through innovation

ARALDITE® 2011 HARDENER

Version SDS Number: Date of last issue: 24.01.2018 Revision Date: 400001015904 1.1 27.09.2021 Date of first issue: 24.01.2018

Print Date 25.07.2022

Result: negative

Remarks: Information given is based on data obtained from similar substances.

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species: Mouse, male Dose: 42 mg/kg

Frequency of Treatment: 3 daily

No observed adverse effect level: >= 50 mg/kg bw/day

Method: OECD Test Guideline 451

Result: negative

Species: Mouse, male Application Route: Dermal Exposure time: 104 weeks

Dose: 16.8 mg/kg

Frequency of Treatment: 3 daily

No observed adverse effect level: >= 20 mg/kg bw/day

Method: OECD Test Guideline 451

Carcinogenicity -: No data available

Assessment

Reproductive toxicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Effects on fertility : Test Type: OECD Test Guideline 422

Species: Rat, male and female

Application Route: Oral

Dose: 5, 15 and 50 mg/kg bw/d

General Toxicity - Parent: No observed adverse effect level:

15 mg/kg body weight

General Toxicity F1: No observed adverse effect level: 15

mg/kg body weight

Method: OECD Test Guideline 422

Result: Animal testing did not show any effects on fertility.

GLP: yes

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Effects on foetal Species: Rat, male and female

development Application Route: Oral

Dose: 5, 15 and 50 mg/kg bw/d

General Toxicity Maternal: No observed adverse effect level:

15 mg/kg body weight

Method: OECD Test Guideline 422

Result: Not classified

GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:

Test Type: Pre-natal Species: Rat

Application Route: Oral

Dose: 75/325/750 mg/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Duration of Single Treatment: 10 d

General Toxicity Maternal: No observed adverse effect level:

>= 750 mg/kg body weight

Developmental Toxicity: No observed adverse effect level: >=

750 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Test Type: Pre-natal Species: Rabbit

Application Route: Dermal Dose: 5/50/125 mg/kg bw/day Duration of Single Treatment: 13 d

General Toxicity Maternal: No observed adverse effect level:

50 mg/kg body weight

Developmental Toxicity: No observed adverse effect level: >=

125 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Reproductive toxicity - : No evidence of adverse effects on sexual function and fertility,

Assessment or on development, based on animal experiments.

Amines, polyethylenepoly-, triethylenetetramine fraction:

Reproductive toxicity -

Assessment

: The reprotoxic effects of Triethylenetetramine (TETA) are under further evaluation as part of the EU REACH program due in part to the aminoethyl ethanolamine (AEEA) content.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Rat, male and female

NOEC: 550

Application Route: Inhalation Test atmosphere: vapour

Exposure time: 3 w 6 hNumber of exposures: 5 d/w

Dose: 550 mg/m3

Method: Subchronic toxicity

Remarks: Based on data from similar materials

Species: Mouse, male NOAEL: >= 56.3

Application Route: Skin contact Number of exposures: 3 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Method: Chronic toxicity

Remarks: Based on data from similar materials

Species: Rat, male and female

NOAEL: 1000

Application Route: Oral

Exposure time: 90 dMethod: OECD Test Guideline 408

Remarks: Based on data from similar materials

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species: Rat, male and female

NOAEL: 350 mg/kg Application Route: Oral

Exposure time: 28 d Number of exposures: 7 d

Dose: 100/350/1000 mg/kg bw/day Method: OECD Test Guideline 407

Target Organs: Lungs

Remarks: Information given is based on data obtained from similar substances.

Species: Dog, male and female

NOAEL: 125 mg/kg Application Route: Oral

Remarks: Information given is based on data obtained from similar substances.

Species: Dog, male and female

NOAEL: 50 mg/kg Application Route: Oral Method: Subchronic toxicity

Remarks: Information given is based on data obtained from similar substances.

Species: Rat, male and female

NOAEL: 50 mg/kg Application Route: Oral

Exposure time: 26 weeks Dose: 50/175/600 mg/kg bw/day

Method: OECD Test Guideline 408

Target Organs: Lungs

Remarks: Information given is based on data obtained from similar substances.

Species: Mouse, male and female NOAEL: 92 mg/kg, 600 ppm Application Route: Oral

Exposure time: 120/600/3000 ppm Method: OECD Test Guideline 408

Remarks: Information given is based on data obtained from similar substances.

Repeated dose toxicity - : No data available

Assessment

Aspiration toxicity

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 9.2 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

aquatic invertebrates Exposure time: 48 h

Test Type: static test Analytical monitoring: no Test substance: Fresh water Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Selenastrum capricornutum (green algae)): 21 mg/l Exposure time: 72 h

Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 201

GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 5.7 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (Pseudomonas putida): 181 mg/l

Exposure time: 16 h
Test Type: static test
Analytical monitoring: no
Test substance: Fresh water
Method: DIN 38 412 Part 8

GLP: no

Amines, polyethylenepoly-, triethylenetetramine fraction:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 330 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: EPA OTS 797.1400

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 31.1 mg/l

Exposure time: 48 h
Test Type: static test

Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

: ErC50 (Selenastrum capricornutum (green algae)): 20 mg/l

Exposure time: 72 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 201

EC10 (Selenastrum capricornutum (green algae)): 1.34 mg/l

Exposure time: 72 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 201

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

Version Revision Date: SDS Number: Date of last issue: 24.01.2018 400001015904 1.1 27.09.2021 Date of first issue: 24.01.2018

Print Date 25.07.2022

Toxicity to microorganisms : NOEC (Bacteria): >= 100 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 216

EC50 (Bacteria): > 100 mg/l

Exposure time: 28 h

Method: OECD Test Guideline 216

EC50 (Bacteria): 15.7 mg/l Exposure time: 2 h Test Type: static test

Test substance: Fresh water

NOEC (Bacteria): 1.3 mg/l Exposure time: 2 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: EC10: 1.9 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 202

Toxicity to soil dwelling

organisms

: NOEC: ca. 1,000 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

EC50: > 1,000 mg/kgExposure time: 56 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine: Biodegradability : Test Type: aerobic

Result: Readily biodegradable.

Biodegradation: 100 %

Related to: Dissolved organic carbon (DOC)

Exposure time: 28 d

Method: OECD Test Guideline 301A

GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

Biodegradability : Inoculum: activated sludge

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 162 d

Method: OECD Test Guideline 301D

Test Type: aerobic

Inoculum: activated sludge

Result: Not inherently biodegradable.

Biodegradation: 20 %

Related to: Dissolved organic carbon (DOC)

Exposure time: 84 d

Method: OECD Test Guideline 302A

Chemical Oxygen Demand

(COD)

: 1,940 mg/g

12.3 Bioaccumulative potential

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine: Partition coefficient: n- : log Pow: -0.56 (25 °C)

octanol/water pH: 11.6

Method: OECD Test Guideline 107

Amines, polyethylenepoly-, triethylenetetramine fraction:

Partition coefficient: n- : log Pow: -2.08 - 2.90 (20 °C)

octanol/water Method: QSAR

12.4 Mobility in soil

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction: Distribution among : Koc: 1584.9 - 5012

environmental compartments Method: OECD Test Guideline 106

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

12.7 Other adverse effects

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 2735
RID : UN 2735
IMDG : UN 2735
IATA : UN 2735

14.2 UN proper shipping name

ADR : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE

TETRAMINE)

RID : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE

TETRAMINE)

IMDG : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE

TETRAMINE)

IATA : Polyamines, liquid, corrosive, n.o.s.

(DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE

TETRAMINE)

14.3 Transport hazard class(es)

 ADR
 : 8

 RID
 : 8

 IMDG
 : 8

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

IATA : 8

14.4 Packing group

ADR

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : III
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo : 856

aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

IATA (Passenger)

Packing instruction : 852

(passenger aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the

Canadian NDSL.

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

Inventories

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H412 : Harmful to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

Further information

Classification of the mixture: Classification procedure:

Skin Corr. 1C H314 Based on product data or assessment Eye Dam. 1 H318 Based on product data or assessment

Skin Sens. 1 H317 Calculation method

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ARALDITE® 2011 HARDENER

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.01.2018

 1.1
 27.09.2021
 400001015904
 Date of first issue: 24.01.2018

Print Date 25.07.2022

behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.