Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 01.08.2022

Version number 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: ADEKIT A 210 POLYOL (A)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesives
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SIKA AUTOMOTIVE FRANCE SAS 15 Rue de l'Equerre - F-95310 SAINT OUEN L'AUMONE Tél.+33 (0)1 34 40 34 60

• Further information obtainable from: DPT HSE - +33 (0)1 34 40 34 60 - safety@fr.sika.com

• **1.4 Emergency telephone number:** ORFILA : +33 (0)1 45 42 59 59 +44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- \cdot Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms





GHS07 GHS09

· Signal word Warning

- · Hazard-determining components of labelling:
- 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine
- · Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

- *P273* Avoid release to the environment.
- *P280 Wear protective gloves.*
- P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 01.08.2022

Version number 10



Trade name: ADEKIT A 210 POLYOL (A)

(Contd. of page 1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 106264-79-3 ELINCS: 403-240-8 Reg.nr.: 01-0000015292-76	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	10-25%
CAS: 25322-69-4	Polypropylenglycol Acute Tox. 4, H302	10-25%
CAS: 38640-62-9 EINECS: 254-052-6 Reg.nr.: 01-2119565150-48	diisopropylnaphthalene, isomers Asp. Tox. 1, H304; Aquatic Chronic 1, H410	<i>≤</i> 2.5%
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- \cdot Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing date 01.08.2022

Version number 10



Trade name: ADEKIT A 210 POLYOL (A)

(Contd. of page 2)

- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- *Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid close or long term contact with the skin.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

• Material of gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 01.08.2022

Version number 10



Trade name: ADEKIT A 210 POLYOL (A)

(Contd. of page 3)

GB

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection

Safety glasses

Tightly sealed goggles • **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical p General Information	•
Colour:	Light grey
Odour:	Characteristic
Melting point/freezing point:	NA °C
Boiling point or initial boiling point and boiling	
range	NA °C
Flash point:	>110 °C
Auto-ignition temperature:	Product is not selfigniting.
Solubility	
water:	Insoluble.
organic solvents:	Soluble in many organic solvents.
Density and/or relative density	Some in many of Sume Borrows.
Density and/of relative density	1.7 g/cm ³ (ISO 1675:1985)
•	
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health an	d
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
	(Contd. on page 5



Printing date 01.08.2022

Version number 10

Trade name: ADEKIT A 210 POLYOL (A	1)	
		(Contd. of page 4)
• Organic peroxides	Void	
• Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

106264-79-3 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine

Oral LD50 1,515 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

25322-69-4 Polypropylenglycol

Oral LD50 1,000-2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2022

Version number 10



Trade name: ADEKIT A 210 POLYOL (A)

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

106264-79-3 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine

LC50 (96h) 7.3 mg / l (fish)

EC50 (72h) 7.6 mg/l (alga)

EC50 (48h) 0.9 mg/l (daphnia)

· 12.2 Persistence and degradability No further relevant information available.

• Other information: The product is not easily biodegradable.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

• 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Dispose of the product by burning in a suitable incinerator or bury in an approved landfield following all applicable local and/or national regulations.

· Uncleaned packaging:

• Recommendation:

Empty containers may not be disposed of unless any remaining material adhering to the internal walls has been removed.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

· 14.2 UN proper shipping name

 $\cdot ADR$

· IMDG

· IATA

UN3082

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)

(Contd. on page 7)

Page	7/8
I USC	//0



Printing date 01.08.2022

Version number 10

Trade name: ADEKIT A 210 POLYOL (A)	
· 14.3 Transport hazard class(es)	(Contd. of page 6)
· ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR, IMDG, IATA	III
14.5 Environmental hazards:	
• Marine pollutant:	Yes
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
• Hazard identification number (Kemler code):	90
• EMS Number:	F-A,S-F
• 14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	Ε
· UN ''Model Regulation'':	UN3082, ENVIRONMENTALLY HAZARDOUS
-	SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-
	bis(methylthio)phenylene-1,3-diamine), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations:

- Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Printing date 01.08.2022

Version number 10



Trade name: ADEKIT A 210 POLYOL (A)

(Contd. of page 7)

· Relevant phrases
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Sens. 1: Skin sensitisation – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
* * Data compared to the previous version altered.