

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 12

SDS No.: 502774

V005.0 Revision: 11.04.2022

printing date: 06.10.2023

Replaces version from: 24.10.2019

BONDERITE C-IC 4409 AERO known as TURCO 4409

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BONDERITE C-IC 4409 AERO known as TURCO 4409

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Etching Agents for Metals

1.3. Details of the supplier of the safety data sheet

Henkel Ltd

Adhesives

Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone:

+44 (1442) 278000

ua-productsafety.uk@henkel.com

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Corrosive to metals Category 1

H290 May be corrosive to metals.

Skin corrosion Category 1B

H314 Causes severe skin burns and eye damage.

Serious eye damage Category 1

H318 Causes serious eye damage.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Contains Phosphoric acid

Signal word: Danger

Hazard statement: H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement: P280 Wear protective gloves/protective clothing/eye protection/face protection.

Prevention P260 Do not breathe mist/spray.

Precautionary statement: P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Response Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

Following substances are present in a concentration >= 0.1% and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in concentration ≥ the concentration limit that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Base substances of preparation:

inorganic acids non-ionic surfactants

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No. EC Number REACH-Reg No.	Concentration	Classification	Specific Conc. Limits, M- factors and ATEs	Add. Information
Phosphoric acid 7664-38-2 231-633-2 01-2119485924-24	20- 40 %	Met. Corr. 1, H290 Skin Corr. 1B, H314 Acute Tox. 4, Oral, H302	Skin Corr. 1B; H314; C >= 25 % Eye Irrit. 2; H319; C 10 - < 25 % Skin Irrit. 2; H315; C 10 - < 25 % ====== oral:ATE = 1.500 mg/kg	EU OEL

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available. Declaration of ingredients according to Detergent Regulation 648/2004/EC

> 30 % phosphates

< 5 % non-ionic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Immediately rinse with copious amounts of running water (for 10 minutes). Remove contaminated clothes. Put on a bandage with sterile gauze, seek medical attention in hospital.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 15 minutes. Hold eyelid wide-open. Seek a doctor/hospital, eye flushing should continue during transportation to a doctor.

Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Immediate medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in fires.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Neutralize with acid-binding material (e.g. powdered limestone).

Take up with liquid-absorbing material (sand).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

When diluting, always stir slowly the product into standing water.

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

See advice in section 8

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

Wash contaminated clothing before reuse.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container.

Frost-sensitive

Store in a cool, frost-free place.

Keep container in a well ventilated place.

Keep container tightly sealed.

Keep only in original container.

Do not store together with strong bases or very alkaline substances.

7.3. Specific end use(s)

Etching Agents for Metals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Great Britain

Ingredient [Regulated substance]	ppm	mg/m ³	Value type	Short term exposure limit category / Remarks	Regulatory list
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		1	Time Weighted Average (TWA):		EH40 WEL
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		2	Short Term Exposure Limit (STEL):	Indicative	ECTLV
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		1	Time Weighted Average (TWA):	Indicative	ECTLV
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		2	Short Term Exposure Limit (STEL):	15 minutes	EH40 WEL

Occupational Exposure Limits

Valid for

Ireland

Ingredient [Regulated substance]	ppm	mg/m³	Value type	Short term exposure limit category / Remarks	Regulatory list
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		1	Time Weighted Average (TWA):	Indicative OELV	IR_OEL
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		2	Short Term Exposure Limit (STEL):	Indicative	ECTLV
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		1	Time Weighted Average (TWA):	Indicative	ECTLV
Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID]		2	Short Term Exposure Limit (STEL):	15 minutes Indicative OELV	IR_OEL

Predicted No-Effect Concentration (PNEC):

Name on list	Environmental Compartment	Value		Remarks		
	•	mg/l	ppm	mg/kg	others	
phosphoric acid 7664-38-2	sediment (freshwater)					no hazard identified
phosphoric acid 7664-38-2	sediment (marine water)					no hazard identified
phosphoric acid 7664-38-2	Air					no hazard identified
phosphoric acid 7664-38-2	Soil					no hazard identified
phosphoric acid 7664-38-2	Predator					no potential for bioaccumulation

Derived No-Effect Level (DNEL):

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
phosphoric acid 7664-38-2	Workers	inhalation	Long term exposure - systemic effects		10,7 mg/m3	no hazard identified
phosphoric acid 7664-38-2	General population	inhalation	Long term exposure - systemic effects		4,57 mg/m3	no hazard identified
phosphoric acid 7664-38-2	General population	inhalation	Long term exposure - local effects		0,36 mg/m3	no hazard identified
phosphoric acid 7664-38-2	General population	oral	Long term exposure - systemic effects		0,1 mg/kg	no hazard identified
phosphoric acid 7664-38-2	Workers	inhalation	Long term exposure - local effects		1 mg/m3	no hazard identified
phosphoric acid 7664-38-2	Workers	inhalation	Acute/short term exposure - local effects		2 mg/m3	no hazard identified

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387).

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >= 1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >= 1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Goggles which can be tightly sealed.

Protective eye equipment should conform to EN166.

Skin protection:

Protective clothing that covers arms and legs.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Delivery form liquid
Colour colourless
Odor Odorless

Melting point Not applicable, Product is a liquid

Solidification temperature $< -20 \,^{\circ}\text{C} (< -4 \,^{\circ}\text{F})$ Initial boiling point $> 100 \,^{\circ}\text{C} (> 212 \,^{\circ}\text{F})$ Flammability Not applicable

Non flammable product (flash point is greater than 93°C)

Explosive limits Not applicable, The product is not flammable.

Flash point > 93 °C (> 199.4 °F) Auto-ignition temperature > 200 °C (> 392 °F)

Decomposition temperature Not applicable, Substance/mixture is not self-reactive, no

organic peroxide and does not decompose under foreseen

conditions of use

pH < 1

(20 °C (68 °F); Conc.: 100 % product)

Viscosity (kinematic) 1 - 10 mm2/s

(40 °C (104 °F);)

Viscosity, dynamic 1 mPa.s no method

(; 20 °C (68 °F))

Solubility (qualitative) Soluble

(20 °C (68 °F); Solvent: Water)

Partition coefficient: n-octanol/water Not applicable

Mixture < 23 hPa

Vapour pressure < 23 hPa

(20 °C (68 °F))

Density 1,2 - 1,3 g/cm3

(20 °C (68 °F))

Relative vapour density: > 1

(20 °C)

Particle characteristics Not applicable
Product is a liquid

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with alkalis or water: Heat generated, spatters!

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None if used for intended purpose. In case of fire toxic gases can be released.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Phosphoric acid	Acute	1.500 mg/kg		Expert judgement
7664-38-2	toxicity			
	estimate			
	(ATE)			

Acute dermal toxicity:

No data available.

Acute inhalative toxicity:

No data available.

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Phosphoric acid 7664-38-2	corrosive	24 h	rabbit	not specified

Serious eye damage/irritation:

No data available.

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
Phosphoric acid	negative	bacterial reverse	with and without		OECD Guideline 471
7664-38-2		mutation assay (e.g			(Bacterial Reverse Mutation
		Ames test)			Assay)
Phosphoric acid	negative	in vitro mammalian	with and without		OECD Guideline 473 (In vitro
7664-38-2		chromosome			Mammalian Chromosome
		aberration test			Aberration Test)
Phosphoric acid	negative	mammalian cell	with and without		OECD Guideline 476 (In vitro
7664-38-2		gene mutation assay			Mammalian Cell Gene
					Mutation Test)

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Test type	Route of	Species	Method
CAS-No.			application		
Phosphoric acid	NOAEL P 500 mg/kg	one-	oral: gavage	rat	OECD Combined Repeated
7664-38-2		generation			Dose and Reproductive /
	NOAEL F1 500 mg/kg	study			Developmental Toxicity
					Screening Test (Precursor
					Protocol of GL 422)

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Route of	Exposure time /	Species	Method
CAS-No.		application	Frequency of treatment		
Phosphoric acid 7664-38-2	NOAEL 250 mg/kg	oral: gavage	6 w daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Locally harmful for aquatic and landliving organisms because of low pH and corrosive properties.

The biodegradability of the surfactants contained in the product is in accordance with the requirements of the EU Detergent Regulation (EC/648/2004).

The surfactants contained in the products are primary biodegradable to at least 90% on average.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Phosphoric acid	LC50	> 100 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish,
7664-38-2					Acute Toxicity Test)

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Phosphoric acid	EC50	> 100 mg/l	48 h	Daphnia magna	OECD Guideline 202
7664-38-2					(Daphnia sp. Acute
					Immobilisation Test)

Chronic toxicity to aquatic invertebrates

No data available.

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Phosphoric acid	EC50	> 100 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga,
7664-38-2					Growth Inhibition Test)
Phosphoric acid	NOEC	100 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga,
7664-38-2				_	Growth Inhibition Test)

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Phosphoric acid	IC50	270 mg/l	3 h	activated sludge	OECD Guideline 209
7664-38-2					(Activated Sludge,
					Respiration Inhibition Test)

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB
CAS-No.	
Phosphoric acid	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
7664-38-2	be conducted for inorganic substances.

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

If acidic or alkaline products are discharged into wastewater installations care must be taken that the discharged wastewater has a pH in the range pH 6 - 10, as pH variations could cause disorders in wastewater channels and biological sewage treatment plants. The local discharge regulations take precedence.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

EWC/EAK 070608

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. **UN** number

ADR	1805
RID	1805
ADN	1805
IMDG	1805
IATA	1805

14.2. UN proper shipping name

ADR	PHOSPHORIC ACID SOLUTION
RID	PHOSPHORIC ACID SOLUTION
ADN	PHOSPHORIC ACID SOLUTION
IMDG	PHOSPHORIC ACID SOLUTION
IATA	Phosphoric acid, solution

14.3. Transport hazard class(es)

ADR	8
RID	8
ADN	8
IMDG	8
IATA	8

14.4. Packing group

ADR	III
RID	III
ADN	III
IMDG	III
IATA	III

14.5. **Environmental hazards**

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
	Tunnelcode: (E)
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): Persistent organic pollutants (Regulation (EU) 2019/1021): VOC content

Not applicable Not applicable Not applicable

(2010/75/EU)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Great Britain):

Remarks Control of Substances Hazardous to Health Regulations (COSHH), and related

guidance, e.g COSHH Essentials. EH40 Occupational Exposure Limits

Chemicals (Hazard Information & Packaging for Supply) Regulations.

The Personnel Protective Equipment at Work Regulations. The Carriage of Dangerous Goods by Road Regulations.

The Health & Safety at Work Act 1974.

(Note: Use latest editions/amendments of above referenced documents.)

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

ED: Substance identified as having endocrine disrupting properties

EU OEL:

Substance with a Union workplace exposure limit

EU EXPLD 1:

Substance listed in Annex I, Reg (EC) No. 2019/1148

EU EXPLD 2

Substance listed in Annex II, Reg (EC) No. 2019/1148

SVHC:

Substance of very high concern (REACH Candidate List)

PBT:

Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.