

CHT UK BRIDGWATER LTD

SILCOSET 153

Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 1 / 13 Replaced revision:29 (Dated 09/03/2021) ΕN

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the s	substance/mi	ixture and of the com	oany/undertaking
1.1. Product identifier			
Product name	SILCOSET	153	
1.2. Relevant identified uses of the substance	e or mixture and u	ses advised against	
Intended use	Adhesive	sealant.	
1.3. Details of the supplier of the safety data	sheet		
Name Full address District and Country		RIDGWATER LTD use Showground Road Bridgwater England +44(0)1278411400 +44(0)1278411444	(Somerset)
e-mail address of the competent person responsible for the Safety Data Sheet	info.uk@cl		
Supplier:	CHT Germ Bismarcks 72072 Tüb Germany		
1.4. Emergency telephone number			
For urgent inquiries refer to		0418529118 nquiries +44(0)1278 411400	
SECTION 2. Hazards identificatio	n		
2.1. Classification of the substance or mixtur	e		
The product is classified as hazardous pursua amendments and supplements). The product 2020/878. Any additional information concerning the risk	thus requires a safe	ety datasheet that complies with	the provisions of (EU) Regulation
Hazard classification and indication:			

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements: H318 H315

Causes serious eye damage. Causes skin irritation.

Precautionary statements:



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 2 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 2. Hazards identification

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P280 P310 P264	Wear protective gloves / eye protection / face protection. Immediately call a POISON CENTER / doctor / Wash thoroughly after handling.
Contains:	METHYLSILANETRIYL-TRIACETATE DIACETOXYDI-TERT-BUTOXYSILANE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification	n x = Conc. %	Classification (EC) 1272/2008 (CLP)
METHYLSI	LANETRIYL-TRIACETATE	
CAS	4253-34-3 2.5 ≤ x < 3	Acute Tox. 4 H302. Skin Co

CAS EC	4253-34-3 224-221-9	$2.5 \le x < 3$	Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, EUH014 STA Oral: 500 mg/kg
INDEX			······································
REACH Reg.	21-2119987097-22	2	
DIACETOXYD	I-TERT-BUTOXYSII	LANE	
CAS	13170-23-5	1.5 ≤ x < 2	Skin Corr. 1B H314, Eye Dam. 1 H318
EC	236-112-3		
INDEX			
REACH Reg.	01-2119987098-20)	
ACETIC ACID			
CAS	64-19-7	$0 \le x \le 0.1$	Flam. Liq. 3 H226, Skin Corr. 1A H314, Eye Dam. 1 H318, Classification note according to Annex VI to the CLP Regulation: B
EC	200-580-7		
INDEX	607-002-00-6		
REACH Reg.	01-2119475328-30)	
OCTAMETHY	LCYCLOTETRASIL	OXANE	
CAS	556-67-2	0 ≤ x < 0.025	Repr. 2 H361f, Aquatic Chronic 1 H410 M=10
EC	209-136-7		
INDEX			
REACH Reg.	01-2119529238-36	5	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.



ΕN

SECTION 4. First aid measures

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

We recommend, that once opened, the product is used and is not stored

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.



SECTION 7. Handling and storage

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

/>>

8.1. Control parameters

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb.,
DEU	Deutschland	kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und
		Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH
		HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i
		arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og
		grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3,
		eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os
		agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os
		riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające
		rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych
		dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru
		modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska
	g	gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa
		nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred
		rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení
		neskorších predpisov
TUR	Türkiye	Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik
		12.08.2013 / 28733
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OELEU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU)
-		2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 5 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 8. Exposure controls/personal protection/>>

METHYLSILANETRIYL-TRIACETATE									
Predicted no-effect con	centration	- PNEC							
Normal value in fresh water 1 mg/l									
Normal value in marine water 0.1 mg/l									
Normal value for fresh	n water sedi	ment				3.4	mg/kg		
Normal value for mari	ine water se	diment				0.34	mg/kg		
Normal value for wate	er, intermitte	ent release				10	mg/l		
Normal value of STP microorganisms 10 mg/l									
Normal value for the t	errestrial co	ompartment				0.145	mg/kg		
Health - Derived no-effe	Health - Derived no-effect level - DNEL / DMEL								
	Effects or	n consumers			Effects on v	vorkers			
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic	
	local	systemic	local	systemic	local	systemic	local	systemic	
Oral			VND	1					
				mg/kg bw/d					
Inhalation			5.1	6.3			31	25	
			mg/m3	mg/m3			mg/kg	mg/m3	
Skin			VND	7.2			VND	14.5	
				mg/kg/d				mg/kg	
								bw/d	

		D	IACETOXYDI-1	FERT-BUTOXYS	BILANE			
Predicted no-effect co	ncentration	- PNEC						
Normal value in fresh	n water					0.02875	mg/l	
Normal value in marine water 0.02875 mg/l								
Normal value for fres	h water sedi	iment				0.03279	mg/kg/d	
Normal value for mar	rine water se	ediment				0.00327	mg/kg/d	
						9		
Normal value of STP	Normal value of STP microorganisms 13.276 mg/l							
Health - Derived no-eff	ect level - D	NEL / DMEL						
	Effects of	n consumers			Effects on v	vorkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	10.69				
				mg/kg bw/d				
Inhalation			VND	37.2			VND	150.84
				mg/m3				mg/m3
Skin			VND	10.69			VND	21.39
				mg/kg bw/d				mg/kg
				2 0				bw/d

				ACE	TIC ACID	
Threshold Limit \	/alue					
Туре	Country	TWA/8h		STEL/15	min	Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	CZE	25	10.025	50	20.05	
AGW	DEU	25	10	50 (C)	20 (C)	
MAK	DEU	25	10	50	20	
TLV	DNK	25	10			E
VLA	ESP	25	10	50	20	
VLEP	FRA	25	10	50	20	
HTP	FIN	13	5	25	10	
AK	HUN	25		50		
VLEP	ITA	25	10	50	20	
TLV	NOR	25	10	50	20	
TGG	NLD	25		50		
VLE	PRT	25	10	50	20	
NDS/NDSCh	POL	25		50		
TLV	ROU	25	10	50	20	
NGV/KGV	SWE	13	5	25	10	
NPEL	SVK	25	10	50	20	
ESD	TUR	25	10			
WEL	GBR	25	10	50	20	
OEL	EU	25	10	50	20	
TLV-ACGIH		25	10	37	15	



CHT UK BRIDGWATER LTD

SILCOSET 153

SECTION 8. Exposure controls/personal protection/>>

OCTAMETHYLCYCLOTETRASILOXANE								
Predicted no-effect cor	centration	PNEC						
Normal value in marin	ne water					0.044	mg/l	
Normal value for fres	h water sedir	nent				0.128	mg/kg	
Normal value of STP	microorganis	sms				100	mg/l	
Normal value for the terrestrial compartment 0.16 mg/kg								
Health - Derived no-eff	ect level - D	NEL / DMEL						
	Effects on	consumers			Effects on	workers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation	61 mg/m3	305 mg/m3	61 mg/m3	305 mg/m3				

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Information

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties		Value
Appearance		paste
Colour		colourless
Odour		pungent
Melting point / freezing point		Not available
Initial boiling point		Not available
Flammability		Not available
Lower explosive limit		Not available
Upper explosive limit		Not available
Flash point	>	150 °C
Auto-ignition temperature	>	400 °C
pН		Not available
Kinematic viscosity		paste
Solubility		immiscible with water
Partition coefficient: n-octanol/water		Not available

@EPY 11.1.2 - SDS 1004.14



ΕN

SECTION 9. Physical and chemical propertie	5
Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Not available 1.05 Not available Not applicable
9.2. Other information	
9.2.1. Information with regard to physical hazard cla	asses
Information not available	
9.2.2. Other safety characteristics	
VOC (volatile carbon)	1.18 % - 12.37 g/litre
SECTION 10. Stability and reactivity	
10.1. Reactivity	
Information not available	
10.2. Chemical stability	
Information not available	
10.3. Possibility of hazardous reactions	
The product may react violently with water.	
chloride, hydrogen peroxide. May react dangerou) oxide,potassium permanganate,sodium peroxide,perchloric acid,phosphorus sly with: alcohols,bromine pentafluoride,chlorosulphuric acid,dichromate-sulphuric ydroxide,strong bases,sodium hydroxide,strong oxidising agents,nitric acid,ammonium plosive mixtures with: air.
Avoid overheating. Prevent moisture or water from	penetrating inside the containers.
ACETIC ACID Avoid exposure to: sources of heat,naked flame: 10.5. Incompatible materials	S.
ACETIC ACID Incompatible with: carbonates,hydroxides,phosp 10.6. Hazardous decomposition products	hates,oxidising substances,bases.
Information not available	
SECTION 11. Toxicological informati	on
Oral LD50 (Rat) >5000 mg/kg; Dermal LD50 (Rabb	it) >2000 mg/kg.
contains, using the criteria specified in the applicab	itself, health hazards are evaluated according to the properties of the substances it le regulation for classification. ncentration of the individual hazardous substances indicated in section 3, to evaluate the
11.1. Information on hazard classes as defined in I	Regulation (EC) No 1272/2008
Metabolism, toxicokinetics, mechanism of action an	d other information
Information not available	
Information on likely routes of exposure	
Information not available	
Delayed and immediate effects as well as chronic e	ffects from short and long-term exposure



SECTION 11. Toxicological information

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

METHYLSILANETRIYL-TRIACETATE STA (Oral):

ACETIC ACID LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):

OCTAMETHYLCYCLOTETRASILOXANE LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 8 / 13 Replaced revision:29 (Dated 09/03/2021)

Not classified (no significant component) >2000 mg/kg Not classified (no significant component)

500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

1060 mg/kg Rabbit 3310 mg/kg Rat 11.4 mg/l/4h Rat

> 2375 mg/kg Rat 4800 mg/kg Rat, male 36 mg/l/4h Rat, male and female



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 9/13 Replaced revision:29 (Dated 09/03/2021)

SECTION 11. Toxicological information

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

DIACETOXYDI-TERT-BUTOXYSILANE LC50 - for Fish EC50 - for Algae / Aquatic Plants	192.34 mg/l/96h 28.75 mg/l/72h
OCTAMETHYLCYCLOTETRASILOXANE LC50 - for Fish EC50 - for Crustacea EC10 for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Crustacea	> 0.022 mg/l/96h Oncorhynchus mykiss 0.015 mg/l/48h Daphnia magna > 0.022 mg/l/96h Pseudokirchneriella subcapitata > 0.0044 mg/l Oncorhynchus mykiss > 0.0015 mg/l Daphnia magna
12.2. Persistence and degradability	
DIACETOXYDI-TERT-BUTOXYSILANE Rapidly degradable	79.5% Method: OECD 301 F, Exposure duration: 28 days
ACETIC ACID Solubility in water Rapidly degradable	> 10000 mg/l
12.3. Bioaccumulative potential	

SECTION 12. Ecological information/

ACETIC ACID Partition coefficient: n-octanol/water	-0.17
12.4. Mobility in soil	
ACETIC ACID Partition coefficient: soil/water	1.153
12.5. Results of PBT and vPvB assessment	

12.5. Results of FBT and VFVB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

ΕN



SECTION 15. Regulatory information

Austrailia AICS: On or in compliance with the inventory. Canada DSL Inventory List: On or in compliance with the inventory. EINECS, ELINCS or NLP: On or in compliance with the inventory. Japan (ENCS) List: On or in compliance with the inventory. China Inv. Existing Chemical Substances: On or in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory. US TSCA Inventory: On or in compliance with the inventory. New Zealand Inventory of Chemicals: On or in compliance with the inventory. Taiwan Chemical Substance Inventory: On or in compliance with the inventory.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso	Category	- Directive	2012/18/EU:
964690	Calegory		2012/10/20.

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point 3 - 40 Contained substance Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors Not applicable

Substances in Candidate List (Art. 59 REACH) OCTAMETHYLCYCLOTETRASILOXANE REACH Reg.: 01-2119529238-36

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Repr. 2	Reproductive toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1A	Skin corrosion, category 1A
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2

@EPY 11.1.2 - SDS 1004.14



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 12 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 16. Other information

Aquatic Chronic 1 H226	Hazardous to the aquatic environment, chronic toxicity, category 1 Flammable liquid and vapour.
H361f	Suspected of damaging fertility.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH014	Reacts violently with water.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)



ΕN

SECTION 16. Other information

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.