

SAFETY DATA SHEET

Version #: 06

Issue date: 05-21-2019

Revision date: 07-30-2023

Supersedes date: 06-25-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture DEVCON® Flexane 94 Liquid Resin

Registration number -

Synonyms None.

SKU# 0321

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address
Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82

Contact Person Customer Service

Telephone Number 353(61)771500
353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Austria National Poisons Information Center +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Belgium National Poisons Control Center 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Bulgaria National Toxicological Information Center +359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information Center +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Center (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

| | |
|---|---|
| Greece Poison Information Centre | (0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Hungary National Emergency Phone Number | +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Iceland Poison Center | (+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Latvia Emergency medical aid | 113 |
| Latvia Poison and Drug Information Center | +371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Lithuania Neatidēliotina informacija apsinuodijus | +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) |
| Malta Accident and Emergency Department | 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) |
| Netherlands National Poisons Information Center (NVIC) | NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications) |
| Norway Norwegian Poison Information Center | 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Portugal Poison Center | 800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Romania Biroul RSI si Informare Toxicologica | 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.) |
| Slovakia National Toxicological Information Center | +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Spain Toxicology Information Service | + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Sweden National Poison Information Center | 112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| Switzerland Tox Info Suisse | 145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

| | | |
|--|---|---|
| Acute toxicity, inhalation | Category 2 | H330 - Fatal if inhaled. |
| Skin corrosion/irritation | Category 2 | H315 - Causes skin irritation. |
| Serious eye damage/eye irritation | Category 2 | H319 - Causes serious eye irritation. |
| Respiratory sensitization | Category 1 | H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Skin sensitization | Category 1 | H317 - May cause an allergic skin reaction. |
| Specific target organ toxicity - single exposure | Category 3 respiratory tract irritation | H335 - May cause respiratory irritation. |

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: CN40-602Y-300G-J6K5
Belgium: CN40-602Y-300G-J6K5
Bulgaria: CN40-602Y-300G-J6K5
Croatia: CN40-602Y-300G-J6K5
Cyprus: CN40-602Y-300G-J6K5
Czech Republic: CN40-602Y-300G-J6K5
Denmark: CN40-602Y-300G-J6K5
Estonia: CN40-602Y-300G-J6K5
EU: CN40-602Y-300G-J6K5
Finland: CN40-602Y-300G-J6K5
France: CN40-602Y-300G-J6K5
Germany: CN40-602Y-300G-J6K5
Greece: CN40-602Y-300G-J6K5
Hungary: CN40-602Y-300G-J6K5
Iceland: CN40-602Y-300G-J6K5
Ireland: CN40-602Y-300G-J6K5
Italy: CN40-602Y-300G-J6K5
Latvia: CN40-602Y-300G-J6K5
Lithuania: CN40-602Y-300G-J6K5
Luxembourg: CN40-602Y-300G-J6K5
Malta: CN40-602Y-300G-J6K5
Netherlands: CN40-602Y-300G-J6K5
Norway: CN40-602Y-300G-J6K5
Poland: CN40-602Y-300G-J6K5
Portugal: CN40-602Y-300G-J6K5
Romania: CN40-602Y-300G-J6K5
Slovakia: CN40-602Y-300G-J6K5
Slovenia: CN40-602Y-300G-J6K5
Spain: CN40-602Y-300G-J6K5
Sweden: CN40-602Y-300G-J6K5

Contains:

4,4'-methylene(dicyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate, Polyol

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Precautionary statements

Prevention

P260 Do not breathe vapor.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear eye protection/face protection.
P280 Wear protective gloves.
P284 Wear respiratory protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P320 Specific treatment is urgent (see this label).
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.**2.3. Other hazards**

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General information**

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|-----------|------------------------|------------------------|--------------|-------|
| Polyol | 60 - < 70 | N/A | - | - | |
| Classification: - | | | | | |
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate | 30 - < 40 | 5124-30-1 225-863-2 | - | 615-009-00-0 | |
| Classification: Acute Tox. 4;H302;(ATE: 1065 mg/kg bw), Acute Tox. 3;H331;(ATE: 3 mg/l), Skin Irrit. 2;H315, Eye Irrit. 2;H319, Resp. Sens. 1;H334, Skin Sens. 1;H317, STOT SE 3;H335 | | | | | |
| Specific Concentration Limits: Resp. Sens. 1;H334: C ≥ 0.5 %, Skin Sens. 1;H317: C ≥ 0.5 % | | | | | |
| Other components below reportable levels | 1 - < 3 | | | | |

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures**General information**

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures**Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures**General fire hazards**

No unusual fire or explosion hazards noted.

5.1. Extinguishing media**Suitable extinguishing media**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

| | |
|---|---|
| 5.2. Special hazards arising from the substance or mixture | During fire, gases hazardous to health may be formed. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Special fire fighting procedures | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

SECTION 6: Accidental release measures

| | |
|---|---|
| 6.1. Personal precautions, protective equipment and emergency procedures | |
| For non-emergency personnel | Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. |
| For emergency responders | Keep unnecessary personnel away. Ensure adequate ventilation. Do not breathe vapors or spray mist. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. |
| 6.2. Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. |

SECTION 7: Handling and storage

| | |
|--|--|
| 7.1. Precautions for safe handling | Do not breathe vapors or spray mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| 7.2. Conditions for safe storage, including any incompatibilities | Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). |
| 7.3. Specific end use(s) | Observe industrial sector guidance on best practices. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended

| Components | Type | Value |
|---|---------|--------------------------------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | Ceiling | 0,054 mg/m ³ |
| | | 0,005 ppm |
| | MAK | 0,054 mg/m ³ 0,005 ppm |

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

| Components | Type | Value |
|---|------|-------------------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | TWA | 0,055 mg/m ³ |
| | | 0,005 ppm |

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

| Components | Type | Value |
|--|------|-------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | TLV | 0,054 mg/m3 |
| | | 0,005 ppm |

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

| Components | Type | Value |
|--|------|-----------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | STEL | 0,01 ppm |
| | TWA | 0,005 ppm |

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

| Components | Type | Value |
|--|------|-------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | STEL | 0,035 mg/m3 |

Greece. OELs, Presidential Decree No. 307/1986, as amended

| Components | Type | Value |
|--|------|------------------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | STEL | 0,11 mg/m3 |
| | | 0,01 ppm |
| | TWA | 0,11 mg/m3 0,01 ppm |

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

| Components | Type | Value |
|--|------|-------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | TWA | 0,054 mg/m3 |
| | | 0,005 ppm |

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended

| Components | Type | Value |
|--|------|-----------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | TWA | 0,005 ppm |

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

| Components | Type | Value |
|--|---------|-----------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | Ceiling | 0,01 ppm |
| | TWA | 0,005 ppm |

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

| Components | Type | Value |
|--|------|-------------------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | STEL | 0,01 ppm |
| | TLV | 0,05 mg/m3 0,005 ppm |

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

| Components | Type | Value |
|--|------|-----------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | TWA | 0,005 ppm |

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

| Components | Type | Value |
|--|------|-------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | TWA | 0,055 mg/m3 |
| | | 0,005 ppm |

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

| Components | Type | Value |
|--|---------|-----------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | Ceiling | 0,005 ppm |
| | TWA | 0,002 ppm |

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

| Components | Type | Value |
|--|------|------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | STEL | 0,02 mg/m3 |
| | TWA | 0,02 mg/m3 |

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

| Components | Type | Value |
|--|------|------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | STEL | 0,07 mg/m3 |
| | TWA | 0,02 mg/m3 |

Biological limit values

UK. BELs. Biological Monitoring Guidance Values (BMGVs) (EH40/2005 (Fourth Edition 2020)), Table 2

| Components | Value | Determinant | Specimen | Sampling Time |
|--|------------|----------------------------|---------------------|---------------|
| 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) | 1 umol/mol | Isocyanate-derived diamine | Creatinine in urine | * |

* - For sampling details, please see the source document.

| | |
|--|---|
| Recommended monitoring procedures | Follow standard monitoring procedures. |
| Derived no effect levels (DNELs) | Not available. |
| Predicted no effect concentrations (PNECs) | Not available. |
| 8.2. Exposure controls | |
| Appropriate engineering controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower. |
| Individual protection measures, such as personal protective equipment | |
| General information | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. |
| Eye/face protection | Chemical respirator with organic vapor cartridge and full facepiece. |
| Skin protection | |
| - Hand protection | Wear appropriate chemical resistant gloves. |
| - Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. |
| Respiratory protection | Chemical respirator with organic vapor cartridge and full facepiece. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| Hygiene measures | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|----------------------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Clear. |
| Odor | Musty. |
| Melting point/freezing point | 77 °F (25 °C) estimated |
| Boiling point or initial boiling point and boiling range | Not available. |
| Flammability | Not applicable. |
| Flash point | 392,0 °F (200,0 °C) estimated |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| pH | Not available. |
| Kinematic viscosity | Not available. |
| Solubility | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) (log value) | Not available. |
| Vapor pressure | 0,00002 hPa estimated |
| Density and/or relative density | |
| Density | 1,04 g/cm ³ estimated |
| Vapor density | Not available. |
| Particle characteristics | Not available. |

9.2. Other information

| | |
|--|---|
| 9.2.1. Information with regard to physical hazard classes | No relevant additional information available. |
|--|---|

9.2.2. Other safety characteristics

| | |
|------------------|----------------------|
| Specific gravity | 1,04 estimated |
| VOC | 0,000007 % estimated |

SECTION 10: Stability and reactivity

| | |
|--|---|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Contact with incompatible materials. |
| 10.5. Incompatible materials | Alcohols. Amines. |
| 10.6. Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Skin contact | Causes skin irritation. May cause an allergic skin reaction. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. |

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Fatal if inhaled.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1)

Acute

Dermal

| | | |
|------|--------|---------------|
| LD50 | Rabbit | > 10000 mg/kg |
|------|--------|---------------|

Oral

| | | |
|------|-----|------------|
| LD50 | Rat | 1065 mg/kg |
|------|-----|------------|

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information No information available.

11.2. Information on other hazards

Endocrine disrupting properties This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

| | |
|---|--|
| 12.1. Toxicity | Based on available data, the classification criteria are not met for hazardous to the aquatic environment. |
| 12.2. Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. |
| 12.3. Bioaccumulative potential | |
| Bioconcentration factor (BCF) | Not available. |
| 12.4. Mobility in soil | No data available. |
| 12.5. Results of PBT and vPvB assessment | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. |
| 12.6. Endocrine disrupting properties | This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight. |
| 12.7. Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

SECTION 13: Disposal considerations

| | |
|--------------------------------------|--|
| 13.1. Waste treatment methods | |
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|-----------------------------------|
| 14.1. UN number | Not regulated as dangerous goods. |
| 14.2. UN proper shipping name | Not regulated as dangerous goods. |
| 14.3. Transport hazard class(es) | |
| Class | Not assigned. |
| Subsidiary risk | - |
| Hazard No. (ADR) | Not assigned. |
| Tunnel restriction code | Not assigned. |
| 14.4. Packing group | - |
| 14.5. Environmental hazards | No. |
| 14.6. Special precautions for user | Not assigned. |

RID

| | |
|---|-----------------------------------|
| 14.1. UN number | Not regulated as dangerous goods. |
| 14.2. UN proper shipping name | Not regulated as dangerous goods. |
| 14.3. Transport hazard class(es) | |
| Class | Not assigned. |
| Subsidiary risk | - |
| 14.4. Packing group | - |
| 14.5. Environmental hazards | No. |
| 14.6. Special precautions for user | Not assigned. |

ADN

| | |
|---|-----------------------------------|
| 14.1. UN number | Not regulated as dangerous goods. |
| 14.2. UN proper shipping name | Not regulated as dangerous goods. |
| 14.3. Transport hazard class(es) | |
| Class | Not assigned. |
| Subsidiary risk | - |

- 14.4. Packing group -
14.5. Environmental hazards No.
14.6. Special precautions Not assigned.
for user

IATA

- 14.1. UN number Not regulated as dangerous goods.
14.2. UN proper shipping Not regulated as dangerous goods.
name
14.3. Transport hazard class(es)
Class Not assigned.
Subsidiary risk -
14.4. Packing group -
14.5. Environmental hazards No.
14.6. Special precautions Not assigned.
for user

IMDG

- 14.1. UN number Not regulated as dangerous goods.
14.2. UN proper shipping Not regulated as dangerous goods.
name
14.3. Transport hazard class(es)
Class Not assigned.
Subsidiary risk -
14.4. Packing group -
14.5. Environmental hazards
Marine pollutant No.
EmS Not assigned.
14.6. Special precautions Not assigned.
for user
14.7. Maritime transport in bulk Not established.
according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: CN40-602Y-300G-J6K5
Belgium: CN40-602Y-300G-J6K5
Bulgaria: CN40-602Y-300G-J6K5
Croatia: CN40-602Y-300G-J6K5
Cyprus: CN40-602Y-300G-J6K5
Czech Republic: CN40-602Y-300G-J6K5
Denmark: CN40-602Y-300G-J6K5
Estonia: CN40-602Y-300G-J6K5
EU: CN40-602Y-300G-J6K5
Finland: CN40-602Y-300G-J6K5
France: CN40-602Y-300G-J6K5
Germany: CN40-602Y-300G-J6K5
Greece: CN40-602Y-300G-J6K5
Hungary: CN40-602Y-300G-J6K5
Iceland: CN40-602Y-300G-J6K5
Ireland: CN40-602Y-300G-J6K5
Italy: CN40-602Y-300G-J6K5
Latvia: CN40-602Y-300G-J6K5
Lithuania: CN40-602Y-300G-J6K5
Luxembourg: CN40-602Y-300G-J6K5
Malta: CN40-602Y-300G-J6K5
Netherlands: CN40-602Y-300G-J6K5
Norway: CN40-602Y-300G-J6K5
Poland: CN40-602Y-300G-J6K5
Portugal: CN40-602Y-300G-J6K5
Romania: CN40-602Y-300G-J6K5
Slovakia: CN40-602Y-300G-J6K5
Slovenia: CN40-602Y-300G-J6K5
Spain: CN40-602Y-300G-J6K5
Sweden: CN40-602Y-300G-J6K5

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended
- Conditions of restriction given for the associated entry number should be considered**

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations**France INRS Table of Occupational Diseases**

4,4'-methylenedi(cyclohexyl isocyanate); Affections professionnelles provoquées par les isocyanates
dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) organiques 62

Product registration number

| | |
|-----------------------|--------------------------|
| Austria | UFI: CN40-602Y-300G-J6K5 |
| Belgium | UFI: CN40-602Y-300G-J6K5 |
| Czech Republic | UFI: CN40-602Y-300G-J6K5 |
| Denmark | UFI: CN40-602Y-300G-J6K5 |
| European Union | UFI: CN40-602Y-300G-J6K5 |
| Finland | UFI: CN40-602Y-300G-J6K5 |
| France | UFI: CN40-602Y-300G-J6K5 |
| Germany | UFI: CN40-602Y-300G-J6K5 |
| Greece | UFI: CN40-602Y-300G-J6K5 |
| Hungary | UFI: CN40-602Y-300G-J6K5 |
| Italy | UFI: CN40-602Y-300G-J6K5 |
| Netherlands | UFI: CN40-602Y-300G-J6K5 |
| Norway | UFI: CN40-602Y-300G-J6K5 |
| Poland | UFI: CN40-602Y-300G-J6K5 |
| Portugal | UFI: CN40-602Y-300G-J6K5 |
| Slovakia | UFI: CN40-602Y-300G-J6K5 |

Slovenia
Spain
Sweden
Switzerland

UFI: CN40-602Y-300G-J6K5
UFI: CN40-602Y-300G-J6K5
UFI: CN40-602Y-300G-J6K5
UFI: CN40-602Y-300G-J6K5

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TLV: Threshold Limit Value.
TWA: Time Weighted Average.
VLE: Exposure Limit Value.
VME: Exposure Average Value.
vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.