

# **HumiSeal**®









## SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	HumiSeal 1C49LV	
Registration number	-	
Synonyms	None.	
Product code	HumiSeal Europe 1C49LV	
Issue date	18-June-2015	
Version number	03	
Revision date	04-January-2018	
Supersedes date	08-January-2016	
1.2. Relevant identified uses of the	he substance or mixture and us	ses advised against
Identified uses	Protective Coating for Printed C	ircuit Board
Uses advised against	None known.	
1.3. Details of the supplier of the	safety data sheet	
Supplier		
Company name	HUMISEAL EUROPE LTD.	
Address	505 Eskdale Road	
	Winnersh Wakingham Darkahira DC44 FT	11
	Wokingham Berkshire RG41 5T UK	0
Division	A CHASE CORPORATION COM	MPANY
Telephone	General Assistance	44 (0) 118 944 2333
e-mail	europetechsupport@chasecorp	.com
Contact person	Not available.	
1.4. Emergency telephone number	Chemtrec USA	1-800-424-9300
	OutSide USA	+1 703-741-5970

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards Flammable liquids	Category 3	H226 - Flammable liquid and vapour.
Health hazards		
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.

May be ignited by heat, sparks or flames. Causes skin irritation. Causes serious eye irritation.

#### Hazard summary 2.2. Label elements

Label according to Regulation (E	C) No. 1272/2008 as amended
Contains:	3-Aminopropyltriethoxysilane

Hazard pictograms



Signal word	Warning
Hazard statements	
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Precautionary statements	
Prevention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/eye protection/face protection.
Response	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see this label).
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.
Storage	
P403 + P235	Store in a well-ventilated place. Keep cool.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	14 % of the mixture consists of component(s) of unknown acute oral toxicity. 15 % of the mixture consists of component(s) of unknown acute dermal toxicity. 15 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 15 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 15 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
2.3. Other hazards	None known.
SECTION 3: Composition/	information on ingredients
3.2. Mixtures	
General information	

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
3-Aminopropyltriethoxysilane	1 - < 3	919-30-2 213-048-4	01-2119480479-24-xxxx	612-108-00-0	
Classification: Acut	e Tox. 4;H302, Sk	in Corr. 1B;H314, E	Eye Dam. 1;H318		

Other components below reportable levels 90 - 100

#### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments** 

The full text for all R- and H-phrases is displayed in section 16.

#### **SECTION 4: First aid measures**

**General information** 

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 4.1. Description of first aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

00			
General fire hazards	Flammable liquid and vapour.		
5.1. Extinguishing media			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising from the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.		
5.3. Advice for firefighters			
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		

#### Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of
personnel	low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil etc) away from spilled material. This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage

7.1. Precautions for safe Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust handling ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Refrigeration recommended. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Not available.

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters			
Occupational exposure limits	No exposure limits noted for ingredient(s).		
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Recommended monitoring procedures	Follow standard monitoring procedures.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measures,	such as personal protective equipment		
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.		
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
- Hand protection	Wear appropriate chemical resistant gloves.		
- Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Environmental exposure controls	Environmental manager must be informed of all major releases.		

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Liquid.	
Colour	Not available.	
Odour	Not available.	
Odour threshold	Not available.	
рН	Does not apply.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	48.0 °C (118.4 °F)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	

Flammability limit - upper	Not available.
(%)	
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	300 - 800 cP
Viscosity temperature	25 °C (77 °F)
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Brookfield viscosity	300 - 800 cP
Density	1.02 g/cm3
Miscible (water)	Negligible
Specific gravity	0.94 estimated
VOC	0 g/l
SECTION 10: Stability and	-

## **SECTION 10: Stability and reactivity**

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

Occupational exposure to the substance or mixture may cause adverse effects.

## **SECTION 11: Toxicological information**

**General information** 

Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
11.1. Information on toxicological effects	
Acute toxicity	Not known.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
Other information	Not available.	
SECTION 12: Ecological information		
12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
12.2. Persistence and degradability	No data is available on the degradability of this product.	

12.3. Bioaccumulative potential	Not available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

ADR		
14.1. UN numbe	uN1263	
14.2. UN proper	shipping Paint	
name		
14.3. Transport hazard class(es)		
Class	3	
Subsidiary	isk -	
Label(s)	3	
Hazard No.	( <b>ADR)</b> 30	
Tunnel rest	riction code D/E	
14.4. Packing g	oup III	
14.5 Environme	ntal hazards No.	
14.6. Special pr		•
14.6. Special pr for user		
14.6. Special pr		
14.6. Special pr for user	Read safety instructions, SDS and emergency procedures before handling	
14.6. Special pr for user RID	Read safety instructions, SDS and emergency procedures before handling	
14.6. Special pr for user RID 14.1. UN numbe 14.2. UN proper name	Read safety instructions, SDS and emergency procedures before handling UN1263 shipping Paint	
14.6. Special pr for user RID 14.1. UN numbe 14.2. UN proper name	Read safety instructions, SDS and emergency procedures before handling	
14.6. Special pr for user RID 14.1. UN numbe 14.2. UN proper name	Read safety instructions, SDS and emergency procedures before handling UN1263 shipping Paint	
14.6. Special pr for user RID 14.1. UN numbe 14.2. UN proper name 14.3. Transport	Read safety instructions, SDS and emergency procedures before handling UN1263 shipping Paint hazard class(es) 3	
14.6. Special pr for user RID 14.1. UN number 14.2. UN proper name 14.3. Transport Class	Read safety instructions, SDS and emergency procedures before handling UN1263 shipping Paint hazard class(es) 3	
14.6. Special pr for user RID 14.1. UN number 14.2. UN proper name 14.3. Transport Class Subsidiary	Read safety instructions, SDS and emergency procedures before handling UN1263 shipping Paint hazard class(es) 3 risk - 3	

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ADN UN1263 14.1. UN number 14.2. UN proper shipping Paint name 14.3. Transport hazard class(es) Class 3 Subsidiary risk -3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ΙΑΤΑ UN1263 14.1. UN number PAINT 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 3 Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards No. **ERG Code** 3L Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user Other information Passenger and cargo Allowed with restrictions. aircraft Cargo aircraft only Allowed with restrictions. IMDG 14.1. UN number UN1263 PAINT 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 3 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant No. EmS F-E, <u>S-E</u> Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user Not available. 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code ADN; ADR; IATA; IMDG; RID



## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed. Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed. Authorisations Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed. **Restrictions on use** Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed. Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended. Not listed. Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed. Other regulations The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. National regulations Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out. 15.2. Chemical safety assessment **SECTION 16: Other information** Not available. List of abbreviations 

References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Revision information	SECTION 2: Hazards identification: Supplemental label information Composition / Information on Ingredients: Ingredient Classification SECTION 11: Toxicological information: Acute toxicity SECTION 16: Other information: Disclaimer
Training information	Follow training instructions when handling this material.
Disclaimer	The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, expressed or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose