













SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

HumiSeal Thinner 905

of the mixture

Registration number

Synonyms None.

Product code HumiSeal Europe Thinner 905

Issue date 25-May-2015

Version number 03

Revision date 11-December-2017 Supersedes date 11-June-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Thinner for Protective Coating

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name HUMISEAL EUROPE LTD.

Address 505 Eskdale Road

Winnersh

Wokingham Berkshire RG41 5TU

UK

Division A CHASE CORPORATION COMPANY

Telephone General Assistance 44 (0) 118 944 2333

e-mail europetechsupport@chasecorp.com

Contact person Not available.

1.4. Emergency telephone

number

Chemtrec USA 1-800-424-9300

OutSide USA +1 703-741-5970

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

Specific target organ toxicity - single Category 3 narcotic effects H336 - May cause drowsiness or

exposure dizziness.

Category 1 H304 - May be fatal if swallowed

and enters airways.

Environmental hazards

Aspiration hazard

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long lasting effects.

long-term aquatic hazard

May be ignited by heat, sparks or flames. May be fatal if swallowed and enters airways. May cause drowsiness and dizziness. Causes skin irritation. Dangerous for the environment if

discharged into watercourses.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

METHYL CYCLOHEXANE Contains:

Hazard pictograms



Signal word Danger

Hazard statements

Highly flammable liquid and vapour. H225

May be fatal if swallowed and enters airways. H304

Causes skin irritation. H315

May cause drowsiness or dizziness. H336

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Keep container tightly closed. P233

Ground/bond container and receiving equipment. P240

Use explosion-proof electrical/ventilating/lighting equipment. P241

Use only non-sparking tools. P242

P243 Take precautionary measures against static discharge.

P261 Avoid breathing mist or vapour. Wash thoroughly after handling. P264

Use only outdoors or in a well-ventilated area. P271

Avoid release to the environment. P273

Wear protective gloves/eye protection/face protection. P280

Response

IF SWALLOWED: Immediately call a POISON CENTRE/doctor. P301 + P310

Do NOT induce vomiting. P331

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with P303 + P361 + P353

water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304 + P340

Call a POISON CENTRE/doctor if you feel unwell. P312 If skin irritation occurs: Get medical advice/attention. P332 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364 P370 + P378 In case of fire: Use appropriate media to extinguish.

Collect spillage. P391

Storage

Keep cool. P235

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

100 % of the mixture consists of component(s) of unknown acute oral toxicity. 100 % of the Supplemental label information

mixture consists of component(s) of unknown acute dermal toxicity. 100 % of the mixture consists

of component(s) of unknown acute inhalation toxicity. 100 % of the mixture consists of

component(s) of unknown acute hazards to the aquatic environment.

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HumiSeal Europe Thinner 905 Version #: 03 Revision date: 11-December-2017 Issue date: 25-May-2015

General information

CAS-No. / EC **REACH Registration No.** INDEX No. **Chemical name** % **Notes** No.

METHYL CYCLOHEXANE 108-87-2 01-2119556887-18-XXXX 601-018-00-7 90 - 100

203-624-3

Classification: Flam. Liq. 2;H225, Asp. Tox. 1;H304, Skin Irrit. 2;H315, STOT SE 3;H336, Aquatic

Chronic 2:H411

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTRE or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation

occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Get medical attention if irritation develops and persists.

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Aspiration may cause pulmonary oedema and pneumonitis. May cause drowsiness and dizziness.

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water

Headache. Nausea, vomiting. Direct contact with eyes may cause temporary irritation. Skin

4.2. Most important symptoms and effects, both acute and

immediate medical attention

delayed

4.3. Indication of any

immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

Highly flammable liquid and vapour.

irritation. May cause redness and pain.

and special treatment needed

SECTION 5: Firefighting measures

General fire hazards

5.1. Extinguishing media Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

clean-up.

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during For emergency responders

Material name: HumiSeal Thinner 905 HumiSeal Europe Thinner 905 Version #: 03 Revision date: 11-December-2017 Issue date: 25-May-2015

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the

SDS). Not available.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Chemical respirator with organic vapour cartridge and full facepiece.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.
 - Other Wear appropriate chemical resistant clothing.

Respiratory protection

Chemical respirator with organic vapour cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

Inform appropriate managerial or supervisory personnel of all environmental releases.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid. Physical state **Form** Liquid. Colour Colorless Odour Aromatic Odour threshold Not available. Does not apply

Melting point/freezing point -126.6 °C (-195.88 °F) estimated 100.9 °C (213.62 °F) estimated Initial boiling point and boiling

range

-3.0 °C (26.6 °F) Flash point

Evaporation rate

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

1.2 % estimated

(%)

Flammability limit - upper

6.7 % estimated

(%)

Vapour pressure 61.33 hPa estimated

Vapour density Not available. Not available Relative density

Solubility(ies)

Solubility (water) Nealiaible Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 250 °C (482 °F) estimated

Decomposition temperature Not available. **Viscosity** Not available. **Explosive properties** Not explosive. Oxidising properties Not oxidising

9.2. Other information

Density 0.77 g/cm3 estimated

Negligible Miscible (water)

Percent volatile 100 % estimated 0.77 estimated Specific gravity VOC 100 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be

harmful

Causes skin irritation. Skin contact

Direct contact with eyes may cause temporary irritation. Eye contact

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious Ingestion

chemical pneumonia.

Aspiration may cause pulmonary oedema and pneumonitis. May cause drowsiness and dizziness. **Symptoms**

Headache. Nausea, vomiting. Skin irritation. May cause redness and pain.

11.1. Information on toxicological effects

May be fatal if swallowed and enters airways. Acute toxicity

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard May be fatal if swallowed and enters airways.

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aguatic life with long lasting effects. Due to partial or complete lack of data the

classification for hazardous to the aquatic environment, acute hazard, is not possible.

Components **Species Test results**

METHYL CYCLOHEXANE (CAS 108-87-2)

Aquatic

Fish LC50 Striped bass (Morone saxatilis) 5.8 mg/l, 96 hours

12.2. Persistence and

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

METHYL CYCLOHEXANE 3.61

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

The product contains volatile organic compounds which have a photochemical ozone creation 12.6. Other adverse effects

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: HumiSeal Thinner 905

SDS UK HumiSeal Europe Thinner 905 Version #: 03 Revision date: 11-December-2017 Issue date: 25-May-2015

^{*} Estimates for product may be based on additional component data not shown.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

UN1263 14.1. UN number

14.2. UN proper shipping Paint related material

name

14.3. Transport hazard class(es)

Class Subsidiary risk 3 Label(s) Hazard No. (ADR) 33 Tunnel restriction code D/E 14.4. Packing group Ш

14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

UN1263 14.1. UN number

Paint related material 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN1263

14.2. UN proper shipping Paint related material

name

14.3. Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

IATA

14.1. UN number UN1263

14.2. UN proper shipping PAINT RELATED MATERIAL

name

14.3. Transport hazard class(es)

3 Class Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards No. **ERG Code**

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Allowed with restrictions. Passenger and cargo

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN1263 14.1. UN number

PAINT RELATED MATERIAL 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk
14.4. Packing group ||

14.5. Environmental hazards

Marine pollutant No. EmS F-E, S-D

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

14.7. Transport in bulk Not established.

according to Annex II of Marpol

and the IBC Code

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended METHYL CYCLOHEXANE (CAS 108-87-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

METHYL CYCLOHEXANE (CAS 108-87-2)

Other regulations

Pregnant women should not work with the product, if there is the least risk of exposure. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. Additional information is given in the Safety Data Sheet.

National regulationsFollow national regulation for work with chemical agents. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young

people at work, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety. **Training information**Follow training instructions when handling this material.

Disclaimer The information and recommendations in this safety data sheet are, to the best of our knowledge,

accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, expressed or implied. It is the responsibility of the user to determine the applicability of this

information and the suitability of the material or product for any particular purpose

Material name: HumiSeal Thinner 905

HumiSeal Europe Thinner 905 Version #: 03 Revision date: 11-December-2017 Issue date: 25-May-2015