

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reference number: 050429300 Revision date: 3/3/2022 Supersedes version of: 2/22/2016 Version: 16.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Name : ECOREL EASY 802S UFI : KJVC-P08X-A002-X6DH

Product code 050429300

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use Main use category

Use of the substance/mixture : Solderpaste for the soldering of electronic components

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

INVENTEC PERFORMANCE CHEMICALS SAS

26 rue des coulons P.O. Box BP 27

94363 BRY SUR MARNE

France

T +33 (0) 1 49 83 53 00 - F +33 (0) 1 48 81 24 40

ContactFDS@inventec.dehon.com

Other

FRIGOGAZ Climalife kft Hungary

Villányi út 47 1118 Budaörs

Hungary T (36) 23 431 660 - F (36) 23 431 661

ContactFDS@inventec.dehon.com

INVENTEC PERFORMANCE CHEMICALS ITALIA S.R.L.

Via Pusterla, 8

20013 Magenta - Milano

Italia

T (39) 02 48 40 12 06 - F (39) 02 48 46 13 41

ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS Switzerland

Z.I. Petits Champs 15 Yverdon Sud

CH-1400 Yverdon-les-Bains

Switzerland

T 41(0) 24 424 80 90 - F 41(0) 24 424 80 99

ContactFDS@inventec.dehon.com

Other

DKF Dehon Kälte-Fachvertriebs GmbH

Robert - Bosch - Strasse 14

40668 Meerbusch

Germany

T +49-2150-7073-0 - F + 49 (0)21 50 70 73 17

ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS ESPAÑA

Poligono Industrial Sepes Calle Kepler 10

46520 Sagunto

Spain

T (34) 962 66 36 32

ContactFDS@inventec.dehon.com

INVENTEC Performance Chemicals Netherlands BV

Van Konijnenburgweg 84 4612 PL Bergen op zoom

Netherlands

T (31) 164 212 840 - F (31) 164 212 841

ContactFDS@inventec.dehon.com

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03 - 24h/24 7j/7

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319 Skin Sens. 1 H317 Repr. 1A H360Df STOT RE 1 H372 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

Signal word (CLP) : Danger

Contains : Modified rosin, Lead

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H360Df - May damage the unborn child. Suspected of damaging fertility. H372 - Causes damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tin	CAS-No.: 7440-31-5 EC-No.: 231-141-8 REACH-no: 01-2119486474- 28	50 – 80	Not classified
Lead substance listed as REACH Candidate	CAS-No.: 7439-92-1 EC-No.: 231-100-4 EC Index-No.: 082-001-00-6 REACH-no: 01-2119513221-	25 – 50	Repr. 1A, H360Df Lact., H362 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Silver	CAS-No.: 7440-22-4 EC-No.: 231-131-3 REACH-no: 01-2119555669- 21	1 – 5	Not classified
Modified rosin	CAS-No.: 8050-09-7 EC-No.: 232-475-7 EC Index-No.: 650-015-00-7 REACH-no: 01-2119480418-	1 – 5	Skin Sens. 1, H317
2-ethylhexane-1,3-diol	CAS-No.: 94-96-2 EC-No.: 202-377-9 EC Index-No.: 603-087-00-9 REACH-no: 01-2120000832-	1 – 5	Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Take off contaminated clothing. Rinse with plenty of water. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Immediately call a POISON CENTER/doctor. If

possible show him this sheet. Failing this, show him the packaging or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : CNS depression.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : CNS depression. Liver problems. Kidney disorders.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable protective equipment may

intervene. Do not breathe spray, mist, fume, gas, dust, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Avoid contact with skin

and eyes.

6.2. Environmental precautions

Do not allow product to spread into the environment. Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Recover the product by scraping with a spatula or with a similar instrument. Recover as

much product as possible. To clean the floor or objects contaminated by this product, use :

Isopropyl alcohol, Ethanol.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Vapour extraction at source. Ensure good ventilation of the work station. Wear personal

protective equipment. Do not breathe spray, mist, fume, gas, dust, vapours. Avoid contact

with skin and eyes.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Contaminated work

clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store : in a dry, well-ventilated area.

Incompatible materials : None to our knowledge.

Storage temperature : $0 - 10 \, ^{\circ}\text{C}$

Packaging materials : Recommended materials Polypropylene, Polyethylene, Glass. Unsuitable materials:

Aluminium and its alloys, Copper and its alloys.

3/3/2022 (Revision date) EN (English) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Silver (7440-22-4)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1]

0.1 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Use chemically protective clothing.

Hand protection:

Disposable protective gloves. Latex gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Surveillance of exposed workers : - serum lead level.

Other information:

Safety shower. Eye fountain.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Solid Physical state Colour : Grey. : Paste. **Appearance** : Mild. Odour Odour threshold : Not available Melting point 178 °C Freezing point Not applicable Boiling point : Not available Flammability Non flammable Explosive properties : Not explosive. Oxidising properties : Non oxidizing. **Explosive limits** : Not applicable Lower explosion limit : Not applicable : Not applicable Upper explosion limit Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : Not available : Not available pH solution : Not available

: Not applicable Solubility : Insoluble in water. Soluble in organic solvents. Isopropanol. Ethanol.

Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50 °C : Not available Density : > 4 g/cm³ Relative density : Not available Relative vapour density at 20 °C : Not applicable Particle size Not available Particle size distribution : Not available Particle shape : Not available Particle aspect ratio Not available : Not available Particle aggregation state Particle agglomeration state : Not available Particle specific surface area : Not available Particle dustiness : Not available

9.2. Other information

Viscosity, kinematic

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat.

3/3/2022 (Revision date) EN (English) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases: Carbon oxides (CO, CO2), Aliphatic aldehydes, lead.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-ethylhexane-1,3-diol (94-96-2)		
LD50 oral rat	2710 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 Inhalation - Rat [ppm]	> 4800 ppm (8 Hours)	
Modified rosin (8050-09-7)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Tin (7440-31-5)		
LD50 oral rat	2000 – 5000 mg/kg	
LD50 dermal rat	2000 – 5000 mg/kg	
LC50 Inhalation - Rat	> 4.75 mg/l	
Lead (7439-92-1)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)	
LD50 oral	2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal	2000 mg/kg	
LC50 Inhalation - Rat	> 5.05 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Silver (7440-22-4)		
LD50 oral rat	2000 – 5000 mg/kg	
LD50 dermal rat	2000 – 5000 mg/kg	
LC50 Inhalation - Rat	> 5.16 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)	
Skin corrosion/irritation	Not classified	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Lead (7439-92-1)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Silver (7440-22-4)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard :	Not classified
ECOREL EASY 802S	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects. Before neutralisation, the product may

represent a danger to aquatic organisms. Very toxic to aquatic life.

Hazardous to the aquatic environment, short-term (acute)

Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects.

(chronic)

(GITGITIO)		
2-ethylhexane-1,3-diol (94-96-2)		
LC50 - Fish [1]	> 1000 mg/l Leuciscus idus (golden orfe)	
EC50 - Crustacea [1]	811 mg/l 24 Hours (Daphnia magna)	
Modified rosin (8050-09-7)		
LC50 - Fish [1]	1 – 10 mg/l	
Tin (7440-31-5)		
EC50 - Other aquatic organisms [1]	1.303 mg/l Ceriodaphnia dubia	
Lead (7439-92-1)		
LC50 - Fish [1]	1170 μg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
LC50 - Fish [2]	107 μg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
Silver (7440-22-4)		
LC50 - Fish [1]	4.7 μg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	89.4 μg/l Test organisms (species): Pimephales promelas	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

3/3/2022 (Revision date) EN (English) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Do not allow product to spread into the environment. Do not dispose of with domestic waste.

Dispose of at a licensed waste collection centre.

Product/Packaging disposal recommendations

: Empty the packaging completely prior to disposal. Entrust the thoroughly decontaminated packaging to a licensed waste-contractor. The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
Special provision(s) applied : 375	Special provision(s) applied : 969	Special provision(s) applied : A197

These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.8.

14.1. UN number or ID number

UN 3077	UN 3077	UN 3077
14.2. UN proper shipping	g name	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,	Environmentally hazardous substance, solid, n.o.s. (Lead)
N.O.S. (Lead)	N.O.S. (Lead)	

Transport document description

UN 3077	UN 3077	UN 3077 Environmentally hazardous substance, solid, n.o.s. (Lead), 9, III
ENVIRONMENTALLY	ENVIRONMENTALLY	
HAZARDOUS	HAZARDOUS	
SUBSTANCE, SOLID,	SUBSTANCE, SOLID,	
N.O.S. (Lead), 9, III, (-)	N.O.S. (Lead), 9, III,	
	MARINE POLLUTANT	

14.3. Transport hazard class(es)

9	9	9

14.4. Packing group		
III	III	III

3/3/2022 (Revision date) EN (English) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	
Special provisions 375 (ADR) & A197 (IATA): These substances when carrried in single or combination packagings containing a net quantity per single or inner packaging of 5 kg are not subject to the requirements of ADR and IATA			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M7

Special provisions (ADR) 274, 335, 375, 601

5kg Limited quantities (ADR)

Tank code (ADR) SGAV, LGBV

Transport category (ADR) 3

Hazard identification number (Kemler No.) 90

Orange plates 90 3077

Tunnel restriction code (ADR) EAC code 2Z

Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage)

Air transport

PCA Limited quantities (IATA) : Y956 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 956 PCA max net quantity (IATA) : 400kg CAO packing instructions (IATA) 956 CAO max net quantity (IATA) 400kg

Special provisions (IATA) : A97, A158, A179, A197

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list: Lead (EC 231-100-4, CAS 7439-92-1)

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture. Chemical Safety Assessments for substances contained may have been carried out by the registrants of the substances in accordance with Regulation (EC) No. 1907/2006, as amended.

For the following substances of this mixture a chemical safety assessment has been carried out:

Modified rosin

Lead

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H360Df	May damage the unborn child. Suspected of damaging fertility.	
H362	May cause harm to breast-fed children.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation	
Repr. 1A	Reproductive toxicity, Category 1A	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.