

**EFD SYR** 

## Safety Data Sheet according to (EC) No 1907/2006 as amended

LOCTITE ECCOBOND 931-1T1N1 known as 931-1T1N1(RPKG), 30CC

Page 1 of 15

SDS No.: 391964

V006.0

Revision: 19.08.2022

printing date: 12.05.2023

Replaces version from: 23.05.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

LOCTITE ECCOBOND 931-1T1N1 known as 931-1T1N1(RPKG), 30CC EFD SYR

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Epoxy adhesive

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd Adhesives Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000

#### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497 24 Hours Emergency Tel: +44 (0)1442 278497

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification (CLP):

Acute toxicity Category 4

H302 Harmful if swallowed. Route of Exposure: Oral

Skin corrosion Category 1C

H314 Causes severe skin burns and eye damage.

Serious eye damage Category 1

H318 Causes serious eye damage.

Skin sensitizer Category 1

H317 May cause an allergic skin reaction.

Germ cell mutagenicity Category 2

H341 Suspected of causing genetic defects.

Specific target organ toxicity - repeated exposure Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

Chronic hazards to the aquatic environment Category 2

H411 Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Label elements (CLP):

Hazard pictogram:



Contains Triglycidyl-p-aminophenol

Polyoxypropylene diamine

Signal word: Danger

**Hazard statement:** H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statement:** P273 Avoid release to the environment.

**Prevention** P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement:** P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

**Response** Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

Following substances are present in a concentration >= 0.1% and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in concentration ≥ the concentration limit that are assessed to be a PBT, vPvB or ED.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No. EC Number REACH-Reg No.	Concentration	Classification	Specific Conc. Limits, M- factors and ATEs	Add. Information
Triglycidyl-p-aminophenol 5026-74-4 225-716-2 01-2119954405-36	50- 100 %	Acute Tox. 4, Oral, H302 Skin Sens. 1A, H317 Muta. 2, H341 STOT RE 2, Oral, H373 Aquatic Chronic 2, H411	dermal:ATE = 4.001 mg/kg	
Polyoxypropylene diamine 9046-10-0 01-2119557899-12	20- 40 %	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412		

For full text of the H - statements and other abbreviations see section 16 "Other information".

Substances without classification may have community workplace exposure limits available.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap.

Obtain medical attention if irritation persists.

Eve contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

SKIN: Rash, Urticaria.

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

### **SECTION 5: Firefighting measures**

### Combustion behaviour:

In case of fire toxic gases can be released.

### 5.1. Extinguishing media

### Suitable extinguishing media:

water, carbon dioxide, foam, powder

### Extinguishing media which must not be used for safety reasons:

High pressure waterjet

### 5.2. Special hazards arising from the substance or mixture

Toxic and irritating vapors.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

#### **Additional information:**

In case of fire, keep containers cool with water spray.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Wear protective equipment.

#### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Dispose of contaminated material as waste according to Section 13.

#### 6.4. Reference to other sections

See advice in section 8

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid skin and eye contact.

See advice in section 8

#### Hygiene measures:

Good industrial hygiene practices should be observed.

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

### 7.2. Conditions for safe storage, including any incompatibilities

Ensure good ventilation/extraction.

Keep container tightly sealed.

Refer to Technical Data Sheet

### 7.3. Specific end use(s)

Epoxy adhesive

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational Exposure Limits**

Valid for

Great Britain

None

### **Occupational Exposure Limits**

Valid for

Ireland

None

### **Predicted No-Effect Concentration (PNEC):**

Name on list	Environmental Compartment	Exposure period	Value				Remarks
		periou	mg/l	ppm	mg/kg	others	
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	aqua (freshwater)		0,008 mg/l				
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	aqua (marine water)		0,001 mg/l				
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	sewage treatment plant (STP)		10 mg/l				
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	sediment (freshwater)				0,101 mg/kg		
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	sediment (marine water)				0,01 mg/kg		
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	Air						no hazard identified
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	Soil				0,015 mg/kg		
p-(2,3-Epoxypropoxy)-N,N-bis(2,3- epoxypropyl)aniline 5026-74-4	aqua (intermittent releases)		0,042 mg/l				
Polypropylene glycol diamine (MW=230) 9046-10-0	aqua (freshwater)		0,015 mg/l				
Polypropylene glycol diamine (MW=230) 9046-10-0	aqua (marine water)		0,014 mg/l				
Polypropylene glycol diamine (MW=230) 9046-10-0	aqua (intermittent releases)		0,15 mg/l				
Polypropylene glycol diamine (MW=230) 9046-10-0	sewage treatment plant (STP)		7,5 mg/l				
Polypropylene glycol diamine (MW=230) 9046-10-0	sediment (freshwater)				0,132 mg/kg		
Polypropylene glycol diamine (MW=230) 9046-10-0	sediment (marine water)				0,125 mg/kg		
Polypropylene glycol diamine (MW=230) 9046-10-0	oral				6,93 mg/kg		
Polypropylene glycol diamine (MW=230) 9046-10-0	Soil				0,0176 mg/kg		

### **Derived No-Effect Level (DNEL):**

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
p-(2,3-Epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline 5026-74-4	Workers	inhalation	Long term exposure - systemic effects		1,752 mg/m3	no hazard identified
p-(2,3-Epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline 5026-74-4	Workers	dermal	Long term exposure - systemic effects		0,5 mg/kg	no hazard identified
Polypropylene glycol diamine (MW=230) 9046-10-0	Workers	dermal	Long term exposure - systemic effects		2,5 mg/kg	
Polypropylene glycol diamine (MW=230) 9046-10-0	Workers	inhalation	Long term exposure - systemic effects		10,58 mg/m3	

#### **Biological Exposure Indices:**

None

#### 8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

#### Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

### Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR;  $\geq$  0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

#### Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Protective eye equipment should conform to EN166.

### Skin protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state solid Delivery form solid Colour amber Odor mild

 $> 200 \, ^{\circ}\text{C} \, (> 392 \, ^{\circ}\text{F})$ Melting point

Solidification temperature Not applicable, Product is a solid.

 $> 300 \, ^{\circ}\text{C} \, (> 572 \, ^{\circ}\text{F})$ Initial boiling point

Flammability The product is not flammable. **Explosive limits** Not applicable, Product is a solid.

Flash point > 93 °C (> 199.4 °F)

Auto-ignition temperature Not applicable, Product is a solid.

Decomposition temperature  $> 150 \, {}^{\circ}\text{C} \, (> 302 \, {}^{\circ}\text{F});$ 

Not applicable, Product is non-soluble (in water).

Viscosity (kinematic) Not applicable, Product is a solid.

Solubility (qualitative) Insoluble

(Solvent: Water)

EFD SYR

Partition coefficient: n-octanol/water Not applicable

Mixture

Vapour pressure

< 0,1 hPa

(20 °C (68 °F))

1,1 g/cm3 None

Density (20 °C (68 °F))

(20 °C (68 °F))

Relative vapour density:

Not applicable, Product is a solid.

Particle characteristics Particle Size 1 - 100 µm

#### 9.2. Other information

Other information not applicable for this product

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with alcohols and amines.

Reacts with oxidants, acids and lyes

Reaction with some curing agents may produce an exothermic reaction which in large masses could cause runaway polymerization.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

See section reactivity

### 10.4. Conditions to avoid

No decomposition if stored and applied as directed.

### 10.5. Incompatible materials

See section reactivity.

#### 10.6. Hazardous decomposition products

Hydrocarbons

carbon oxides.

nitrogen oxides

Rapid polymerisation may generate excessive heat and pressure.

### **SECTION 11: Toxicological information**

### 1.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Triglycidyl-p- aminophenol 5026-74-4	LD50	1.037 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Polyoxypropylene diamine 9046-10-0	LD50	2.885,3 mg/kg	rat	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Triglycidyl-p-	LD0	> 4.000 mg/kg	rat	equivalent or similar to OECD Guideline 402 (Acute
aminophenol				Dermal Toxicity)
5026-74-4				
Triglycidyl-p-	Acute	4.001 mg/kg		Expert judgement
aminophenol	toxicity			
5026-74-4	estimate			
	(ATE)			
Polyoxypropylene	LD50	2.979,7 mg/kg	rabbit	equivalent or similar to OECD Guideline 402 (Acute
diamine				Dermal Toxicity)
9046-10-0				• /

### Acute inhalative toxicity:

No data available.

#### Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Triglycidyl-p- aminophenol 5026-74-4	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Polyoxypropylene diamine 9046-10-0	corrosive	4 h	rabbit	equivalent or similar to OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

### Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Triglycidyl-p- aminophenol 5026-74-4	slightly irritating	30 s	rabbit	EPA OPP 81-4 (Acute Eye Irritation)
Polyoxypropylene diamine 9046-10-0	corrosive		rabbit	equivalent or similar to OECD Guideline 405 (Acute Eye Irritation / Corrosion)

### Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Test type	Species	Method
CAS-No.				
Triglycidyl-p-	sensitising	Mouse local lymphnode	mouse	OECD Guideline 429 (Skin Sensitisation:
aminophenol		assay (LLNA)		Local Lymph Node Assay)
5026-74-4				

### Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of	Metabolic activation /	Species	Method
CAS-110.		administration	Exposure time		
Triglycidyl-p- aminophenol 5026-74-4	positive	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Triglycidyl-p- aminophenol 5026-74-4	positive	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Polyoxypropylene diamine 9046-10-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Polyoxypropylene diamine 9046-10-0	negative	mammalian cell gene mutation assay	with and without		equivalent or similar to OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Triglycidyl-p- aminophenol 5026-74-4	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
Polyoxypropylene diamine 9046-10-0	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

### Carcinogenicity

No	data	avail	lable.
110	autu	u , ui	uoic.

### Reproductive toxicity:

No data available.

### STOT-single exposure:

No data available.

### STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of	Species	Method
		1	treatment		
Triglycidyl-p-	NOAEL 50 mg/kg	oral: gavage	28 d	rat	OECD Guideline 407
aminophenol			daily		(Repeated Dose 28-Day
5026-74-4					Oral Toxicity in Rodents)
Polyoxypropylene	NOAEL 239 mg/kg	oral: feed	31 d	rat	OECD Guideline 407
diamine			daily		(Repeated Dose 28-Day
9046-10-0					Oral Toxicity in Rodents)
Polyoxypropylene	NOAEL 250 mg/kg	dermal	90 d	rat	equivalent or similar to
diamine			Once daily, five days		OECD Guideline 411
9046-10-0			per week		(Subchronic Dermal
					Toxicity: 90-Day Study)

### **Aspiration hazard:**

No data available.

### 11.2 Information on other hazards

not applicable

### **SECTION 12: Ecological information**

### General ecological information:

Do not empty into drains / surface water / ground water.

### 12.1. Toxicity

### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Triglycidyl-p-aminophenol 5026-74-4	LC50	4,2 mg/l	96 h	Cyprinus carpio	OECD Guideline 203 (Fish, Acute Toxicity Test)
Polyoxypropylene diamine 9046-10-0	LC50	772,14 mg/l	96 h	Cyprinodon variegatus	OECD Guideline 203 (Fish, Acute Toxicity Test)

### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Triglycidyl-p-aminophenol	EC50	18 mg/l	48 h	Daphnia magna	OECD Guideline 202
5026-74-4					(Daphnia sp. Acute
					Immobilisation Test)
Polyoxypropylene diamine	EC50	80 mg/l	48 h	Daphnia magna	OECD Guideline 202
9046-10-0		_			(Daphnia sp. Acute
					Immobilisation Test)

### Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Triglycidyl-p-aminophenol	NOEC	4,8 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia
5026-74-4					magna, Reproduction Test)

### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Triglycidyl-p-aminophenol	EC50	13 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga,
5026-74-4					Growth Inhibition Test)
Triglycidyl-p-aminophenol	NOEC	4,2 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga,
5026-74-4					Growth Inhibition Test)
Polyoxypropylene diamine	EC10	1,4 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga,
9046-10-0		_		_	Growth Inhibition Test)
Polyoxypropylene diamine	EC50	15 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga,
9046-10-0					Growth Inhibition Test)

#### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Triglycidyl-p-aminophenol 5026-74-4	EC10	> 10 mg/l	16 h	•	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm- Test)
Polyoxypropylene diamine 9046-10-0	EC50	750 mg/l		predominantly domestic sewage	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

### 12.2. Persistence and degradability

The product is not biodegradable.

Hazardous substances	Result	Test type	Degradability	Exposure	Method
CAS-No.				time	
Triglycidyl-p-aminophenol	not readily biodegradable.	aerobic	0 - 10 %	29 d	OECD Guideline 301 B (Ready
5026-74-4					Biodegradability: CO2 Evolution
					Test)
Polyoxypropylene diamine	not readily biodegradable.	aerobic	0 %	28 d	OECD Guideline 301 B (Ready
9046-10-0					Biodegradability: CO2 Evolution
					Test)

### 12.3. Bioaccumulative potential

No data available.

No substance data available.

### 12.4. Mobility in soil

Cured adhesives are immobile.

Hazardous substances	LogPow	Temperature	Method
CAS-No.			
Triglycidyl-p-aminophenol 5026-74-4	0,87	25 °C	QSAR (Quantitative Structure Activity Relationship)
Polyoxypropylene diamine	1,34	25 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC
9046-10-0			Method)

### 12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB
CAS-No.	
Triglycidyl-p-aminophenol	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
5026-74-4	Bioaccumulative (vPvB) criteria.
Polyoxypropylene diamine	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
9046-10-0	Bioaccumulative (vPvB) criteria.

#### 12.6. Endocrine disrupting properties

not applicable

#### 12.7. Other adverse effects

No data available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product disposal:

Do not empty into drains / surface water / ground water.

Dispose of in accordance with local and national regulations.

### Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

### Waste code

08 04 09\* waste adhesives and sealants containing organic solvents and other dangerous substances

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

### **SECTION 14: Transport information**

#### 14.1. UN number

ADR 3236

RID Transport forbidden

3236 3236

IMDG 3236

IATA Transport forbidden

3236

### 14.2. UN proper shipping name

ADN

ADR SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED

(Glycidyloxy epoxy resin, Polyether amine)

RID Transport forbidden

SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED

(Glycidyloxy epoxy resin, Polyether amine)

ADN SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED

(Glycidyloxy epoxy resin, Polyether amine)

IMDG SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED

(Glycidyloxy epoxy resin, Polyether amine)

IATA Transport forbidden

Self-reactive solid type D, temperature controlled (Glycidyloxy epoxy resin, Polyether

amine)

### 14.3. Transport hazard class(es)

ADR 4.1

RID Transport forbidden

4.1 ADN 4.1 IMDG 4.1

IATA Transport forbidden

4.1

### 14.4. Packing group

ADR

RID Transport forbidden

ADN IMDG

IATA Transport forbidden

#### 14.5. Environmental hazards

ADR Environmentally Hazardous RID Environmentally Hazardous ADN Environmentally Hazardous

IMDG Marine pollutant IATA not applicable

#### 14.6. Special precautions for user

ADR not applicable

# SDS No.: 391964 V006.0 LOCTITE ECCOBOND 931-1T1N1 known as 931-1T1N1(RPKG), 30CC Page 14 of 15 EFD SYR

Tunnelcode: (D)
RID not applicable
ADN not applicable
IMDG not applicable
IATA not applicable

For transport a copy of the agreement from the local competent authority is necessary Control temperature:  $25^{\circ}$ C, Emergency temperature:  $30^{\circ}$ C

Controltemperature 25,00 °C Emergencytemperature 30,00 °C

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): Not applicable Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): Not applicable Persistent organic pollutants (Regulation (EU) 2019/1021): Not applicable

VOC content < 3 %

(2010/75/EC)

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

#### **EFD SYR**

### **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

ED: Substance identified as having endocrine disrupting properties

EU OEL: Substance with a Union workplace exposure limit
EU EXPLD 1: Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2 Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC: Substance of very high concern (REACH Candidate List)
PBT: Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

#### **Further information:**

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

#### Dear Customer.

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.