

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : METAFLUX 70-10 Hochbelastbares Universalfett  
Article-No. : 71-10..

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Grease  
stance/Mixture  
Recommended restrictions : Restricted to professional users.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Techno-Service GmbH  
Detmolder Str. 515  
D-33605 Bielefeld  
Deutschland  
Tel.: +49 (0) 521 924440  
Fax: +49 (0) 521 207432  
info@metaflux.de  
www.metaflux.de  
E-mail address of person : verkauf@metaflux.de  
responsible for the SDS

#### 1.4 Emergency telephone number

Emergency telephone num- : +49 70024112112 or +1 872 5888271 (TSF) 24h  
ber

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Eye irritation, Category 2 H319: Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)


## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Long-term (chronic) aquatic hazard, Category 3      H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version 4.1      Revision Date: 15.02.2023      Date of last issue: 02.01.2023  
Date of first issue: 22.05.2018

Print Date:  
08.05.2023

lithium soap  
Molybdenum disulfide  
graphite

### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5  01-2119493635-27-XXXX	Eye Dam.1; H318 Aquatic Chronic2; H411	> 50 % Eye Dam.1, H318	>= 3 - < 10
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1  01-2119491299-23-XXXX	Repr.2; H361f		>= 0,1 - < 1
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7  01-2119978241-36-XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 0,1 - < 1
Substances with a workplace exposure limit :				
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1  649-467-00-8 01-2119484627-25-XXXX	Not classified	Note L	>= 30 - < 50
residual oils (petroleum), hydrotreated	64742-57-0 265-160-8  649-470-00-4 01-2119489287-22-XXXX	Not classified	Note L	>= 20 - < 30

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version 4.1      Revision Date: 15.02.2023      Date of last issue: 02.01.2023      Print Date: 08.05.2023  
Date of first issue: 22.05.2018

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5 265-155-0 649-465-00-7 01-2119467170-45-XXXX	Not classified	Note L	$\geq 10 - < 20$
---	--	----------------	--------	------------------

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Obtain medical attention.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

---

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Oxides of phosphorus  
Metal oxides

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
		Peak-limit: excursion factor (category): 4;(II)		
		Further information: When there is compliance with the OEL and biological		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version  
4.1

Revision Date:  
15.02.2023

Date of last issue: 02.01.2023  
Date of first issue: 22.05.2018

Print Date:  
08.05.2023

	tolerance values, there is no risk of harming the unborn child			
residual oils (petroleum), hydrotreated	64742-57-0	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local effects	5,58 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
residual oils (petroleum), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	5,6 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	Workers	Inhalation	Long-term systemic effects	6,6 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	9,6 mg/m <sup>3</sup>
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m <sup>3</sup>
Benzenesulfonic acid,	Workers	Inhalation	Long-term systemic	35,26 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version 4.1      Revision Date: 15.02.2023      Date of last issue: 02.01.2023      Print Date: 08.05.2023  
Date of first issue: 22.05.2018

di-C10-14-alkyl derivs., calcium salts			effects	
	Workers	Dermal	Long-term systemic effects	25 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hydrotreated heavy paraffinic	Oral	9,33 mg/kg
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Oral	9,33 mg/kg
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	Fresh water	0,004 mg/l
	Marine water	0,0046 mg/l
	Sewage treatment plant	3,8 mg/l
	Fresh water sediment	0,322 mg/l
	Marine sediment	0,032 mg/l
	Soil	0,062 mg/l
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0,034 mg/l
	Marine water	0,003 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,51 mg/l
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Fresh water	0,1 mg/l
	Marine water	0,1 mg/l
	Fresh water sediment	45211 mg/kg
	Marine sediment	45211 mg/kg
	Microbiological Activity in Sewage Treatment Systems	1000 mg/l
	Soil	36739 mg/kg

## 8.2 Exposure controls

### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Safety glasses with side-shields

### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

type of glove and therefore has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : paste
- Colour : black
- Odour : characteristic
- Odour Threshold : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flammability (solid, gas) : Combustible Solids
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flash point : Not applicable
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- pH : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

substance/mixture is non-soluble (in water)

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

### Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,89 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,89 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

## 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Acute oral toxicity : LD50 (Rat, male): 3.100 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute dermal toxicity : LD50 (Rabbit, male): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: no

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

##### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

##### **residual oils (petroleum), hydrotreated:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : Irritating to eyes.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

### Components:

#### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.  
GLP : yes

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

#### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No skin irritation

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

#### **residual oils (petroleum), hydrotreated:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### **Respiratory or skin sensitisation**

#### Product:

Remarks : This information is not available.

### Components:

#### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Test Type : Maximisation Test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans  
Result : Probability or evidence of low to moderate skin sensitisation rate in humans

### distillates (petroleum), hydrotreated heavy paraffinic:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### residual oils (petroleum), hydrotreated:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.  
Result : Does not cause respiratory sensitisation.

### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

### Components:

#### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **Carcinogenicity**

#### Product:

Remarks : No data available

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **residual oils (petroleum), hydrotreated:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Effects on foetal development : Remarks: No data available

### Components:

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: LOAEL: 125 mg/kg body weight  
Teratogenicity: NOAEL: >= 2.000 mg/kg body weight  
Developmental Toxicity: NOAEL: >= 2.000 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: >= 2.000 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

### **STOT - single exposure**

### Components:

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

### STOT - repeated exposure

#### Components:

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

#### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

No aspiration toxicity classification

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

#### **residual oils (petroleum), hydrotreated:**

No aspiration toxicity classification

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

- Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available
- Toxicity to algae/aquatic plants : Remarks: No data available
- Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 380 mg/l  
Exposure time: 16 h  
Test Type: static test  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: Information given is based on data obtained from

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

similar substances.

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10: 1,69 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOELR (Desmodesmus subspicatus (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **distillates (petroleum), hydrotreated heavy paraffinic:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : LC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOELR: >= 1.000 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: The value is calculated

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Reproduction Test  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

---

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: < 5 %  
Exposure time: 27 d  
Method: OECD Test Guideline 301D  
GLP: no

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **residual oils (petroleum), hydrotreated:**

Biodegradability : Result: Not rapidly biodegradable

##### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Partition coefficient: n-octanol/water : log Pow: 3,59 (22 °C)  
pH: 5  
Method: OECD Test Guideline 107  
GLP: yes

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 42 d  
Bioconcentration factor (BCF): 1.730  
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: > 6

##### **Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Bioaccumulation : Bioconcentration factor (BCF): 70,8

Partition coefficient: n-octanol/water : log Pow: 26,22 (20 °C)

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n-octanol/water : log Pow: > 2

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

---

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Components:**

**zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

**distillates (petroleum), hydrotreated heavy paraffinic:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance

**Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADN : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good  
**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : 34

Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:  
others: 12,18 %

Inorganic substances in powdered form:  
Not applicable  
Inorganic substances in vapour or gaseous form:  
Not applicable  
Organic Substances:  
portion Class 1: 0,43 %  
others: 87,39 %

Carcinogenic substances:  
Not applicable  
Mutagenic:  
Not applicable  
Toxic to reproduction:  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Full text of H-Statements

H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H361f : Suspected of damaging fertility.  
H411 : Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

### Full text of other abbreviations

- Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
- DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)

## METAFLUX 71-10 Hochbelastbares Universalfett

Version	Revision Date:	Date of last issue: 02.01.2023	Print Date:
4.1	15.02.2023	Date of first issue: 22.05.2018	08.05.2023

---

### Further information

#### Classification of the mixture:

Eye Irrit. 2	H319
Aquatic Chronic 3	H412

#### Classification procedure:

Calculation method
Calculation method

This safety data sheet applies only to products as originally packed and labelled.

All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted.