

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier Product name: RTV 102 - white
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Silicone Elastomer Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr ibutor Information	:	Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7 DE - 51368 Leverkusen Germany
Contact person	:	commercial.services@momentive.com
Telephone	:	General information +390510924300 (Customer Service Centre)
1.4 Emergency telephone number	:	Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous according to the legislation in force.

#### Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

The product is not classified for chronic aquatic toxicity, for further details see section 16

#### 2.2 Label Elements Not applicable

#### Supplemental label information

EUH210: Safety data sheet available on request.

- Additional Information: No data available.
- 2.3 Other hazards No data available.

#### **SECTION 3: Composition/information on ingredients**

Chemical nature:

Mixture of polydimethylsiloxanes, fillers and cross-linkers.



#### 3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Octamethylcyc lotetrasiloxane	1 - <3%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB
Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-XXXX	Not applicable	vРvВ
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-XXXX	Not applicable	vРvВ

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# # This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Classification	Notes
Octamethylcyclotetrasiloxa	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1:	No data
ne	H410;	available.
Decamethylcyclopentasilo	No data available.	
xane		
Dodecamethylcyclohexasil	No data available.	
oxane		

CLP: Regulation No. 1272/2008.

## **SECTION 4: First aid measures**

General:	No action shall be taken involving any personal risk or without suitable training.
4.1 Description of first aid measu Inhalation:	Ires Move to fresh air. Get medical attention if any discomfort continues.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Ingestion:	Drink plenty of water. Do NOT induce vomiting. Get medical attention.

inventing possibilities

MOMENTIVE

	RTV 102 - white
4.2 Most important symptoms and effects, both acute and delayed:	No data available.
4.3 Indication of any immediate Hazards:	medical attention and special treatment needed No data available.
Treatment:	Treatment is symptomatic and supportive.
SECTION 5: Firefighting me	asures
General Fire Hazards:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
5.1 Extinguishing media Suitable extinguishing media:	All standard extinguishing agents are suitable.
Unsuitable extinguishing media:	Do not use water jet.
5.2 Special hazards arising from the substance or mixture:	In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
5.3 Advice for firefighters Special fire fighting procedures:	Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Caution: Contaminated surfaces may be slippery. Reacts with water liberating small amounts of acetic acid. Use personal protective equipment.
6.2 Environmental Precautions:	Do not allow runoff to sewer, waterway or ground.
6.3 Methods and material for containment and cleaning up:	Shovel up and place in a container for salvage or disposal.
6.4 Reference to other sections:	No data available.

## SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes, skin, and clothing. Acetic acid is formed during processing. Wear appropriate personal protective equipment.
Storage conditions:	No data available.

MOMENTIVE "

7.2 Conditions for safe storage, including any incompatibilities:	<b>RTV 102 - white</b> Keep container tightly closed in a cool, well-ventilated place.
Storage Stability:	Stable

7.3 Specific end use(s): No data available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control Parameters Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Silane, dichlorodimethyl-, reaction products with silica - Respirable dust.	TWA	2,4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Silane, dichlorodimethyl-, reaction products with silica - Inhalable dust.	TWA	6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Silane, dichlorodimethyl-, reaction products with silica - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
TITANIUM DIOXIDE - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
TITANIUM DIOXIDE - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

#### **Biological Limit Values**

None.

8.2 Exposure controls Appropriate Engineering Controls:	Provide adequate general and local exhaust ventilation. Eye washes and showers for emergency use.
Individual protection measure	es, such as personal protective equipment
General information:	Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.
Eye/face protection:	Safety glasses with side-shields conforming to EN166
Skin protection Hand Protection:	Advice: There is no risk to health due to contact with the chemical. Use hand protection to prevent mechanically injuries.
Other:	Wear suitable protective clothing and eye/face protection.
Respiratory Protection:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respiratory protection mask with Filtertype ABEK
Hygiene measures:	Avoid contact with eyes, skin, and clothing. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.
Environmental exposure controls:	No data available.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties Appearance

Appearance	
Physical state:	solid
Form:	Paste
Color:	White
Odor:	Acetic acid.
Odor Threshold:	No data available.
pH:	No data available.
Melting Point:	No data available.
Boiling Point:	Not applicable
Flash Point:	> 93,3 °C (estimated)
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Relative vapor density:	No data available.
Density:	ca. 1,06 g/cm3
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	Not applicable
Autoignition Temperature:	No data available.
Decomposition Temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

#### 9.2 Other information

No data available.

## SECTION 10: Stability and reactivity

10.1 Reactivity:	No data available.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur.
10.4 Conditions to avoid:	Reacts with water liberating small amounts of acetic acid.
10.5 Incompatible Materials:	Strong Acids, Strong Bases Water.
10.6 Hazardous Decomposition Products:	Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.



Version: 6.0 Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

#### RTV 102 - white

## **SECTION 11: Toxicological information**

(	General information:	Experience has shown, that the above mentioned product can be used without any danger to health, as long as the usual conditions of industrial hygiene are observed.
ļ	Information on likely routes ( Inhalation:	of exposure No data available.
	Ingestion:	No data available.
	Skin Contact:	No data available.
	Eye contact:	No data available.
11.1	Information on toxicological	effects
	Acute toxicity	
	Oral Product: Specified substance(s)	Not classified for acute toxicity based on available data.
	Octamethylcyclotetrasilox	LD 50 (Rat): > 4.800 mg/kg
	Decamethylcyclopentasil oxane	No data available.
	Dodecamethylcyclohexas iloxane	LD 50 (Rat): 2.000 mg/kg
I	Dermal Product: Specified substance(s) Octamethylcyclotetrasil	Not classified for acute toxicity based on available data. LD 50 (Rat): > 2.375 mg/kg
	oxane Decamethylcyclopenta siloxane	LD 50 (Rabbit): > 2.000 mg/kg
	Dodecamethylcyclohex asiloxane	LD 50 (Rat): 2.000 mg/kg
I	Inhalation Product:	Not classified for acute toxicity based on available data.
	Specified substance(s) Octamethylcyclotetrasilox ane	LC50 (Rat, 4 h): 36 mg/l
	Decamethylcyclopentasil oxane	LC50 (Rat, 4 h): 8,67 mg/l
	Dodecamethylcyclohexas iloxane	No data available.
I	Repeated dose toxicity Product: Specified substance(s) Octamethylcyclotetrasilox	No data available. No data available.
	ane Decamethylcyclopentasil oxane	NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
	Dodecamethylcyclohexas	NOAEL (Rat(male and female), Oral): 1.000 mg/kg

MOMENTIVE

Version: 6.0 Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

inventing possibilities

RTV 102 - white

iloxane	
Skin Corrosion/Irritation: Product:	Not irritating No data available.
Specified substance(s) Octamethylcyclotetrasil oxane	OECD Test Guideline 404 (Rabbit): Non irritating
Decamethylcyclopentas	OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
Dodecamethylcyclohex asiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation
Serious Eye Damage/Eye	Not irritating
Irritation: Product:	No data available.
Specified substance(s) Octamethylcyclotetrasil	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non
oxane Decamethylcyclopentas	irritating OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
iloxane Dodecamethylcyclohex asiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating
Respiratory or Skin	
Sensitization: Product:	No data available.
Specified substance(s) Octamethylcyclotetrasil oxane Decamethylcyclopentas iloxane Dodecamethylcyclohex asiloxane	Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Not sensitizing LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing. Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative
Germ Cell Mutagenicity	
In vitro Product:	No data available.
Specified substance(s) Octamethylcyclotetrasilox ane Decamethylcyclopentasil oxane Dodecamethylcyclohexas iloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic) Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline 476)): negative (not mutagenic) Chromosomal aberration (OECD 473): negative (not mutagenic) No data available.
In vivo	
Product:	No data available.
Specified substance(s) Octamethylcyclotetrasilox ane Decamethylcyclopentasil oxane	Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.

MOMENTIVE<sup>®</sup>

inventing possibilities	Supersedes Date: 15.04.2020
Dodecamethylcyclohexas iloxane	<b>RTV 102 - white</b> OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD- Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative
Carcinogenicity Product:	No data available.
Specified substance(s) Octamethylcyclotetrasilox ane	No data available.
Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Reproductive toxicity Product:	No data available.
Specified substance(s)	
Octamethylcyclotetrasilox ane	No data available.
Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Specific Target Organ Toxici Product:	<b>ty - Single Exposure</b> No data available.
Specified substance(s) Octamethylcyclotetrasilox ane	No data available.
Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Specific Target Organ Toxici Product:	<b>ty - Repeated Exposure</b> No data available.
Specified substance(s) Octamethylcyclotetrasilox ane	No data available.
Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Aspiration Hazard Product:	No data available.
Specified substance(s) Octamethylcyclotetrasilox ane	No data available.
Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexas iloxane	No data available.
er effects:	No data available.

No data available.



Version: 6.0 Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

## **SECTION 12: Ecological information**

#### 1

12.1	Toxicity	
	Acute toxicity	
	Fish Product:	No data available.
	Specified substance(s) Octamethylcyclotetrasilox ane	LC50 (Oncorhynchus mykiss, 96 h): > 0,022 mg/l
	Decamethylcyclopentasil oxane	LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)
	Dodecamethylcyclohexas iloxane	No data available.
	Aquatic Invertebrates Product:	No data available.
	Specified substance(s) Octamethylcyclotetrasilox ane	EC50 (Daphnia magna, 48 h): > 0,015 mg/l
	Decamethylcyclopentasil oxane	EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)
	Dodecamethylcyclohexas iloxane	No data available.
	Chronic Toxicity	
	Fish Product:	No data available.

Specified substance(s)

Octamethylcyclotetrasilox	NOEC (Oncorhynchus mykiss, 93 d): >= 0,0044 mg/l
ane	
Decamethylcyclopentasil	NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210)
oxane	LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)
Dodecamethylcyclohexas	NOEC (Pimephales promelas, 49 d): 0,0044 mg/l
iloxane	

**Aquatic Invertebrates** Product:

Specified substance(s) Octamethylcyclotetrasilox NOEC (Daphnia magna, 21 d): > 0,015 mg/l ane

NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211) Decamethylcyclopentasil LOEC (Daphnia magna, 21 d): > 0,0015 mg/l oxane Dodecamethylcyclohexas NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): > 420 mg/l iloxane LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Toxicity to Aquatic Plants	
Product:	No data available.

No data available.

#### Specified substance(s) Octamethylcyclotetrasilox

ErC50 (Selenastrum capricornutum, 96 h): > 0,022 mg/l

Decamethylcyclopentasil EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD Test Guideline 201)

ane

oxane

MOMENTIVE "

inventing possibilities	Supersedes Date: 15.04.2020
	RTV 102 - white
	NOEC : >= 0,0012 mg/l
	EC10 : > 0,0012 mg/l
Dodecamethylcyclohexas	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD
iloxane	Test Guideline 201)
	NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l
	(OECD Test Guideline 201)
12.2 Persistence and Degradabil	ity
Biodegradation	
Product:	No data available.
Specified substance(s)	
Octamethylcyclotetrasilox	(29 d, 310 Ready Biodegradability - CO <sub>2</sub> in Sealed Vessels (Headspace
ane	Test)): 3,7 % Persistent Not readily biodegradable.
Decamethylcyclopentasil	activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):
oxane	0,14 % The product is not readily biodegradable.
Dodecamethylcyclohexas	No data available.
iloxane	
BOD/COD Ratio	
Product	No data available.
110000	
Specified substance(s)	
Octamethylcyclotetrasilox	No data available.
ane	
Decamethylcyclopentasil	No data available.
oxane	
Dodecamethylcyclohexas	No data available.
iloxane	
12.3 Bioaccumulative potential	
Product:	No data available.
Specified substance(s)	
Octamethylcyclotetrasilox	Fathead Minnow, Bioconcentration Factor (BCF): 12,40
ane	
Decamethylcyclopentasil	Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test
oxane	Guideline 305)
Dodecamethylcyclohexas	No data available.
iloxane	
12.4 Mobility in soil:	No data available.
	tion to environmental compartments
Octamethylcyclotetrasiloxa	No data available.
ne	
Decamethylcyclopentasilox	No data available.
ane	
Dodecamethylcyclohexasilo	No data available.
xane	
	Development Disconcentration and Taxis (DDT)
12.5 Results of PBT and vPvB	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
assessment:	Bioaccumulative (vPvB)

MOMENTIVE<sup>®</sup>

		Supersedes Date. 15.04.2020
	RTV 10	2 - white
Octamethylcyclotetrasiloxane	Persistent,	Octamethylcyclotetrasiloxane (D4) meets the
	Bioaccumulative	current EU REACh Annex XIII criteria for PBT
	and Toxic (PBT),	and vPvB and has been added to the candidate
	very Persistent	list for Substances of very high concern
	and very	(SVHC)., However our understanding of the
	Bioaccumulative	available science is that D4 does not behave
	(vPvB)	similarly to known PBT/vPvB substances. The
		silicones industries interpretation of the
		•
		available data is that the weight of scientific
		evidence from field studies shows that D4 is not
		biomagnifying in aquatic and terrestrial food
		webs. D4 in air will degrade by naturally
		occurring reactions in the atmosphere. Any D4
		in air that does not degrade by these reactions
		is not expected to deposit from the air to water,
		to land, or to living organisms.
Decamethylcyclopentasiloxane	vPvB: very	Decamethylcyclopentasiloxane (D5) meets the
	persistent and	current EU REACH Annex XIII criteria for vPvB
	very	and has been added to the candidate list for
	bioaccumulative	Substances of very high concern
	substance.	(SVHC)., However our understanding of the
		available science is that D5 does not behave
		similarly to known PBT/vPvB substances. The
		silicones industries interpretation of the
		available data is that the weight of scientific
		evidence from field studies shows that D5 is not
		biomagnifying in aquatic and terrestrial food
		webs. D5 in air will degrade by naturally
		occurring reactions in the atmosphere. Any D5
		in air that does not degrade by these reactions
		is not expected to deposit from the air to water,
		to land, or to living organisms.
Dodecamethylcyclohexasiloxane	vPvB: very	Dodecamethylcyclohexasiloxane (D6) meets the
	persistent and	current EU REACH Annex XIII criteria for vPvB
	very	and has been added to the candidate list for
	bioaccumulative	Substances of very high concern
	substance.	(SVHC)., However our understanding of the
		available science is that D6 does not behave
		similarly to known PBT/vPvB substances. The
		silicones industries interpretation of the
		available data is that the weight of scientific
		evidence from field studies shows that D6 is not
		biomagnifying in aquatic and terrestrial food
		webs. D6 in air will degrade by naturally
		occurring reactions in the atmosphere. Any D6
		in air that does not degrade by these reactions
		is not expected to deposit from the air to water,
		to land, or to living organisms
12.6 Other adverse offects:	No data availablo	

12.6 Other adverse effects:

No data available.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

General information:	The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.
Disposal methods:	Can be incinerated when in compliance with local regulations.

#### Version: 6.0 Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

## **SECTION 14: Transport information**

#### ADR

Not regulated.

#### ADN

Not regulated.

#### RID

Not regulated.

#### IMDG

Not regulated.

#### IATA

Not regulated.

**14.6 Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Keep away from foodstuffs and animal feed. keep away from odour sensitive materials Protect from moisture.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **EU Regulations**

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	0 - <=2,99%
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,4850%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,3690%

#### Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%
TITANIUM DIOXIDE	13463-67-7	1,0 - 10%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%
Acetic acid	64-19-7	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
Acetic acid	64-19-7	0,1 - 1,0%

# EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

#### Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%
Acetic acid	64-19-7	0,1 - 1,0%

## 15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

# Inventory Status

inventory Status		
REACH	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.
Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: Please contact your supplier for further information on the inventory status of this material.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.

		Version: 6.0 Last revised date: 20.02.2022 Supersedes Date: 15.04.2020
	RTV 102 - white	
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.

## **SECTION 16: Other information**

## Revision Information: Not relevant.

**Key literature references and sources for data:** The partition coefficient of D4 between PDMS and water has been determined as log KPDMS-water =7.09. It follows that PDMS containing up to 3%w/w D4 will generate a thermodynamic limit concentration of 2.4 μg D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 μg D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

#### Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.

## Training information: No data available.

Issue Date: 2	20.02.2022
---------------	------------

MOMENTIVE "

Version: 6.0 Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

Disclaimer:

#### RTV 102 - white

#### Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for longlasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

#### **Further Information**

The information provided in this Safety Data Sheet is correct to the best ofour knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.