

Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

**RTV 60** 

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation(EU) No. 2020/878

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RTV 60

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Professional Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person : commercial.services@momentive.com

**Telephone** : General information

+390510924300 (Customer Service Centre)

1.4

number

Emergency telephone

Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

(0) 1235239671

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

**Health Hazards** 

Specific Target Organ Toxicity - Repeated Exposure

Category 2

H373: May cause damage to organs through

prolonged or repeated exposure.

The product is not classified for chronic aquatic toxicity, for further details see section 16

2.2 Label Elements

Contains: Cristobalite



**Signal Words:** 

Warning

SDS\_GB 1/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

Hazard Statement(s): H373: May cause damage to organs through prolonged or repeated

exposure.

**Precautionary Statements** 

**Prevention:** P260: Do not breathe dust/fume/gas/mist/vapors/spray.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

### Unknown toxicity - Health

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 0 %
Acute toxicity, inhalation, dust 0 %

or mist

Additional Information: This product is a mixture containing polymer compounds and hazardous

substances as listed in Section 3. The relevant hazardous classification according to CLP Directive 1272/2008 is stated in Section 2 of this SDS. Although the preparation is classified as a hazardous preparation, it does not present a danger to human health by inhalation in the form in which it is placed on the market. According to Annex I No. 1.3.4.1 of the Directive 1272/2008, such preparations do not require a label for the hazards through

inhalation route.

### 2.3 Other hazards

#### PBT/vPvB data

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

### **Endocrine disrupting properties-Toxicity**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Endocrine disrupting properties-Ecotoxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

**General information:** No data available.

Chemical name	Concentration	CAS-No.		REACH Registration No.	M-Factor:	Notes
Cristobalite	5 - <10%	14464-46-1	238-455-4	No data available.	Not applicable	#

SDS\_GB 2/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### RTV 60

Kieselguhr, soda ash flux- calcined	1 - <5%	68855-54-9	272-489-0	No data available.	Not applicable	#
Silicic acid, ethyl ester	1 - <5%	11099-06-2	234-324-0	No data available.	Not applicable	
Tetraethyl Silicate	0,1 - <1%	78-10-4	201-083-8	01- 2119496195- 28-XXXX	Not applicable	#
Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-XXXX	Not applicable	vPvB
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-XXXX	Not applicable	vPvB
Octamethylcyc lotetrasiloxane	0,01 - <0,1%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Classification	Notes
Cristobalite	STOT RE: 1: H372;	
Kieselguhr, soda ash flux- calcined	No data available.	
Silicic acid, ethyl ester	Flam. Liq.: 3: H226; STOT SE: 3: H335; Eye Dam.: 2: H319; Acute Tox.: 4: H302;	
Tetraethyl Silicate	Flam. Liq.: 3: H226; Acute Tox.: 4: H332; Eye Dam.: 2: H319; STOT SE: 3: H335; No data available.	No data available.
Decamethylcyclopentasilo xane	No data available.	
Dodecamethylcyclohexasil oxane	No data available.	
Octamethylcyclotetrasiloxa	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1:	
ne	H410;	

CLP: Regulation No. 1272/2008.

# **SECTION 4: First aid measures**

**General:** Get medical attention if symptoms occur.

SDS\_GB 3/19

<sup>#</sup> This substance has workplace exposure limit(s).



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

Eye contact: Get medical attention if symptoms occur. If in eyes, hold eyes open, flood

with water for at least 15 minutes and see a doctor.

**Skin Contact:** Remove contaminated clothing and shoes. Wash skin thoroughly with soap

and water. Get medical attention if symptoms occur.

Ingestion: DO NOT induce vomiting. Get medical attention immediately. Do not give

victim anything to drink if he is unconscious. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs.

4.2 Most important symptoms and effects, both acute and

None known.

delayed:

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No information about adverse effects due to exposure.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water.

# **SECTION 5: Firefighting measures**

**General Fire Hazards:** Do not use water jet as an extinguisher, as this will spread the fire. Use

water spray to keep fire-exposed containers cool.

5.1 Extinguishing media Suitable extinguishing

media:

Alcohol resistant foam. Carbon dioxide Dry chemical.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or

mixture:

In case of fire, carbon monoxide and carbon dioxide may be formed.

5.3 Advice for firefighters Special fire-fighting

procedures:

Take precautionary measures against static discharges. To prevent and minimize fire or explosion risk from static accumulation and discharge,

effectively bond and/or ground product transfer system.

Special protective equipment for fire-fighters:

Wear self-contained breathing apparatus and protective clothing.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes, skin, and clothing. Avoid contact with liquid and vapors. Use personal protective equipment. Use only in well-ventilated areas.

**6.2 Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

6.3 Methods and material for containment and cleaning up:

Absorb spillage with suitable absorbent material. Shovel up and place in a

container for salvage or disposal.

SDS\_GB 4/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

6.4 Reference to other sections:

Remove sources of ignition. In case of spills, beware of slippery floors and surfaces. See Section 8 of the SDS for Personal Protective Equipment. Collect and dispose of spillage as indicated in section 13 of the SDS.

# **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Wash hands after handling. Provide adequate ventilation. Avoid inhalation of dust

and vapors.

Storage conditions:

Keep container tightly closed. Keep away from sources of ignition - No

smoking.

7.2 Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed. Keep away from sources of ignition - No

smoking

Storage Stability:

Material is stable under normal conditions.

7.3 Specific end use(s):

No data available.

### SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters

### Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Cristobalite - Respirable fraction and dust	TWA	0,1 mg/m3	EU. OELs for Certain Carcinogens, Mutagens, Reprotoxins: Annex III, Directive 2004/37/EC (CMRD), as amended (12 2017)
Kieselguhr, soda ash flux- calcined - Respirable fraction and dust	TWA	0,1 mg/m3	EU. OELs for Certain Carcinogens, Mutagens, Reprotoxins: Annex III, Directive 2004/37/EC (CMRD), as amended (12 2017)
Tetraethyl Silicate	TWA	5 ppm 44 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (02 2017)
	TWA	5 ppm 44 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL, as amended (2014)

# **Biological Limit Values**

None.

### **DNEL-Values**

Critical component	Туре	Route of Exposure		Remarks
Tetraethyl Silicate	Workers	Dermal	12,1 mg/kg bw/day	
•		Inhalation	85 mg/m3	
			85 mg/m3	
		Dermal	12,1 mg/kg bw/day	
		Inhalation	85 mg/m3	
			85 mg/m3	
	Consumers	Dermal	8,4 mg/kg bw/day	
		Inhalation	25 mg/m3	
			25 mg/m3	
		Dermal	8,4 mg/kg bw/day	
		Inhalation	25 mg/m3	
			25 mg/m3	

### **PNEC-Values**

	Environmental compartment		Remarks
Tetraethyl Silicate	Water	0,192 mg/l	

SDS\_GB 5/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

		RTV 60	
Sea	awater	0,0192 mg/l	
Inte	ermittent release	10 mg/l	
Sec	diment		Derived from PNEC(freshwater) using the equilibrium partitioning method.
soi	il		Derived from PNEC(freshwater) using the equilibrium partitioning method.
Se <sup>1</sup>	0	4000 mg/l	

### 8.2 Exposure controls

**Appropriate Engineering** 

Controls:

Eye wash facilities and emergency shower should be available when handling this product. No special requirements under ordinary conditions of use and with adequate ventilation. Use only in well-ventilated areas.

### Individual protection measures, such as personal protective equipment

**General information:** Use only in well-ventilated areas. Do not eat, drink or smoke when using

the product. Wash hands after handling. Practice good housekeeping.

**Eye/face protection:** Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: There is no risk to health due to contact with the chemical. Use

hand protection to prevent mechanically injuries.

Other: Safety shoes Long sleeves

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands after handling.

When using do not eat, drink or smoke. Provide adequate ventilation.

Environmental exposure

controls:

No release to wastewater from process as such, wastewater emissions limited to release generated from final equipment cleaning step using water

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Red
Odor: Faint

Odor Threshold:No data available.pH:Not applicableFreezing point:No data available.Boiling Point:> 168 °C (1,013 hPa)Flash Point:ca. 109 °C (Closed Cup)

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

Relative vapor density:

No data available.

available.

No data available.

No data available.

No data available.

SDS\_GB 6/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

**RTV 60** 

Relative density: No data available.

Solubility(ies)

Solubility in Water:
Solubility (other):
No data available.
No data available.
No data available.
No data available.

Pow:

Auto-ignition temperature:

Decomposition Temperature:

No data available.

9.2 Other information

No data available.

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** No data available.

**10.2 Chemical Stability:** Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Under normal conditions of storage and use, hazardous polymerization will

not occur.

**10.4 Conditions to avoid:** No data available.

**10.5 Incompatible Materials:** No data available.

10.6 Hazardous Decomposition

Products:

No data available.

### **SECTION 11: Toxicological information**

General information: Experience has shown, that the above mentioned product can be used

without any danger to health, as long as the usual conditions of industrial

hygiene are observed.

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

# 11.1 Information on toxicological effects

**Acute toxicity** 

Oral

**Product:** ATEmix: 33.300,03 mg/kg

Specified substance(s)

Cristobalite LD 50 (Rat): 5.000 mg/kg

SDS\_GB 7/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

Kieselguhr, soda ash

No data available.

flux-calcined

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available. Decamethylcyclopentasil No data available.

oxane

Dodecamethylcyclohexas

iloxane

LD 50 (Rat): 2.000 mg/kg

Octamethylcyclotetrasilox

ane

LD 50 (Rat): > 4.800 mg/kg

**Dermal** 

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Cristobalite Kieselguhr, soda ash

flux-calcined

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available.

Decamethylcyclopenta

siloxane

LD 50 (Rabbit): > 2.000 mg/kg

No data available.

No data available.

Dodecamethylcyclohex

asiloxane

LD 50 (Rat): 2.000 mg/kg

Octamethylcyclotetrasil

oxane

LD 50 (Rat): > 2.375 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

Cristobalite Kieselguhr, soda ash

flux-calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate Decamethylcyclopentasil

No data available. LC50 (Rat, 4 h): 8,67 mg/l

No data available.

No data available.

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

LC50 (Rat, 4 h): 36 mg/l

ane

Repeated dose toxicity

Product:

No data available.

Specified substance(s)

Cristobalite Kieselguhr, soda ash

flux-calcined

No data available. No data available.

Silicic acid, ethyl ester

No data available.

Tetraethyl Silicate

NOAEL (Rat(male and female), Oral, 28 d): 10 - 50 mg/kg LOAEL (Mouse(males), Inhalation, 28 d): 50 mg/kg

Decamethylcyclopentasil oxane

NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

Dodecamethylcyclohexas

iloxane

NOAEL (Rat(male and female), Oral): 1.000 mg/kg

Octamethylcyclotetrasilox

No data available.

ane

Skin Corrosion/Irritation:

SDS\_GB 8/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate OECD Test Guideline 404 (Rabbit): Non irritating Decamethylcyclopentas OECD Test Guideline 404 (Rabbit, 72 h): Non irritating

iloxane

Dodecamethylcyclohex OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h):

asiloxane No skin irritation

Octamethylcyclotetrasil OECD Test Guideline 404 (Rabbit): Non irritating

oxane

# Serious Eye Damage/Eye

Irritation:

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate OECD Test Guideline 405 (Rabbit, 72 h): Non irritating Decamethylcyclopentas OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

iloxane

Dodecamethylcyclohex OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No

asiloxane eye irritation Not irritating

Octamethylcyclotetrasil OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non

oxane irritating

Respiratory or Skin

Sensitization:
Product:
No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate Sensitisation, skin, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): Non sensitizing.

Decamethylcyclopentas LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA)

iloxane (Mouse): Non sensitizing.

Dodecamethylcyclohex Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

Octamethylcyclotetrasil Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

oxane Pig): Not sensitizing

### **Germ Cell Mutagenicity**

asiloxane

In vitro

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash flux- No data available.

calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate Chinese Hamster Ovary (CHO) (OECD 476): negative

Chromosomal aberration (OECD 473): negative

SDS\_GB 9/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

Decamethylcyclopentasil

oxane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline

476)): negative (not mutagenic)

Chromosomal aberration (OECD 473): negative (not mutagenic)

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

**Product:** No data available.

Specified substance(s)

Cristobalite

Kieselguhr, soda ash flux-

calcined

Silicic acid, ethyl ester Tetraethyl Silicate

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

No data available.

(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation

(Rat, male and female)negative (not mutagenic) Vapor. OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-

Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

Chromosomal aberration (OECD 475) Inhalation (Rat, male and female):

negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Carcinogenicity

**Product:** No data available.

Specified substance(s)

Cristobalite Kieselguhr, soda ash flux-

calcined

Silicic acid, ethyl ester Tetraethyl Silicate Decamethylcyclopentasil

oxane

Dada

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

ane

No data available. No data available.

No data avallable.

No data available.

No data available. No data available.

No data available.

No data available.

Reproductive toxicity

**Product:** No data available.

Specified substance(s)

Cristobalite Kieselguhr, soda ash flux-

Kieseigunr, soda ash fluxcalcined

Silicic acid, ethyl ester Tetraethyl Silicate Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox ane

No data available.

Specific Target Organ Toxicity - Single Exposure

SDS GB 10/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash flux-No data available.

calcined

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available. Decamethylcyclopentasil No data available.

oxane

Dodecamethylcyclohexas

iloxane Octamethylcyclotetrasilox

No data available.

No data available.

ane

## **Specific Target Organ Toxicity - Repeated Exposure**

No data available. **Product:** 

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash flux-No data available.

calcined

Silicic acid, ethyl ester No data available. No data available. Tetraethyl Silicate Decamethylcyclopentasil No data available.

oxane

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

No data available.

**Target Organs:** 

Tetraethyl Silicate Respiratory tract irritation.

**Aspiration Hazard** 

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash flux-No data available.

calcined

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available. Decamethylcyclopentasil No data available.

oxane

Dodecamethylcyclohexas No data available.

iloxane

No data available. Octamethylcyclotetrasilox

ane

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.;

Components:

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available.

SDS\_GB 11/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

**RTV 60** 

Tetraethyl Silicate Decamethylcyclopentasil No data available. No data available.

oxane

Dodecamethylcyclohexa

siloxane

No data available.

Octamethylcyclotetrasilo

No data available.

xane

Other effects: No data available.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### Acute toxicity

Fish

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate LC50 (Brachydanio rerio, 96 h): > 245 mg/l (Tested according to Directive

92/69/EEC.)

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

ane

No data available.

No toxicity at the limit of solubility; LC50 (Oncorhynchus mykiss, 96 h): >

LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

0,022 mg/l

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate EC50 (Daphnia magna, 48 h): > 75 mg/l (OECD-Guideline 202)

Decamethylcyclopentasil

Dodecamethylcyclohexas No o

iloxane

Octamethylcyclotetrasilox

Octam

No data available.

No toxicity at the limit of solubility; EC50 (Daphnia magna, 48 h): > 0,015

EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

mg/l

### **Chronic Toxicity**

Fish

**Product:** No data available.

Specified substance(s)

Cristobalite No data available. Kieselguhr, soda ash No data available.

flux-calcined

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available.

SDS\_GB 12/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

Decamethylcyclopentasil

oxane

NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline

210)

LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210) No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 91 d):

Dodecamethylcyclohexas

iloxane

0,014 mg/l

Octamethylcyclotetrasilox

ane

No toxicity at the limit of solubility ; NOEC (Oncorhynchus mykiss, 93 d): >=

0,0044 mg/l

**Aquatic Invertebrates** 

Product:

No data available.

Specified substance(s)

Cristobalite Kieselguhr, soda ash

flux-calcined

Silicic acid, ethyl ester Tetraethyl Silicate

Decamethylcyclopentasil oxane

Dodecamethylcyclohexas

iloxane

No data available. No data available.

No data available.

No data available.

NOEC (Daphnia magna, 21 d): >= 0.0015 mg/l (OECD-Guideline 211)

LOEC (Daphnia magna, 21 d): > 0,0015 mg/l

No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): 0,0046

mg/l

EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Octamethylcyclotetrasilox

ane

No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): > 0.015

mg/l

Toxicity to Aquatic Plants

Product:

No data available.

Specified substance(s)

Cristobalite Kieselguhr, soda ash

flux-calcined

Silicic acid, ethyl ester Tetraethyl Silicate No data available.

No data available.

No data available.

EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100 mg/l (OECD

Test Guideline 201)

Decamethylcyclopentasil

oxane

EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l

(OECD Test Guideline 201)

NOEC : >= 0.0012 mg/lEC10 : > 0.0012 mg/l

Dodecamethylcyclohexas

iloxane

No effects at the limit of solubility.; EC50 (Algae (Pseudokirchneriella

subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201)

No effects at the limit of solubility.; NOEC (Algae (Pseudokirchneriella

subcapitata), 72 h): >= 0,002 mg/l (OECD Test Guideline 201)

Octamethylcyclotetrasilox ane

No toxicity at the limit of solubility; ErC50 (Selenastrum capricornutum, 96

h): > 0.022 mg/l

#### 12.2 Persistence and Degradability

### Biodegradation

**Product:** No data available.

### Specified substance(s)

Cristobalite Kieselguhr, soda ash fluxNo data available. No data available.

calcined

Silicic acid, ethyl ester

No data available.

Tetraethyl Silicate

activated sludge, domestic (adaptation not specified) (28 d, OECD-Guideline

301 A (DOC Die-Away Test)): 98 % Readily biodegradable

Decamethylcyclopentasil

oxane

activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):

0,14 % The product is not readily biodegradable.

SDS\_GB 13/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

ane

(29 d, 310 Ready Biodegradability - CO2 in Sealed Vessels (Headspace

Test)): 3,7 % Persistent Not readily biodegradable.

**BOD/COD Ratio** 

No data available. **Product** 

Specified substance(s)

Cristobalite Kieselguhr, soda ash flux-

calcined

No data available. No data available.

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available. Decamethylcyclopentasil No data available.

oxane

Dodecamethylcyclohexas

Octamethylcyclotetrasilox

iloxane

No data available.

No data available.

12.3 Bioaccumulative potential

**Product:** No data available.

Specified substance(s)

Cristobalite Kieselguhr, soda ash flux-

calcined

No data available. No data available.

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available.

Decamethylcyclopentasil Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test oxane Guideline 305)

Dodecamethylcyclohexas No data available.

iloxane

Octamethylcyclotetrasilox Bioconcentration Factor (BCF): 12.400

ane

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Cristobalite No data available. Kieselguhr, soda ash flux-No data available. calcined

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available. Decamethylcyclopentasilox No data available.

ane

Dodecamethylcyclohexasilo

No data available.

Octamethylcyclotetrasiloxa

No data available.

12.5 Results of PBT and vPvB

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very

Bioaccumulative (vPvB) assessment: No data available.

Cristobalite Kieselguhr, soda ash flux-

calcined

No data available.

Silicic acid, ethyl ester No data available. Tetraethyl Silicate No data available.

SDS\_GB 14/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

Decamethylcyclopentasiloxane

vPvB: very persistent and very bioaccumulativ

bioaccumulative substance.

Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aguatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

Dodecamethylcyclohexasiloxane

vPvB: very persistent and very bioaccumulative substance. Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)... However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms

Octamethylcyclotetrasiloxane

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (VPVB) Octamethylcyclotetrasiloxane (D4) meets the current EU REACh Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

### 12.6 Endocrine disrupting properties:

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Cristobalite Kieselguhr, soda ash flux-calcined

Silicic acid, ethyl ester Tetraethyl Silicate No data available. No data available.

No data available. No data available.

SDS GB 15/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexa

siloxane

Octamethylcyclotetrasilo

xane

No data available.

No data available.

No data available.

### 12.7 Other adverse effects:

Other hazards

**Product:** No data available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**General information:** See Section 8 for information on appropriate personal protective

equipment. The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the

ground.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

# **SECTION 14: Transport information**

**ADR** 

Not Regulated.

**ADN** 

Not Regulated.

**RID** 

Not Regulated.

**IMDG** 

Not Regulated.

IATA

Not Regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

SDS\_GB 16/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

### **RTV 60**

### **EU Regulations**

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,1670%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1320%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

Chemical name	CAS-No.	Concentration
Cristobalite	14464-46-1	1,0 - 10%
Kieselguhr, soda ash flux-calcined	68855-54-9	1,0 - 10%
QUARTZ	14808-60-7	0,1 - 1,0%

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
QUARTZ	14808-60-7	0,1 - 1,0%

# EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:

Classification	Lower-tier Requirements	Upper-tier Requirements
E1. Hazardous to the aquatic		
environment		
P5b. Flammable liquids	50 t	200 t
P5c. Flammable liquids	5.000 t	50.000 t
P5a. Flammable liquids	10 t	50 t

### EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
Red iron oxide	1309-37-1	30 - 40%
Kieselguhr, soda ash flux-calcined	68855-54-9	1,0 - 10%

SDS\_GB 17/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

### Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

**Inventory Status** 

Australia Industrial Chem. Act

(AIIC):

Canada DSL Inventory List:

Canada NDSL Inventory:

inventory

Not in compliance with the inventory.

China Inv. Existing Chemical

Substances:

Japan (ENCS) List:

Korea Existing Chemicals Inv.

(KECI):

New Zealand Inventory of

Chemicals:

Philippines PICCS:

Taiwan Chemical Substance

Inventory:

US TSCA Inventory:

On or in compliance with the

inventory

On or in compliance with the

On or in compliance with the

inventory

On or in compliance with the

inventory On or in compliance with the

inventory

On or in compliance with the inventory

If purchased from Momentive REACH:

> Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006

(REACH). For polymers, this includes the constituent monomers and other

reactants.

Remarks: None.

Remarks: Commercial Status:

Active

Remarks: None.

# **SECTION 16: Other information**

**Revision Information:** Not relevant.

Key literature references and

sources for data:

The partition coefficient of D4 between PDMS and water has been

determined as log KPDMS-water =7.09. It follows that PDMS containing up to 3%w/w D4 will generate a thermodynamic limit concentration of 2.4 µg D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 µg D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

# Wording of the H-statements in section 2 and 3

Flammable liquid and vapor. H226

Harmful if swallowed. H302

Causes serious eye irritation. H319

Harmful if inhaled. H332

SDS\_GB 18/19



Last revised date: 17.08.2023 Supersedes Date: 20.03.2023

#### **RTV 60**

H335 May cause respiratory irritation. H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated

exposure.

H410 Very toxic to aquatic life with long lasting effects.

**Training information:** No data available.

Classification according to Regulation (EC) No 1272/2008 as amended.

STOT RE 2, H373

**Issue Date:** 17.08.2023

Disclaimer:

### Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS\_GB 19/19