



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Aquasolv Ultrasonic Cleaner

Article number: 1121

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Neutral cleaner

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

ZEP UK Ltd  
PO Box 12 Tanhouse Lane  
Widnes Cheshire, WA8 0RD  
United Kingdom  
Phone: +44 0151 422 1000  
FAX: +44 0151 422 1011  
@: info@zep.co.uk  
web: www.zep.co.uk

ZEP Industries BV  
Vierlinghweg 30  
4612 PN Bergen op Zoom  
The Netherlands  
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117  
Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395  
@: sales@zepbenelux.com

ZEP ITALIA SRL  
Via Netunese Km. 25.000  
04011 Aprilia (LT) - Italy  
Tel: +39.06.926691  
Fax: +39.06.92747061  
@: tecnico@zepeurope.com  
Sito: www.zep.it

#### Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

### 1.4 Emergency telephone number:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

#### Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R41: Risk of serious damage to eyes.

#### Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

Trade name: *Aquasolv Ultrasonic Cleaner*

(Contd. of page 1)

· **Hazard pictograms**

GHS05

· **Signal word** *Danger*· **Hazard-determining components of labelling:**

C6 alkyl polyglycoside  
Alcohol ethoxylate C9 - C11

· **Hazard statements**

H318 Causes serious eye damage.

· **Precautionary statements**

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

· **2.3 Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterization: Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9 - C11 Xi R38-41 Eye Dam. 1, H318 Skin Irrit. 2, H315	2.5-5%
CAS: 54549-24-5 EINECS: 259-217-6 Reg.nr.: 01-2119492545-29-xxxx	C6 alkyl polyglycoside Xi R41 Eye Dam. 1, H318	2.5-5%
CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9 - C11 Xn R22 Xi R41 Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312	1-2.5%
CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9 - C11 Xi R41 Eye Dam. 1, H318	1-2.5%
CAS: 68608-68-4 EINECS: 271-795-1	$\beta$ -Alanine, N-coco alkyl derivs., sodium salts Xi R36 Eye Irrit. 2, H319	1-2.5%

· **Ingredients according to Detergents Regulation 648/2004/EC**

For the wording of the listed risk phrases refer to section 16.

Nonionic surfactants	5 - 15%
Amphoteric surfactants, EDTA and salts thereof	< 5%

## SECTION 4: First aid measures

· **4.1 Description of first aid measures**· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.· **After swallowing:** If symptoms persist consult doctor.· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

Trade name: *Aquasolv Ultrasonic Cleaner*

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

##### 54549-24-5 C6 alkyl polyglycoside

Oral	DNEL Long term-systemic	35.7 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	357000 mg/kg human/day (consumer)
		595000 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	124 mg/m <sup>3</sup> (consumer)
		420 mg/m <sup>3</sup> (worker)

#### · PNECs

##### 54549-24-5 C6 alkyl polyglycoside

PNEC Freshwater mg/L	0.1 mg/L (-)
PNEC Freshwater sediment	0.231 mg/Kg (-)
PNEC Marine water sediment	0.023 mg/Kg (-)
PNEC Marinewater mg/L	0.01 mg/L (-)
PNEC Sewage treatment Plant mg/L	100 mg/L (-)
PNEC Soil	0.654 mg/Kg (-)

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

Trade name: Aquasolv Ultrasonic Cleaner

(Contd. of page 3)

· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes.

· **Respiratory protection:** Not required.· **Protection of hands:**· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves· **Eye protection:**

Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Brown

· **Odour:** Characteristic· **Odour threshold:** Not determined.· **pH-value at 20 °C:** 7· **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:**

<b>Decomposition temperature:</b>	Not determined.
-----------------------------------	-----------------

· **Self-igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa· **Density at 20 °C:** 1.1 g/cm<sup>3</sup>· **Relative density** Not determined.· **Vapour density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

Trade name: *Aquasolv Ultrasonic Cleaner*

(Contd. of page 4)

· <b>Solvent content:</b>	
Organic solvents:	0.0 %
· <b>Solids content:</b> 2.4 %	
· <b>9.2 Other information</b> No further relevant information available.	

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

#### 68439-46-3 Alcohol ethoxylate C9 - C11

EC 50 / 48 h	1.1-10 mg/ltr (Daphnia magna (water flea))
EC 50 / 72 H	1.1-10 (Selenastrum capricornutum (Algae))
LC50 / 96 h	1.1-10 mg/ltr (fish)

#### 54549-24-5 C6 alkyl polyglycoside

Dermal	LD50	> 2000 mg/kg (Rat)
	EC 50 / 48 h	>100 mg/ltr (Daphnia magna (water flea))
	LC50 / 96 h	>100 mg/ltr (Oncorhynchus mykiss (Rainbow trout))

#### 68439-46-3 Alcohol ethoxylate C9 - C11

Oral	LD50	1400 mg/kg (Rat)
Dermal	LD50	2000 mg/kg (Rat)

#### 68439-46-3 Alcohol ethoxylate C9 - C11

Dermal	LD50	2000 mg/kg (Rat)
--------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### SECTION 12: Ecological information

- **12.1 Toxicity**

· **Aquatic toxicity:**

#### 54549-24-5 C6 alkyl polyglycoside

OECD test 301 D	>70 (biodegradation in % after 28 days)
-----------------	---

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

Trade name: *Aquasolv Ultrasonic Cleaner*

(Contd. of page 5)

- *Danger to drinking water if even extremely small quantities leak into the ground.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· ADR, ADN, IMDG, IATA                                     | Void            |
| · <b>14.2 UN proper shipping name</b><br>· ADR, ADN, IMDG, IATA                       | Void            |
| · <b>14.3 Transport hazard class(es)</b><br>· ADR, ADN, IMDG, IATA<br>· Class         | Void            |
| · <b>14.4 Packing group</b><br>· ADR, IMDG, IATA                                      | Void            |
| · <b>14.5 Environmental hazards:</b><br>· Marine pollutant:                           | No              |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · UN "Model Regulation":  | -               |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Waterhazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
R22 Harmful if swallowed.  
R36 Irritating to eyes.  
R38 Irritating to skin.  
R41 Risk of serious damage to eyes.
- **Department issuing MSDS:**  
Customer Service  
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.01.2015

Version: 1

Revision: 15.01.2015

**Trade name: Aquasolv Ultrasonic Cleaner**

(Contd. of page 6)

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

**Contact:**

*Customer Service*

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

**\* Data compared to the previous version altered.**

GB