

# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 1 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier	CHO-BOND® 1030-55
Product Code(s)	50-02-1030-0000; 50-02-1030-1000; 50-01-1030-0000
SDS No.	PHC-045 EU
1.2 Relevant identified uses of	the substance or mixture and uses advised against
	Moisture cure adhesive / sealant. Use pattern: professional use. No restrictions on use known.
1.3 Details of the supplier of	f the safety data sheet:
Parker Hannifin Manu	acturing France SAS
ZAC des Epineaux 7 avenue Louis Blériot 95740 Frépillon France Email: parker.france@parker Website: www.parkerfrance.f	.com
Telephone	033 (01) 34 32 39 00
1.4 Emergency Telephone Nun	ber
1 E National Contact	+1 (352) 323 3500 (INFOTRAC - U.S.A.); +33 (01) 45 42 59 59 [ORFILA (INRS) - France]
	E-mail: chomerics_europe@parker.com Website: www.chomerics.com

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

paste - grey. Mild odour.

Most important hazards:

Causes serious eye irritation. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS. Not classified for hazards to the environment. See Section 12 for more environmental information.

This mixture is classified as hazardous in accordance with Regulation (EC) No 1272/2008. Classification: Eye damage/irritation - Category 2; H319

#### 2.2 Label elements

Hazard pictogram(s)



Hazardous components which must be listed on the label: None.

Signal word: Warning!



### CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 2 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Hazard statements:

H319 - Causes serious eye irritation.

Precautionary statements:

P264 - Wash hands and face thoroughly after handling.

P280 - Wear protective gloves/clothing and eye/face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: get medical advice/attention.

P501 - Dispose of contents/container in accordance with local regulation.

Supplemental information:

None required according to Regulation (EC) No. 1272/2008.

#### 2.3 Other hazards

Other hazards which do not result in classification:

May slowly hydrolyze in the presence of water to: Methanol. Upon completion of the curing process, these hydrolysis products are no longer released. When heated above 150°C in air, may release formaldehyde gas. Heating or fire can release toxic gas.

May be mildly irritating to skin and respiratory system. May cause gastrointestinal irritation. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation. Inhalation of fumes may result in metal fume fever, a flu-like illness. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

PBT assessment:

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical nature - Mixture of: Metal compounds; Silicone elastomer.

The following substances shall be indicated according to legislation:

Substance name	<u>CAS No</u>	<u>EC No.</u>	<u>Reach</u> <u>Registration</u> <u>No.</u>	<u>% Weight</u>	Classification according to Regulation (EC) nr. 1272/2008	<u>SCL,</u> <u>M-factor,</u> <u>ATE</u>
Copper	7440-50-8	231-159-6	Not applicable.	70.0 - 80.0	not hazardous. Substances for which there are Member Country workplace exposure limits.	Not applicable.
Polydimethylsiloxane	70131-67-8	Polymer	Not applicable.	10.0 - 14.0	Eye Irrit. 2; H319 (self classified)	Not applicable.



SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 3 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

silver	7440-22-4	231-131-3	Not applicable.	1.0 - 5.0	not hazardous. Substances for which there are Community workplace exposure limits.	Not applicable.
Trimethoxymethylsilan e	1185-55-3	214-685-0	Not applicable.	1.0 - 2.0	Flam. Liq. 2; H225 Eye Irrit. 2; H319 (self classified)	Not applicable.
Titanium oxide	13463-67-7	236-675-5	Present	0.1 - 0.5	Carc. 2; H351 (self classified)	Not applicable.
Possible decomposition are:	on products in c	ase of hydrolys	is			
Methanol	67-56-1	200-659-6	Not applicable.	Not known.	Flam. Liq. 2; H225 *Acute Tox. 3; H301 *Acute Tox. 3; H311 *Acute Tox. 3; H331 STOT SE 1; H370	Not applicable.
The following ingredie	nt may be relea	sed from the				
Formaldehyde	50-00-0	200-001-8	Not applicable.	Not known.	Carc. 1B; H350 Muta. 2; H341 *Acute Tox. 3; H301 *Acute Tox. 3; H311 *Acute Tox. 3; H331 Skin Corr. 1B; H314 Skin Sens. 1; H317	Not applicable.

\*The above CLP Acute toxicity Classifications for the following chemicals are 'Minimum Classifications': Methanol; formaldehyde.

For the full text of the H phrases not mentioned in this Section or in Section 2, see Section 16.

### SECTION 4. FIRST-AID MEASURES

4.1 Description of first	aid measures
Ingestion	<ul> <li>Do NOT induce vomiting. Never give anything by mouth to an unconscious person.</li> <li>When symptoms persist or in all cases of doubt, seek medical advice.</li> </ul>
Inhalation	<ul> <li>If breathed in, move person into fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. When symptoms persist or in all cases of doubt, seek medical advice.</li> </ul>
Skin contact	: Remove contaminated clothing. Wash off with soap and plenty of water. When symptoms persist or in all cases of doubt, seek medical advice. Wash contaminated clothing before reuse.



#### SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 4 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

*Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

#### 4.1.2 Self-protection for the first aider

: None known or reported by the manufacturer.

#### 4.2 Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

May be mildly irritating to skin and respiratory system. May cause redness and pain. May cause coughing and breathing difficulties. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

When heated above 150°C in air, may release formaldehyde gas. Formaldehyde is an eye and throat irritant and acute toxicant. Formaldehyde has shown limited evidence of a carcinogenic effect. Formaldehyde may cause sensitisation by skin contact.

May slowly hydrolyze in the presence of water to: Methanol. Methanol is considered to be dangerous.

### 4.3 Indication of any immediate medical attention and special treatment needed

: Provide general supportive measures and treat symptomatically.

#### SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media Suitable extinguishing media	
:	Carbon dioxide (CO2); Dry chemical; Alcohol resistant foam; Dry sand .
Unsuitable extinguishing media	
:	May react with water. Do not use water if possible.
5.2 Special hazards arising from	the substance or mixture
:	Not considered flammable. However, may burn if exposed to extreme heat and flame. During cure, vapours are released which may be harmful. May slowly hydrolyze in the presence of water to: Methanol. Upon completion of the curing process, these hydrolysis products are no longer released. The pressure in sealed containers can increase under the influence of heat. Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; formaldehyde; Metal oxides; Silicon oxides.
5.3 Advice for firefighters	
Protective equipment for fire-fig	ghters
:	Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Special fire-fighting procedures	5
:	Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not get water inside containers. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.
SECTION 6. ACCIDENTAL R	ELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

: Wear suitable protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up.



SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 5 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

#### 6.2 Environmental precautions

: Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

### 6.3 Methods and material for containment and cleaning up

: Ventilate the area. Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Use inert, non-combustible absorbents to assist the pick up of material. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

#### 6.4 Reference to other sections

: Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

### SECTION 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

: 7.2 Conditions for safe storage	Provide adequate ventilation. Wear suitable protective equipment. Wear protective gloves/clothing and eye/face protection. Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Protect from moisture. Keep container tightly closed. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Wash thoroughly after handling.
: 7.3 Specific end use(s) :	Keep containers tightly closed in a cool, well-ventilated place. Inspect periodically for damage or leaks. Protect against physical damage. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store away from incompatible materials (see Section 10 of the SDS). Adhesives and/or sealants

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control Parameters

### Exposure Limits:

Chemical Name	Exposure Limits	<u>Type</u>	<u>Notes</u>
Copper			
	None known.	European Union (OEL)	None.
	1 mg/m³ (TWA)	Finland (OEL)	None.
	0.2 mg/m³ (fumes); 1 mg/m³ (dust) (TWA) 2 mg/m³ (dust) (STEL)	France (OEL)	None.
	None.	Germany (OEL)	None.
	1 mg/m³; 0.1 mg/m³ (fumes) (TWA) 4 mg/m³; 0.4 mg/m³ (fumes) (STEL)	Hungary (OEL)	None.
	None.	Italy (OEL)	None.
	0.1 mg/m³ (inhalable) (TWA)	Netherlands (OEL)	None.
	0.2 mg/m³ (TWA)	Poland (OEL)	None.
	0.2 mg/m³ (fumes); 1 mg/m³ (dust) (TWA)	Spain (OEL)	None.
	1 mg/m <sup>3</sup> (total dust); 0.2 mg/m <sup>3</sup> (respirable dust)	Sweden (OEL)	None.



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 6 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

	0.2 mg/m <sup>3</sup> (fumes); 1 mg/m <sup>3</sup> (dust) (TWA) 2 mg/m <sup>3</sup> (dust) (STEL)	The United Kingdom (WELs)	None.
Polydimethylsiloxane			
	None known.	European Union (OEL)	None.
silver			
	0.1 mg/m³ (TWA)	European Union (OEL)	None.
	0.1 mg/m³ (TWA)	Finland (OEL)	None.
	0.1 mg/m³ (TWA)	France (OEL)	None.
	0.1 mg/m³ (inhalable) (TWA)	Germany (OEL)	(exposure factor 8)
	0.1 mg/m <sup>3</sup> (TWA)	Hungary (OEL)	None.
	0.4 mg/m (STEL) 0.1 mg/m³ (TWA)	Italy (OEL)	None.
	0.1 mg/m³ (TWA)	Netherlands (OEL)	None.
	0.05 mg/m³ (TWA)	Poland (OEL)	None.
	0.1 mg/m³ (TWA)	Spain (OEL)	None.
	0.1 mg/m³ (TWA)	Sweden (OEL)	None.
	0.1 mg/m³ (TWA)	The United Kingdom (WELs)	None.
Trimethoxymethylsilane			
	None known.	European Union (OEL)	None.
Titanium oxide			
	10 mg/m³ (TWA)	France (OEL)	None.
	10 mg/m³ (TWA)	Poland (OEL)	None.
	10 mg/m³ (TWA)	Spain (OEL)	None.
	10 mg/m³ (TWA)	Sweden (OEL)	None.
	10 mg/m³ (inhalable); 4 mg/m³ (respirable dust) (TWA)	The United Kingdom (WELs)	None.
Methanol	200 ppm (260 mg/m³) (TWA)	European Union (OEL)	Possibility of significant uptake through the skin
	200 ppm (270 mg/m³) (TWA) 250 ppm (330 mg/m³) (STEL)	Finland (OEL)	Potential for cutaneous absorption
	200 ppm (260 mg/m³) (TWA) 1000 ppm (1300 mg/m³) (STEL)	France (OEL)	Risk of cutaneous absorption
	200 ppm (270 mg/m³ (exposure factor 4) (TWA)	Germany (OEL)	Skin notation
	260 mg/m³ (TWA)	Hungary (OEL)	Potential for cutaneous absorption
	200 ppm (260 mg/m³) (TWA)	Italy (OEL)	Skin - Potential for cutaneous absorption



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 7 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

	100 ppm (133 mg/m³) (TWA)	Netherlands (OEL)	Skin notation
	100 mg/m³ (TWA) 300 mg/m³ (STEL)	Poland (OEL)	Skin notation
	200 ppm (266 mg/m³ (TWA)	Spain (OEL)	Skin - Potential for cutaneous absorption
	200 ppm (250 mg/m <sup>3</sup> ) (TWA) 250 ppm (350 mg/m <sup>3</sup> ) (STEL)	Sweden (OEL)	Skin notation
	200 ppm (266 mg/m <sup>3</sup> ) (TWA) 250 ppm (333 mg/m <sup>3</sup> ) (STEL)	The United Kingdom (WELs)	Potential for cutaneous absorption
Formaldehyde			
	0.3 ppm (0.37 ) (TWA) 1 ppm (1.2 mg/m³) (STEL)	Finland (OEL)	None.
	0.5 (TWA) 1 ppm (STEL)	France (OEL)	None.
	0.3 (0.37 mg/m <sup>3</sup> ) (TWA)	Germany (OEL)	None.
	0.6 (TWA) 0.6 mg/m³ (STEL)	Hungary (OEL)	None.
	0.15 (TWA) 0.5 mg/m³ (STEL)	Netherlands (OEL)	None.
	0.5 (TWA) 1 mg/m³ (STEL)	Poland (OEL)	None.
	0.3 (0.37 mg/m <sup>3</sup> ) (STEL)	Spain (OEL)	None.
	0.3 (0.37 mg/m³) (TWA) 0.6 ppm (0.74 mg/m³) (Ceiling Limit Value)	Sweden (OEL)	Carcinogen Sensitiser
	2 (2.5 mg/m <sup>3</sup> ) (TWA) 2 ppm (2.5 mg/m <sup>3</sup> ) (STEL)	The United Kingdom (WELs)	None.

# **Biological Exposure Indices:**

Chemical Name	<b>Biological Exposure Indices</b>	Type
Methanol		
	15 mg/L, Determinant: Methanol, Specimen: Urine	Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4
	30 mg/L, Determinant: Methanol, Specimen: Urine	Germany. TRGS 903, BAT List (Biological Limit Values)
	15 mg/L, Determinant: Methanol (Background noise on non-exposed subjects, Non-specific (observed after the exposure to other subjects)), Specimen: Urine	France. Biological indicators of exposure (IBE) (National Institute for Research and Security (INRS, ND 2065)
No biological exposure lim	its noted for the ingredient(s).	



### CHO-BOND® 1030-55

SDS No: PHC-045 EU Page 8 of 17

# SDS Preparation Date (dd/mm/yyyy): 22/03/2023

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

**Biological Exposure Indices:** 

France. Biological indicators of exposure (IBE) (National Institute for Research and Security (INRS, ND 2065) Methanol (CAS # 67-56-1) 15 mg/L, Determinant: Methanol (Background noise on non-exposed subjects, Non-specific (observed after the exposure to other subjects)), Specimen: Urine Germany. TRGS 903, BAT List (Biological Limit Values) Methanol (CAS # 67-56-1) 30 mg/L, Determinant: Methanol, Specimen: Urine Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4 Methanol (CAS # 67-56-1) 15 mg/L, Determinant: Methanol, Specimen: Urine

Derived No Effect Level (DNEL): No information available.

Predicted No Effect Concentration (PNEC): No information available. 8.2 Exposure controls

#### Ventilation and engineering measures

ventilation and engineern	
	: Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.
Respiratory protection	: In the case of vapour formation use a respirator with an approved filter. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Skin protection	: Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it. Wear sufficient clothing to prevent skin contact.
Eye / face protection	: Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields. See also EN 166.
Other protective equipme	nt
	: Ensure that eyewash stations and safety showers are close to the workstation location.
General hygiene consider	rations
	: Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.
8.3 Environmental exposu	re controls
	: Avoid release to the environment. Dike for water control.
SECTION 9 PHYSICAL AN	ID CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state	: paste - grey			
Colour	: grey			
Odour	: mild			
Odour threshold	: No information availab	ole.		
рН	: No information availab	ole.		
Flash point	: > 93.3°C (estimated)			
Flashpoint (Method)	: No information availab	ole.		
Lower flammable limit (% by vol.)				
	AL 1. 6 11 11			

: No information available.



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Upper flammable limit (%	by vol.)
	: No information available.
Auto-ignition temperature	9
	<ul> <li>No information available.</li> </ul>
Decomposition temperate	ure
	No information available
Ovidizing proportios	None known
Explosive properties	
Explosive properties	
initial boiling point and bo	olling range
	: No information available.
Melting/Freezing point	: No information available.
Relative density	: >1
Solubility in water	: insoluble. May react with water.
Other solubility(ies)	: No information available.
Vapour pressure	: No information available.
Vapour density	: No information available.
Partition coefficient: n-oc	tanol/water
	: No information available.
Viscosity	: No information available.
Evaporation rate (BuAe =	· 1)
	: No information available.
Particle characteristics	: Not applicable.
2 Other Information	

### 9.2 Other Information

Volatiles (% by weight) : negligible Volatile organic Compounds (VOC's)

: No information available.

Other physical/chemical comments

: No additional information.

# SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	of normally reactive. May slowly hydrolyze in the presence of water to: Methano oon completion of the curing process, these hydrolysis products are no longer eased.	ol.
10.2 Chemical stability	able under normal conditions. When heated above 150°C in air, may release maldehyde gas.	
10.3 Possibility of hazard	eactions	
	) dangerous reaction known under conditions of normal use. Hazardous Iymerization does not occur.	
10.4 Conditions to avoid	rect sources of heat. Avoid moisture. Avoid contact with incompatible materials t use in areas without adequate ventilation.	s. Do
10.5 Incompatible materia		
	ater; Oxidizing agents; Strong acids; Bases.	
10.6 Hazardous decompo	products	
	urning produces obnovious and toxic fumes. In the event of fire the following co	n ha

: Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; formaldehyde; metal oxides; Silicon oxides.

Page 9 of 17



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 10 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on Toxicological effects:

Acute toxicity :	According to the classification criteria of the European Union, this product is not considered as being an acutely toxic chemical.
Skin corrosion/Irritation :	According to the classification criteria of the European Union, this product is not
Serious eye damage/irritati	on
:	This mixture is classified as hazardous in accordance with Regulation (EC) No 1272/2008. Classification: Eye damage/irritation - Category 2. Causes severe eye irritation.
Respiratory or skin sensitis	sation
:	According to the classification criteria of the European Union, this product is not considered as being an allergic respiratory sensitiser. According to the classification criteria of the European Union, this product is not considered as being an allergic skin sensitiser. Avoid heating, which will result in the liberation of formaldehyde gas. Formaldehyde may cause sensitisation by skin contact.
Germ cell mutagenicity :	Contains no ingredient listed as a mutagen. Avoid heating, which will result in the liberation of formaldehyde gas. Formaldehyde may cause mutations to non-reproductive (somatic) cells, based on animal data.
Carcinogenicity :	Not classifiable as a human carcinogen. Contains: titanium dioxide. Titanium dioxide is suspected of causing cancer by inhalation. However, the concentration in this mixture is below the concentration cutoff required for classification. Avoid heating, which will result in the liberation of formaldehyde gas. Formaldehyde is classified as carcinogenic.
Reproductive toxicity :	Contains no ingredient listed as toxic to reproduction.
STOT-single exposure :	According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through a single exposure.
STOT-repeated exposure :	According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through repeated exposures.
Aspiration hazard :	According to the classification criteria of the European Union, this product is not considered as being an aspiration bazard to humans
Routes of exposure : Effects of acute exposure :	Eye contact; Skin contact; Inhalation; Ingestion. Inhalation: Mild respiratory irritant. May cause coughing and breathing difficulties. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath. Avoid heating, which will result in the liberation of formaldehyde gas. Formaldehyde causes severe respiratory irritation, lung inflammation and pulmonary edema.
	Skin contact: May cause mild skin irritation. Direct skin contact may cause temporary redness.
	Eye contact: Causes severe eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision.
	Ingestion:Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.



### SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 11 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

: Repeated exposure may cause skin dryness or cracking. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

Information on other Hazards

: May slowly hydrolyze in the presence of water to: Methanol. Methanol is considered to be dangerous. Avoid heating, which will result in the liberation of formaldehyde gas. Formaldehyde is an eye and throat irritant and acute toxicant.

#### **11.1.1 Acute Toxicity**

**Toxicological data** 

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LD <sub>50</sub>		
<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>	
> 5.11 mg/L (dust) (No mortality)	> 2500 mg/kg	> 2000 mg/kg	
> 11.59 mg/L (mist)	> 15 400 mg/kg	> 2000 mg/kg	
> 5.16 mg/L (dust) (No mortality)	> 2000 mg/kg (No mortality)	> 2000 mg/kg (No mortality)	
> 51.4 mg/L (vapour)	> 9500 mg/kg	> 9500 mg/kg	
> 6.82 mg/kg (dust) (No mortality)	> 25 000 mg/kg	> 10 000 mg/kg	
products in case of hydrolys	is are:		
> 5000 ppm/6H (4.1 mg/L/4H (vapour)	5628 mg/kg (rat) The estimated human lethal dose is: 300 - 1000 mg/kg	> 393 mg/kg (Monkey) 15 800 mg/kg (rabbit)	
may be released from the pro-	oduct only when heated a	above 150°C:	
287 ppm	800 mg/kg (rat) The estimated human lethal dose is: 317 - 475 mg/kg	300 mg/kg	
	Imm, rat         > 5.11 mg/L (dust) (No mortality)         > 11.59 mg/L (mist)         > 5.16 mg/L (dust) (No mortality)         > 51.4 mg/L (vapour)         > 6.82 mg/kg (dust) (No mortality)         products in case of hydrolys         > 5000 ppm/6H (4.1 mg/L/4H (vapour))         may be released from the products in case of hydrolys         > 287 ppm	Imm, rat(Oral, rat)> 5.11 mg/L (dust) (No mortality)> 2500 mg/kg> 11.59 mg/L (mist)> 15 400 mg/kg> 5.16 mg/L (dust) (No mortality)> 2000 mg/kg (No mortality)> 51.4 mg/L (vapour)> 9500 mg/kg> 6.82 mg/kg (dust) (No mortality)> 25 000 mg/kgproducts in case of hydrolysis are:> 5000 ppm/6H (4.1 mg/L/4H (vapour))> 5000 ppm/6H (4.1 mg/L/4H (vapour))5628 mg/kg (rat) The estimated human lethal dose is: 300 - 1000 mg/kgmay be released from the product only when heated at 287 ppm800 mg/kg (rat) The estimated human lethal dose is: 317 - 475 mg/kg	

# SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. May slowly hydrolyze in the presence of water to: Methanol. Upon completion of the curing process, these hydrolysis products are no longer released. This product also contains: Copper. The acute toxicity of copper to aquatic species varies drastically by the chemical form and correlates with the availability of free ionic copper. Aquatic toxicity is highly variable not only by organism but with physical and chemical characteristics of the water itself.

See the following tables for individual ingredient ecotoxicity data.



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 12 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

# Ecotoxicity data:

la ava dia ata	0.4.0.11	Toxicity to Fish			
ingredients	CAS NO	LC50 / 96h	NOEC / 21 day	M Factor	
Copper	7440-50-8	No information available.	No information available.	None.	
Polydimethylsiloxane	70131-67-8	No information available.	No information available.	None.	
silver	7440-22-4	No information available.	No information available.	None.	
Trimethoxymethylsilane	1185-55-3	> 110 mg/L (Rainbow trout) (hydrolysis product and/or parent compound)	No information available.	None.	
Titanium oxide	13463-67-7	> 100 mg/L (Japanese ricefish)	N/Av	None.	
Methanol	67-56-1	15 400 mg/L (Bluegill sunfish)	446.7 mg/L/28-day (Fathead minnow) (QSAR)	None.	
Formaldehyde	50-00-0	6.7 mg/L (Striped bass)	≥ 48 mg/L/28-day (Japanese ricefish)	None.	

<b>Ingredients</b>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Copper	7440-50-8	No information available.	No information available.	None.
Polydimethylsiloxane	70131-67-8	No information available.	No information available.	None.
silver	7440-22-4	No information available.	No information available.	None.
Trimethoxymethylsilane	1185-55-3	> 122 mg/L (Daphnia magna) (hydrolysis product and/or parent compound)	No information available.	None.
Titanium oxide	13463-67-7	> 100 mg/L (Daphnia magna)	N/Av	None.
Methanol	67-56-1	> 10 000 mg/L (Daphnia magna)	208 mg/L (QSAR)	None.
Formaldehyde	50-00-0	5.8 mg/L (Daphnia magna)	No information available.	None.



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 13 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Copper	7440-50-8	No information available.	No information available.	None.
Polydimethylsiloxane	70131-67-8	No information available.	No information available.	None.
silver	7440-22-4	No information available.	No information available.	None.
Trimethoxymethylsilane	1185-55-3	> 120 mg/L/72hr (Green algae) (hydrolysis product and/or parent compound)	120 mg/L/72hr (hydrolysis product and/or parent compound)	None.
Titanium oxide	13463-67-7	> 100 mg/L/72hr (Green algae)	N/Av	None.
Methanol	67-56-1	22 000 mg/L/96hr (Green algae)	No information available.	None.
Formaldehyde	50-00-0	14.7 mg/L/24hr (Green algae)	No information available.	None.

### 12.2 Persistence and degradability

:

:

The product itself has not been tested.

Contains the following chemicals which are not readily biodegradable: Copper; silver; Trimethoxymethylsilane; titanium dioxide.

#### 12.3 Bioaccumulation potential

The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	Bioconcentration factor (BCF)	
Trimethoxymethylsilane (CAS 1185-55-3)	- 0.67	3.16	
Methanol (CAS 67-56-1)	- 0.82 to - 0.64	< 10 (common carp)	
Formaldehyde (CAS 50-00-0)	0.35	3.0	
12.4 Mobility in soil :	The product itself has not been tested.		

#### 12.5 Results of PBT and vPvB assessment

: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

#### 12.6 Endocrine disrupting properties

- : None known or reported by the manufacturer.
- 12.7 Other Adverse Environmental effects
  - : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
- **12.8 Additional information** : None known or reported by the manufacturer.

### SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods:

**Handling for Disposal** : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way.



SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 14 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Methods of Disposal : Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

### SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	14.1 UN Number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing Group	Label
ADR/RID	None.	not regulated	not regulated	none	$\bigotimes$
ADR/RID Additional information	Not classified a road and rail.	s dangerous for conveyance in the meaning of the regulati	ons for the trar	sport of da	ngerous goods by
ICAO/IATA	None.	Not regulated.	not regulated	none	$\oslash$
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	$\oslash$
IMDG Additional information	None.				
14.5 Environn	nental hazard	<ul> <li>S : This product does not meet the criteria for an e according to the IMDG Code. See Section 12 f</li> </ul>	environmenta for more envi	lly hazardo ronmental	ous mixture, information
14.6 Special p	precautions fo	r user			

: Appropriate advice on safety must accompany the package. Keep containers dry and tightly closed to avoid moisture absorption and contamination.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

### SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



### CHO-BOND® 1030-55

#### SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 15 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

: Classification according to Regulation (EC) No. 1272/2008 on the classification of hazardous mixtures.

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: None of the components are specifically listed.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended None of the components are specifically listed.

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances:

None of the components are specifically listed.

Directive 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work:

- Polydimethylsiloxane (CAS # 70131-67-8) Trimethoxymethylsilane (CAS # 1185-55-3) titanium dioxide (CAS # 13463-67-7) Methanol (CAS # 67-56-1) formaldehyde (CAS # 50-00-0)
- Directive 94/33/EC on the protection of young people at work: Methanol (CAS # 67-56-1) formaldehyde (CAS # 50-00-0)

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended [including Regulation (EU) 2020/878].

Follow national regulation for work with chemical agents.

German legislation on water endangering substances AWSV - Water contaminating class (Germany): 1 (self classified)

#### 15.2 Chemical safety assessment

: A chemical safety assessment has not been carried out by the Manufacturer of this product.



# CHO-BOND® 1030-55

SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 16 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 16. OTHER INFO	RMATION
Legend	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CAS: Chemical Abstract Services CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures EC: European Community EC50: Effective Concentration 50% EEC: European Economic Community EINECS: European Inventory of Existing Commercial chemical Substances EN: European Standard EU: European Union HSDB: Hazardous Substances Data Bank IATA: International Air Transport Association IBC: Intermediate Bulk Container ICAO: International Civil Aviation Organisation IMDG: International Civil Aviation Organisation IMDG: International Civil Aviation Organisation IDD: Lethal Dose NOEC: No observable effect concentration OECD: Organisation for Economic Co-operation and Development OEL: National occupational exposure limits RID: Regulations concerning the International Carriage of Dangerous Goods by Rail RTECS: Registry of Toxic Effects of Chemical Substances SCBA: Self-Contained Breathing Apparatus SDS: Safety Data Sheet STEL: Short Term Exposure Limit TWA: Time Weighted Average WEL: Workplace Exposure Limit
Information Source :	<ol> <li>Material Safety Data Sheet from manufacturer.</li> <li>Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases</li> <li>European Chemicals Agency, Classification Legislation</li> <li>OECD - The Global Portal to Information on Chemical Substances</li> </ol>
Preparation Date (dd/mm/yyyy)	
:	22/03/2023
Regulation and Procedure :	



# CHO-BOND® 1030-55

#### SDS Preparation Date (dd/mm/yyyy): 22/03/2023

SDS No: PHC-045 EU

Page 17 of 17

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Eye irritation; Expert judgement H-phrases (full-text) H225 - Highly flammable liquid and vapour. H301 - Toxic if swallowed. H311 - Toxic in contact with skin. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H331 - Toxic if inhaled. H341 - Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H350 - May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H351 - Suspected of causing cancer < state route of exposure if it is conclusively proven that no other routs of exposure cause the hazard>. H370 - Causes damage to organs (a,b,c).

#### Other special considerations for handling

: Provide adequate information, instruction and training for operators.



#### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corporation.

# END OF DOCUMENT