#### SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Product Name: RT125 PART B (CURING AGENT)

- UFI: Not applicable

- Product Part Number: RT125 PART B (CURING AGENT)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Curing agent

## 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Resintech Ltd

- Address of Supplier: Unit 1-2 Horcott Industrial Estate

Fairford

Gloucestershire GL7 4BX

UK

- Telephone: +44 (0)1285 712755

- Responsible Person: Alex Paton

- Email: Info@resintech.co.uk

## 1.4 Emergency telephone number

- Emergency Telephone: +44 (0)1285712755 (Monday-Friday 8am-4.30pm)

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

- CLP: Skin Sens. 1, STOT SE 3, Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 1

#### 2.2 Label elements





- Signal Word: Warning

- Contains: Reaction products of fatty Acids, C18-unsaturated, dimers, and trimers with 3,3'-[oxybis(ethane-2, 1-

diyoxy)]dipropan-1-amine.

#### **Hazard statements**

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H317 - May cause an allergic skin reaction.

#### RT125 PART B (CURING AGENT)

# Revised: 24/6/2024 SECTION 2: Hazards identification (....)

H336 - May cause drowsiness or dizziness.

H410 - Very toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/container to an authorised waste collection point

## Supplemental Hazard information (EU)

EUH210 - Safety data sheet available on request.

#### 2.3 Other hazards

- Not a PBT according to REACH Annex XIII
- Substance not identified as having endocrine disrupting properties

## **SECTION 3:** Composition/information on ingredients

#### 3.2 Mixtures

	CAS Number	EC Number	REACH Registration Number	Categories	H Statements	M factor	Concentration
Reaction products of fatty Acids, C18-unsaturated, dimers, and trimers with 3,3'-[oxybis(ethane-2, 1-diyoxy)] dipropan-1-amine.	Not applicable	701-270-9	Not applicable	Skin Irrit. 2 Skin Sens. 1A Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H336 H400 H410	1	50 - 70%
Kaolin	1332-58-7	310-194-1	Not applicable	Substance with a work place exposure limit	None	Not applicable	30 - 50%
titanium dioxide	13463-67-7	236-675-5	Not applicable	Carc. 2	H351	Not applicable	>1%

## **SECTION 4:** First aid measures

#### 4.1 General

- Use personal protective equipment as required.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
- Wash contaminated clothing before reuse.

#### **Contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### Contact with skin

Datasheet Number: RT125 PART B (CURING AGENT) - v5.0.0

## **SECTION 4:** First aid measures (....)

After contact with skin, wash immediately with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

## Ingestion

If swallowed, rinse mouth with water (only if the person is conscious) Give water or milk to drink
Get medical advice/attention if you feel unwell.

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

- In cases of severe exposure, allergic reaction in susceptible people may develop
- May cause damage to the skin through repeated or prolonged exposure
- Vapours or aerosols may cause irritation of eyes, nose and respiratory tract

## 4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically

## **SECTION 5:** Firefighting measures

#### 5.1 Extinguishing media

- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide

## 5.2 Special hazards arising from the substance or mixture

- Decomposition products may include toxic and irritant fumes
- Nitrogen and carbon oxides may be formed

## 5.3 Advice for firefighters

- Keep container(s) exposed to fire cool, by spraying with water
- Prevent run off water from entering drains if possible
- Wear Positive-Pressure Breathing Apparatus

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8
- Wash thoroughly after dealing with spillage
- Avoid contact with skin and eyes

## 6.2 Environmental precautions

- Avoid release to the environment.
- Absorb spillage in suitable inert material
- Do not discharge into drains or the environment, dispose to an authorised waste collection point

## 6.3 Methods and material for containment and cleaning up

- Wear protective clothing as per section 8
- Absorb spillage in suitable inert material
- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Wash thoroughly after dealing with spillage

Datasheet Number: RT125 PART B (CURING AGENT) - v5.0.0

## **RT125 PART B (CURING AGENT)**

Revised: 24/6/2024

## SECTION 6: Accidental release measures (....)

- Collect spillage.

#### 6.4 Reference to other sections

- Wear protective clothing as per section 8
- See Section 11 Toxicological Information

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

- Avoid release to the environment.
- Wear protective clothing as per section 8
- Take off contaminated clothing and wash it before reuse.
- In cases of severe exposure, allergic reaction in susceptible people may develop
- Do not eat, drink or smoke when using this product.
- After contact with skin, wash immediately with plenty of soap and water
- Wash hands and working surfaces thoroughly after handling.
- Use good personal hygiene practices
- Wash contaminated clothing before reuse.
- Dispose of contents/container to an authorised waste collection point

## 7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed, in a cool, well ventilated place
- Keep cool. Protect from sunlight.
- Keep away from food, drink and animal feedingstuffs
- Store in a well-ventilated place. Keep container tightly closed.

#### 7.3 Specific end use(s)

- See Section 1.2

## **SECTION 8:** Exposure controls/personal protection

### 8.1 Control parameters

Kaolin

WEL (respirable dust): 2 mg/m³ (8 hour TWA)

#### 8.2 Exposure controls







- This Safety Data Sheet does not constitute a workplace risk assessment
- In case of inadequate ventilation wear respiratory protection.
- Eyewash bottles should be available
- Wear suitable protective clothing, eye/face protection and gloves

Datasheet Number: RT125 PART B (CURING AGENT) - v5.0.0

#### RT125 PART B (CURING AGENT)

Revised: 24/6/2024

## **SECTION 8:** Exposure controls/personal protection (....)

- Gloves should be chemical resistant and comply with an approved standard such as EN 455 or EN 374 and made from latex, nitrile or neoprene.

Protective clothing should based on the results of an exposure assessment. A polymer laminate apron is recommended in most cases.

Eye and face protection should be chemical resistant and comply with an approved standard such as EN 166.

If a respirator is needed following an exposure assessment it should conform to EN 136 or EN 143 (P3)

- Check with personal protection equipment manufacturer
- Use good personal hygiene practices
- Do not eat, drink or smoke when using this product.
- Wash contaminated clothing before reuse.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance: PasteColour: Grey

Odour: Amine odourBoiling Point/Range: ≥152°C

Flammability: Flash point: ≥151 °C (CC)
 pH: Immiscible with water
 Solubility in water: Immiscible with water

- Density: Density (water=1): 1.24 - 1.32

#### 9.2 Other information

- No information available

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

- Reference to other sections

#### 10.2 Chemical stability

- Considered stable under normal conditions

## 10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

#### 10.4 Conditions to avoid

- No hazard expected under normal conditions of use

## 10.5 Incompatible materials

- Strong acids
- Strong oxidising agent

## 10.6 Hazardous decomposition products

- No hazardous decomposition products known

Datasheet Number: RT125 PART B (CURING AGENT) - v5.0.0

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Estimated LD<sub>50</sub> (oral) (ATE) : >2000 mg/kgEstimated LD<sub>50</sub> (dermal) (ATE) : >4000 mg/kg

Estimated LD<sub>50</sub> (inhalational) (ATE): >20 mg/l/4hr (gas/vapour)

#### titanium dioxide

LD<sub>50</sub> (dermal, rabbit): >10,000 mg/kg

LC<sub>50</sub> (inhalation, rat): >6.82 mg/l/dust/mist 4h

LD<sub>50</sub> (oral, rat): >10,000 mg/kg

# Reaction products of fatty acids, C18- unsaturated, dimers and trimers with 3,3'- [oxybis(ethane-2,1-diyloxy)] dipropan-1- amine

LD<sub>50</sub> (oral, rat): >2,000 mg/kgLD<sub>50</sub> (skin, rat): >2,000 mg/kg

#### Kaolin

Estimated LD<sub>50</sub> (dermal) (ATE) : >5,000 mg/kg Estimated LD<sub>50</sub> (oral) (ATE) : >10,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met

#### Germ cell mutagenicity

Based on the available data, the classification criteria are not met

#### Carcinogenicity

Based on the available data, the classification criteria are not met

Contains: Titanium Dioxide

#### Reproductive toxicity

Based on the available data, the classification criteria are not met

## STOT (specific target organ toxicity) - single exposure

May cause drowsiness or dizziness.

## STOT (specific target organ toxicity) - repeated exposure

Based on the available data, the classification criteria are not met

## **SECTION 11:** Toxicological information (....)

### **Aspiration hazard**

Based on the available data, the classification criteria are not met

## 11.2 Information on other hazards

- No information available
- Based on the available data, the classification criteria are not met

## **SECTION 12: Ecological information**

### 12.1 Toxicity

#### titanium dioxide

EC<sub>50</sub> (daphnia): >100 mg/l (48 hr) LC<sub>50</sub> (fish): >100 mg/l (96 hr)

# Reaction products of fatty acids, C18- unsaturated, dimers and trimers with 3,3'- [oxybis(ethane-2,1-diyloxy)] dipropan-1- amine

IC<sub>50</sub> (algae): 0.43 mg/l (72 hr) EC<sub>50</sub> (daphnia): 0.57 mg/l (48 hr) LC<sub>50</sub> (fish): 2.16 mg/l (96 hr)

#### Kaolin

EC<sub>50</sub> (daphnia): >1,100 mg/l/48h, Estimated Value

## 12.2 Persistence and degradability

- Not readily biodegradable

#### 12.3 Bioaccumulative potential

- Bioaccumulation is insignificant

#### 12.4 Mobility in soil

- immiscible with water

#### 12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

## 12.6 Endocrine disrupting properties

- Substance not identified as having endocrine disrupting properties

#### 12.7 Other adverse effects

- No information available

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

- Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
- Wear protective clothing as per section 8

## **SECTION 14: Transport information**

7 of 8

## **SECTION 14: Transport information (....)**





#### 14.1 UN number or ID number

- UN No.: 3082

#### 14.2 UN proper shipping name

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Aliphatic Polymer Diamine)

#### 14.3 Transport hazard class(es)

- Hazard Class: 9

# 14.4 Packing group

- Packing Group: III

14.5 Environmental hazards

- Marine Pollutant
- Environmentally hazardous

### 14.6 Special precautions for user

IMDG EmS: F-A, S-FTunnel Code: (E)Emergency Action Code: 3Z

#### 14.7 Maritime transport in bulk according to IMO instruments

- Not applicable

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet is provided in compliance with the Health and Safety at Work Act
- This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

### 15.2 Chemical safety assessment

- This product is either exempt from REACH or does not meet the minimum volume threshold for a chemical safety assessment (CSA)

#### **SECTION 16:** Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H351: Suspected of causing cancer.

Sections updated: 1.1, 8.2, 11.1, 12.1

This information relates only to the material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own use.

Datasheet Number: RT125 PART B (CURING AGENT) - v5.0.0