

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Commercial product name:** WACKER® PRIMER G 790 TOLUENE FREE**1.2 Relevant identified uses of the substance or mixture and uses advised against**Use of substance / preparation:
Industrial. Commercial.
primer .**1.3 Details of the supplier of the safety data sheet**Manufacturer/distributor: Wacker Chemie AG
Street/POB-No.: Hanns-Seidel-Platz 4
State/postal code/city: D 81737 München
Telephone: +49 89 6279-0Contact point: Wacker Chemicals Ltd.
Street/POB-No.: 2 Arlington Square, Downshire Way
Postal code/city: Bracknell RG12 1WA
Country: United Kingdom
Telephone: +44 1344 401 670Information about the Safety Data Sheet: Telephone +49 8677 83-4888
eMail WLCP-MSDS@wacker.com**1.4 Emergency telephone number**Emergency Information: **+44 1273 289451****SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567):

Classification	H-Code
Specific target organ toxicity - single exposure, Category 3	H336
Flammable liquids, Category 2	H225
Aspiration hazard, Category 1	H304
Long-term (chronic) aquatic hazard, Category 2	H411
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567):

Pictogram(s):



Signal Word: Danger

H-Code	Hazard Statements
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

P-Code	Precautionary Statements
P280	Wear protective gloves/protective clothing/eye protection.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P233	Keep container tightly closed.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P331	Do NOT induce vomiting.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Hazard ingredients (labelling):

C7 - C9 Isoalkanes

Titanium tetrabutanolate

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 6,7 %.

2.3 Other hazards

Inhalation of aerosol spray may damage health.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.1 Substances**

not applicable

3.2 Mixtures**3.2.1 Chemical characteristics**

silane and siloxane with functional groups + auxiliary + solvent

3.2.2 Hazardous ingredients

C7 - C9 Isoalkanes		>=75 – <100 %
CAS-No.: 90622-56-3	EC-No.: 292-458-5	
INHA [1]	REACH No.: 01-2119471305-42	
Classification according to Regulation (EC) No. 1272/2008*	Skin Irrit. 2 / H315; Flam. Liq. 2 / H225; STOT SE 3 / H336; Asp. Tox. 1 / H304; Aquatic Chronic 2 / H411	
Titanium tetrabutanolate		>=5 – <10 %
CAS-No.: 5593-70-4	EC-No.: 227-006-8	
INHA [1]	REACH No.: 01-2119967423-33	
Classification according to Regulation (EC) No. 1272/2008*	Skin Irrit. 2 / H315; Flam. Liq. 3 / H226; Eye Dam. 1 / H318; STOT SE 3 / H335; STOT SE 3 / H336	
Tetraethyl silicate		>=1 – <3 %
CAS-No.: 78-10-4	EC-No.: 201-083-8	Index-No.: 014-005-00-0
INHA [1], [2]	REACH No.: 01-2119496195-28	
Classification according to Regulation (EC) No. 1272/2008*	Flam. Liq. 3 / H226; Acute Tox. 4, by inhalation / H332; Eye Irrit. 2 / H319; STOT SE 3 / H335	

Type: INHA: ingredient, VERU: impurity

REACH registered substances may be included as impurities. These do not necessarily require identified uses and exposure scenarios in the safety data sheet.

[1] = Hazardous or environmentally harmful substance; [2] = substance with a Community workplace exposure limit; [3] = PBT substance; [4] = vPvB substance; [5] = Endocrine disrupting properties

*Classification codes are explained in section 16.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

Regarding CAS no. 90622-56-3: This substance can also be described by CAS no. 64741-66-8.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above $\geq 0.1\%$.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Take persons to a safe place. Observe self-protection for first aid. Seek medical advice in the event of contact with this substance. Vapours may cause dizziness. Do not leave affected individuals unattended.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Rinse immediately with plenty of water for 10-15 minutes and seek medical advice. Seek medical advice and clearly identify substance.

After contact with the skin:

Remove contaminated or soaked clothing. Wash off with plenty of water or water and soap immediately for 10-15 minutes. In serious cases, use emergency shower immediately. Seek medical advice and clearly identify substance.

After inhalation:

Keep the patient calm. Protect against loss of body heat. Seek medical advice and clearly identify substance.

After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice and clearly identify substance.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed. Do not induce vomiting. Danger of aspiration.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media:**

water mist , extinguishing powder , alcohol-resistant foam , carbon dioxide .

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides , silicon oxides , incompletely burnt hydrocarbons , toxic and very toxic fumes .

5.3 Advice for firefighters**Special protective equipment for fire fighting:**

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment (see section 8). Avoid contact with eyes and skin. Avoid inhaling mists and vapours. If material is released indicate risk of slipping.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Condense gasses/vapours/mists using a directed spray of water.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

6.3 Methods and material for containment and cleaning up

Do not flush away with water. Take up mechanically and dispose of according to local/state/federal regulations. For small amounts: Absorb with a liquid binding material such as diatomaceous earth and dispose of according to local/state/federal regulations. Contain larger amounts and pump up into suitable containers. Exhaust vapours.

Further information:

Eliminate all sources of ignition.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Precautions for safe handling:**

Ensure adequate ventilation. Must be syphoned off in situ. Spilled substance increases risk of slipping.

Precautions against fire and explosion:

Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water. Use explosion-protected equipment/ fittings and spark-free tools.

7.2 Conditions for safe storage, including any incompatibilities**Conditions for storage rooms and vessels:**

Make sure there is no possibility of entering the ground. Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Do not store with: oxidizing agents . Observe local/state/federal regulations.

Further information for storage:

Keep container tightly closed and store in a cool, well ventilated place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Maximum airborne concentrations at the workplace:**

Substance	Type	mg/m ³	ppm	Dust fract.	Fibre/m ³
Aerosol - inhalable fraction		10,0			
Tetraethyl silicate	OEL	87,0	10,0		
Tetraethyl silicate	EU	44,0	5,0		

The aerosol limit specified is a recommendation should aerosol be formed during processing.

8.2 Exposure controls**8.2.1 Exposure in the work place limited and controlled****General protection and hygiene measures:**

Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Do not eat, drink or smoke when handling. Remove contaminated, soaked clothing immediately. Keep working clothes separately.

Personal protection equipment:**Respiratory protection**

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

tight fitting protective goggles, according to acknowledged standards such as EN 166. .

Hand protection

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of fluorinated rubber

thickness of the material: > 0,7 mm

Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of 5-layer laminate of PE and EVOH (4H)

thickness of the material: > 0,062 mm

Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection

protective clothing, according to acknowledged standards such as EN 13034. .

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
Physical state	liquid	
Colour	yellowish	
Odour	almost odourless	
Odour Threshold	no data available	
Melting point.....	not applicable	
Boiling point/boiling range	116 - 142 °C at 1013 hPa	(Lit.)
Lower explosion limit.....	0,9 Vol-%	(not specified)
Upper explosion limit.....	no data available	
Flash point.....	2 °C	(ISO 13736)
Ignition temperature	380 °C	(EN 14522)
Thermal decomposition.....	no data available	
pH	Not applicable. Insoluble in water.	
Viscosity, kinematic.....	1 mm ² /s at 25 °C	(DIN 51562-1)
Viscosity, dynamic.....	0,76 mPa.s	
Water solubility.....	practically insoluble	
Partition coefficient: n-octanol/water	not applicable	
Vapour pressure.....	50 hPa at 25 °C	(EU-GL.A.4)
Vapour pressure.....	121 hPa at 50 °C	(DIN 13016-3)



SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

Density: 0,76 g/cm³ (23 °C; 1013 hPa) (DIN 51757)
Relative vapour density: no data available
Particle Size Distribution: Not applicable.

9.2 Other information

No data available.

Property:	Value:	Method:
Evaporation rate	no data available	
Molecular weight	not applicable	

SECTION 10: Stability and reactivity

10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition.

10.5 Incompatible materials

Reacts with: acids , oxidizing agents , water and alkalis . The reaction takes place with the formation of alcohols.

10.6 Hazardous decomposition products

If stored and handled properly: none known. Butanol and ethanol under the effect of humidity.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 General information

Data derived for the product as a whole are of higher priority than data for single ingredients.

11.1.2 Acute toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Acute toxicity estimate (ATE):

ATE_{mix} (Oral): > 5000 mg/kg

Data on substances:

C7 - C9 Isoalkanes:

Exposure routes	Result/Effect
Oral	LD50 > 5000 mg/kg Species: Rat, Source: ECHA
dermal	LD50 > 2000 mg/kg Species: Rabbit, Source: literature
by inhalation (vapour)	LC50 > 21 mg/l; 4 h Mortality has been observed at the given dose level. Species: Rat, Source: ECHA

11.1.3 Skin corrosion/irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

C7 - C9 Isoalkanes:

irritating (Species: not specified, Source: ECHA)
--

11.1.4 Serious eye damage/eye irritation**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Data on substances:**C7 - C9 Isoalkanes:**

No eye irritation (Species: Rabbit, Source: ECHA)
--

11.1.5 Respiratory or skin sensitisation**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Data on substances:**C7 - C9 Isoalkanes:**

Exposure routes	Result
Skin contact	Does not cause skin sensitisation. (Species: Guinea pig, Test system: Maximisation Test, Test substance: read-across substance, Source: ECHA)

11.1.6 Germ cell mutagenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Carcinogenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Reproductive toxicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity - single exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Data on substances:**C7 - C9 Isoalkanes:**

Vapours may be narcotising.

11.1.10 Specific target organ toxicity - repeated exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Aspiration hazard**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Data on substances:



SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

C7 - C9 Isoalkanes:

Product can pose an aspiration hazard.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Further toxicological information

According to documentation n-butanol (71-36-3) is irritating to mucous membranes, slightly irritating to skin, decreases skin, has narcotic effects.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

For the product as a whole, no test data is available.

12.2 Persistence and degradability

Assessment:

For the product as a whole, no test data is available.

12.3 Bioaccumulative potential

Assessment:

For the product as a whole, no test data is available.

12.4 Mobility in soil

Assessment:

For the product as a whole, no test data is available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none known

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Uncleaned packaging should be treated with the same precautions as the material. Containers may be recycled or re-used. Observe local/state/federal regulations.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

SECTION 14: Transport information**14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group****Road ADR:**

Valuation: Dangerous Goods
14.1 UN no.: 1993
14.2 Proper Shipping Name: Entzündbarer flüssiger Stoff, n.a.g. (enthält C7-C9 Isoalkane, Titanetetrabutanolat)
14.2 Proper Shipping Name (national): Flammable liquid, n.o.s (contains C7-C9 Isoalkanes, Titanium tetrabutanolate)
14.3 Class: 3
14.4 Packaging Group: II
14.5 Limited quantity: 1L

Railway RID:

Valuation: Dangerous Goods
14.1 UN no.: 1993
14.2 Proper Shipping Name: Entzündbarer flüssiger Stoff, n.a.g. (enthält C7-C9 Isoalkane, Titanetetrabutanolat)
14.2 Proper Shipping Name (national): Flammable liquid, n.o.s (contains C7-C9 Isoalkanes, Titanium tetrabutanolate)
14.3 Class: 3
14.4 Packaging Group: II

Transport by sea IMDG-Code:

Valuation: Dangerous Goods
14.1 UN no.: 1993
14.2 Proper Shipping Name: Flammable liquid, n.o.s. (contains C7-C9 Isoalkanes, Titanium tetrabutanolate)
14.3 Class: 3
14.4 Packaging Group: II

Air transport ICAO-TI/IATA-DGR:

Valuation: Dangerous Goods
14.1 UN no.: 1993
14.2 Proper Shipping Name: Flammable liquid, n.o.s. (contains C7-C9 Isoalkanes, Titanium tetrabutanolate)
14.3 Class: 3
14.4 Packaging Group: II

14.5 Environmental hazards

Hazardous to the environment: yes
Marine Pollutant (IMDG): yes

14.6 Special precautions for user

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III):

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

Listed in Directive	Ser. number in list	Qualifying Quantity 1	Qualifying Quantity 2
FLAMMABLE LIQUIDS	P5c	5.000 t	50.000 t
ENVIRONMENTAL HAZARDS	E2	200 t	500 t

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002

SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - ANNEX I. RESTRICTED EXPLOSIVES PRECURSORS: Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - ANNEX II. REPORTABLE EXPLOSIVES PRECURSORS: Not applicable

Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

- Japan : **ENCS** (Handbook of Existing and New Chemical Substances):
This product is listed in, or complies with, the substance inventory.
- Australia : **AIIC** (Australian Inventory of Industrial Chemicals):
This product is listed in, or complies with, the substance inventory.
- China..... : **IECSC** (Inventory of Existing Chemical Substances in China):
This product is listed in, or complies with, the substance inventory.
- Canada : **DSL** (Domestic Substance List):
This product is listed in, or complies with, the substance inventory.
- Philippines..... : **PICCS** (Philippine Inventory of Chemicals and Chemical Substances):
This product is listed in, or complies with, the substance inventory.
- United States of America (USA)..... : **TSCA** (Toxic Substance Control Act Chemical Substance Inventory):
All components of this product are listed as active or are in compliance with the substance inventory.
- Taiwan : **TCSI** (Taiwan Chemical Substance Inventory):
This product is listed in, or complies with, the substance inventory. General note:
The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.
- European Economic Area (EEA)..... : **REACH** (Regulation (EC) No 1907/2006):
General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.
- South Korea (Republic of Korea) : **AREC** (Act on Registration and Evaluation of Chemicals; "K-REACH"):
Please approach your regular contact for more detailed information.

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

SECTION 16: Other information**16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Key or legend to abbreviations and acronyms used in the safety data sheet

ABEK - Multi-Range Filter A, B, E, K; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; APF - Assigned Protection Factor; CAS No. - Chemical Abstracts Service Registry Number; DFG - German Research Foundation; DIN - German institute for standardization; DOC - Dissolved Organic Carbon; d/w - days per week; EC / CE / EG - European Community; EC50 / CE50 - Median effective concentration; ECHA - European Chemicals Agency; ED - endocrine disruptor; EG-RL - test method according to Regulation 440/2008; EN - European Standard; ERC - Environmental Release Category; g/cm³ - gram per cubic centimeter; h - hour(s); H-Code - hazard statement code(s); hPa - Hectopascal; IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 / CI50 - half maximal inhibitory concentration; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IMDG Code - International Maritime Dangerous Goods Code; ISO - International Organization for Standardization; LC50 / CL50 - medium lethal concentration; LD50 / DL50 - medium lethal dose; LOAEC - Lowest Observed Adverse Effect Concentration; LOAEL - Lowest Observed Adverse Effect Level; MARPOL - International Convention for the Prevention of Marine Pollution from Ships; mg/g - milligrams per gram; mg/kg - milligrams per kilogram; mg/l - milligrams per liter; mg/m³ - milligrams per cubic meter; min - minutes; mJ - millijoule; mm - millimeter; mm²/s - square millimeter per second; mPa.s - Millipascal second(s); MSDS / SDB / SDS - safety data sheet; No Observed Adverse Effect Concentration; NOAEL - No Observed adverse effect level; NOEC - No Observed Effect Concentration; NOEL - No Observed Effect Level; OECD - Organization for Economic Cooperation and Development; PBT - persistent, bioaccumulative, toxic; PC - product category; P-Code - precautionary statement code(s); ppm - parts per million; PROC - process category; RCP - reciprocal calculation-based procedure; RID - convention concerning international carriage by rail; SU - sector of use; SVHC - substance of very high concern; Vol% - volume percent; UN No. - United Nations Dangerous Goods Number; vPvB - very Persistent, very Bioaccumulative

Explanation of the GHS classification code:

Skin Irrit. 2; H315.....	: Skin corrosion/irritation Category 2; Causes skin irritation.
Flam. Liq. 2; H225.....	: Flammable liquids Category 2; Highly flammable liquid and vapour.
STOT SE 3; H336.....	: Specific target organ toxicity - single exposure Category 3; May cause drowsiness or dizziness.
Asp. Tox. 1; H304.....	: Aspiration hazard Category 1; May be fatal if swallowed and enters airways.
Aquatic Chronic 2; H411	: Long-term (chronic) aquatic hazard Category 2; Toxic to aquatic life with long lasting effects.
Skin Irrit. 2; H315.....	: Skin corrosion/irritation Category 2; Causes skin irritation.
Flam. Liq. 3; H226.....	: Flammable liquids Category 3; Flammable liquid and vapour.
Eye Dam. 1; H318.....	: Serious eye damage/eye irritation Category 1; Causes serious eye damage.
STOT SE 3; H335.....	: Specific target organ toxicity - single exposure Category 3; May cause respiratory irritation.
STOT SE 3; H336.....	: Specific target organ toxicity - single exposure Category 3; May cause drowsiness or dizziness.
Flam. Liq. 3; H226.....	: Flammable liquids Category 3; Flammable liquid and vapour.
Acute Tox. 4; H332.....	: Acute toxicity Category 4; Harmful if inhaled.
Eye Irrit. 2; H319.....	: Serious eye damage/eye irritation Category 2; Causes serious eye irritation.
STOT SE 3; H335.....	: Specific target organ toxicity - single exposure Category 3; May cause respiratory irritation.

Classification	Rationale:
Specific target organ toxicity - single exposure, Category 3	Calculation method



SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 2.1 (GB)

Print Date 14.08.2023

Date of last alteration: 10.05.2023

Flammable liquids, Category 2	On basis of test data.
Aspiration hazard, Category 1	Calculation method
Long-term (chronic) aquatic hazard, Category 2	Calculation method
Skin corrosion/irritation, Category 2	Calculation method
Serious eye damage/eye irritation, Category 1	Calculation method

- End of Safety Data Sheet -