

# SAFETY DATA SHEET

### FOR INDUSTRIAL USE ONLY

### **EPIKURE<sup>™</sup> Curing Agent 3282**

## Section 1. Product and company identification

GHS product identifier MSDS Number Product type	::	EPIKURE <sup>™</sup> Curing Agent 3282 K814L Curing Agent
Manufacturer/Supplier/Importer	:	Westlake Epoxy Inc. 12650 DIRECTORS DR STE 100 Stafford, Texas 77477 USA
Contact person	:	epoxyservice@westlake.com
Telephone	:	For additional health and safety or regulatory information, call 1 380 251 9900
Emergency telephone number	:	For Emergency Medical Assistance Call Health & Safety Information Services 1-866-303-6949 For Emergency Transportation Information NCEC US Domestic +1 866 928 0789 (toll-free, US only) NCEC Americas +1 215 207 0061 CANUTEC CA Domestic (613) 996-6666

## Section 2. Hazards identification

Classification of the substance or mixture	:	SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITISATION - Category 1 CARCINOGENICITY - Category 2 REPRODUCTIVE TOXICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE [central nervous system (CNS), nervous system] - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE Respiratory tract irritation - Category 3 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE [bladder, kidneys, liver] - Category 2
<u>GHS label elements</u>		
Hazard pictograms	:	
Signal word Hazard statements	:	Danger H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs. (central nervous system (CNS),
nervo	us system)
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated
expos	ure. (bladder, kidneys, liver)

#### Precautionary statements

General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Wear protective gloves. Wear protective clothing. Wear eye or face protection. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Do not eat, drink or smoke when using this product.
Response	:	Immediately call a POISON CENTER or doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	:	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not result	:	None known.

in classification

## Section 3. Composition/information on ingredients

Substance/mixture

Mixture :

Polyethylenepolyamine Epoxy Adduct (Proprietary)	* *
4,4'-Isopropylidenediphenol	80-05-7
Diethylenetriamine	111-40-0
Oxirane, 2-(butoxymethyl)-	2426-08-6

\*\* The specific chemical identity/proportion of this component is considered trade secret information in accordance with 29 CFR 1910.1200.

#### Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	I u C t	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be reated promptly by a physician.
Inhalation	H f s s a a a F F f f s a c t	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	a r (	Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: C V tt r r s a t k k t t k g	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be keept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen ight clothing such as a collar, tie, belt or waistband.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments Protection of first aid personnel		No specific treatment. No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for containm	ent and	l cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Version: 11.0

#### Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

## **Section 7. Handling and storage**

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Polyethylenepolyamine Epoxy Adduct (Proprietary)	None.

4,4'-Isopropylidenediphenol		None.
Diethylenetriamine		NIOSH REL (1994-06-01) TWA - TLV and PEL 4 mg/m3 1 ppm Notes: Absorbed through skin. ACGIH TLV (1994-09-01) TWA 4.2 mg/m3 1 ppm Notes: Absorbed through skin. OSHA PEL 1989 (1989-03-01) TWA 4 mg/m3 1 ppm
Oxirane, 2-(butoxymethyl)-		OSHA PEL (1993-06-30) TWA 270 mg/m3 50 ppm NIOSH REL (1994-06-01) CEIL 30 mg/m3 5.6 ppm ACGIH TLV (2005-01-01) TWA 3 ppm Notes: Absorbed through skin. Skin sensitizer OSHA PEL 1989 (1989-03-01) TWA 135 mg/m3 25 ppm
Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls Environmental exposure controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		I
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state Color	:	Viscous liquid. Reddish-brown
Odor Odor threshold	:	amine. Not available
рН	:	Not available
Melting point/ Freezing point Boiling point	:	Not available 207 °C (405 °F)
Flash point	:	Pensky-Martens Closed Cup: 105 °C (221 °F) (ASTM D 93)
Burning time Burning rate Evaporation rate Flammability (solid, gas)	::	Not available Not available Not available Not available
Lower and upper explosive (flammable) limits	:	Lower: 1.4 %(V) Upper: Not available
Vapor pressure	:	Less than 13.33 Pa @ 20 °C (68 °F)
Vapor density	:	Not available
Relative density	:	Not available
Density	:	1,090 kg/m3

Solubility Solubility in water	:	Not available Partial
Partition coefficient: n- octanol/water	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature SADT Viscosity	::	Not available Not available <b>Dynamic:</b> 60 - 150 Pa·s @ 25 °C (77 °F)

Kinematic: Not available

#### **Other information**

No additional information.

## Section 10. Stability and reactivity

Reactivity	:	Stable under normal conditions.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Strong oxidizer, Keep away from heat, sparks, flame and other ignition sources. Exposure to water vapour.
Incompatible materials	:	strong acids, strong oxidizing agents,
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
4,4'-Isopropylidenediphenol							
	LD50 Oral	Rat	3,250 mg/kg	-			
	LD50 Dermal	Rabbit	3,000 mg/kg	-			
Diethylenetriamine							
	LD50 Oral	Rat	1,080 mg/kg	-			
	LD50 Oral	Rat	1,080 mg/kg	-			
<b>Remarks - Inhalation:</b>	No applicable toxicity data.						
	LD50 Dermal	Rabbit	1,090 mg/kg	-			
	LD50 Dermal	Rabbit	1,054 mg/kg	-			
Oxirane, 2-(butoxymethyl)-							
	LD50 Oral	Rat	1,660 mg/kg	-			

	LC50 Inhalation	Rat		8 h		
Remarks - Inhalation:	D17 Eye - Lacrimation K01 Gastrointestinal - Changes in structure or function of					
	salivary glands J22 Lung, Thorax, or Respiration - Dyspnea					
	LD50 Dermal	Rat	> 2,150 mg/kg	-		
Conclusion/Summary	: Not	available				

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
4,4'-Isopropylidenediphenol	Skin - Erythema/E schar 404 Acute Dermal Irritation/Co rrosion	Rabbit	0	4 hrs	1 - 72 hrs
	Skin - Edema 404 Acute Dermal Irritation/Co rrosion	Rabbit	0	4 hrs	1 - 72 hrs
	eyes - Cornea opacity 405 Acute Eye Irritation/Co rrosion	Rabbit	1		-
	eyes - Iris lesion 405 Acute Eye Irritation/Co rrosion	Rabbit	1		-
	eyes - Redness of the conjunctiva e 405 Acute Eye Irritation/Co rrosion	Rabbit	1		-
	eyes - Edema of the conjunctiva e 405 Acute Eye Irritation/Co rrosion	Rabbit	1 - 2		-
Diethylenetriamine	Skin - Moderate irritant	Rabbit			-
Oxirane, 2-(butoxymethyl)-	eyes - Severe irritant	Rabbit		24 hrs	-

	Skin - Mild irritant	Rabbit	72 hrs	-
	Skin - Moderate irritant	Rabbit	24 hrs	-
	eyes - Mild irritant	Rabbit		-
Conclusion/Summary		•		
Skin	: Not av	ailable		
eyes	: Not available			
Respiratory	: Not av	ailable		
<u>Sensitization</u>				
Conclusion/Summary Skin	: Not av	vailable		
Respiratory		ailable		
respiratory	• 1000 4	unueno		

#### **Mutagenicity**

Product/ingredient name	Test		Experiment	Result		
4,4'-Isopropylidenediphenol	-		; Mammalian-	Negative		
			Animal			
Remarks:				some damage in rodents.		
	-	1 I	0	ts in rat liver following oral		
		11	ng. The significanc	e of these DNA adduct spots		
	15 UIIKIIOW	is unknown.				
Conclusion/Summary	:	Not available				
<b>Carcinogenicity</b>						
Conclusion/Summary	:	Not available				
<u>Reproductive toxicity</u>						
Conclusion/Summary	:	See below for potentia	l chronic health effe	ects		
<u>Teratogenicity</u>						
Conclusion/Summary	:	Not available				

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Phenol, 4,4'-(1-	Category 2	-	central nervous system
methylethylidene)bis-			(CNS)
	Category 3	-	Respiratory tract irritation
1,2-Ethanediamine, N1-(2-	Category 2	-	nervous system
aminoethyl)-			
	Category 3	-	Respiratory tract irritation
Oxirane, 2-(butoxymethyl)-	Category 2	-	eyes
	Category 3	-	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Phenol, 4,4'-(1-	Category 2	-	bladder, kidneys, liver
methylethylidene)bis-			
Oxirane, 2-(butoxymethyl)-	Category 1	-	respiratory tract, skin
	Category 2	-	blood system, central
			nervous system (CNS)
Aspiration hazard Not available			
Information on likely routes of exposure	: Not available		
Potential acute health effects			
Eye contact	: Causes serious	s eye damage.	
Inhalation	: May cause dar	nage to organs following a	single exposure if inhaled.
		piratory irritation.	
Skin contact Ingestion		burns. May cause an allerg nage to organs following a	
Ingestion	swallowed.	hage to organs following a	single exposure in
Symptoms related to the physical,	chemical and toxicolo	gical characteristics	
Eye contact	pain watering	otoms may include the follo se symptoms may include	-
Inhalation	wheezing and	weight tal deaths	
Skin contact	: Adverse symp pain or irritati redness	otoms may include the follo on y occurAdverse symptoms on y occur weight tal deaths	owing: may include the following:
Ingestion	: Adverse symp	otoms may include the follo sAdverse symptoms may ir s	

# increase in fetal deaths skeletal malformations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

Potential immediate effects Potential delayed effects	:	Not available Not available
Long term exposure		
Potential immediate effects	:	Not available
Potential delayed effects	:	Not available

#### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
4,4'-Isopropylidenediphenol		-		-
Remarks:	and biological tests governmental agen developmental and insufficient to eval show, target organ lack internal and ex	) has been extensively te s, and has undergone man acies. Many of these stud l endocrine endpoints. H uate reproductive toxicity toxicity, fertility, or repr xternal validity as a resul d lack of control for conf	ny reviews internation lies have focused on owever, the human of y. While some studi oductive effects in h t of flawed study des	bonally by a variety of reproductive, data is limited and les show, or claim to numans; these studies
	reproductive effect reproductive effect observations have Comprehensive rev well designed anim toxicity (e.g., NTP Delclos et al. 2014 the oral route of ex experienced by hur toxicity was report doses where mater toxicity, kidney toy gains. The presenc and general system high doses of BPA	studies have been conducts from BPA exposure. A start many of these studies not been confirmed in lart views of the scientific litte nal studies as a robust fou 1985; Ema et al. 2001; T ). In these studies, BPA posure including doses t mans, including workers. ed, or treatment-related r nal toxicity was observed xicity, and overall depress e of these clear toxic effec- tic toxicity in the develop . The authors of these stu- e observation of the repro-	Although some studie suffer from design fl ger, more robust stu- erature on BPA have undation for assessin Tyl et al. 2002a, 2002 was administered to hat far exceed those In these studies, eit eproductive effects al. Maternal toxicity sions in body weigh acts was consistent wo ment of the reprodu- idies all concluded th	es report laws and reported idies. e focused on several g BPA reproductive 2b; Tyl et al. 2008; rats and/or mice by potentially ther no reproductive were reported only at was manifest as liver t or body weight with the role of stress active effects at these
	the U.S. Departme Center of Toxicolo rodent toxicity stud range of endpoints extent of reproduct do not support BP2 Based on the total	ril 6, 2015, the U.S. Food nt of Health & Human So ogical Research ("NCTR' dy designed to characteri , including reproductive tive, sperm and hormone A as a reproductive toxic weight of evidence of the emiological data for repr	ervices reported that "recently complete ze potential effects of coxicity The resul parameters evaluate ant." e experimental anima	FDA's National ed a large scale of BPA in a wide lts from the large d in the NCTR study al data, including the

	pharmacokinetic data and the results of FDA's recent large scale toxicity study and using expert judgment, there is insufficient scientific support to associate reproductive toxicity with BPA exposure in the absence of systemic toxicity. Because experimental animal studies have indicated potential for reproductive effects in association with maternal toxicity at high doses, BPA has been classified		
Construction /Summer own	as a Category 2 suspected human reproductive toxicant as required by OSHA.		
Conclusion/Summary	: Not available		
General	: May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.		
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.		
Mutagenicity	: No known significant effects or critical hazards.		
Teratogenicity	: No known significant effects or critical hazards.		
Developmental effects	: No known significant effects or critical hazards.		
Fertility effects	: Suspected of damaging fertility.		

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
EPIKURE <sup>™</sup> Curing Agent 3282	4,341.6 mg/kg	4,237.1 mg/kg	N/A	N/A	N/A
Phenol, 4,4'-(1- methylethylidene)bis-	3,250 mg/kg	3,000 mg/kg	N/A	N/A	N/A
1,2-Ethanediamine, N1-(2- aminoethyl)-	1,080 mg/kg	1,054 mg/kg	N/A	N/A	0.05 mg/l
Oxirane, 2-(butoxymethyl)-	1,660 mg/kg	2,500 mg/kg	N/A	11 mg/l	N/A

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
bisphenol A			
	Acute LC50 4.6 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute No-observable-effect- concentration 0.016 mg/l Fresh water Chronic ecotoxicity	Fish - Fathead minnow	444 d
	Acute EC50 1 - 16 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute No-observable-effect- concentration 1.8 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 2.73 mg/l Fresh water	Aquatic plants - Microalgae	96 h
	Chronic No-observable-effect- concentration 0.016 mg/l Fresh water	Fish - Fathead minnow	444 d
	Chronic No-observable-effect-	Aquatic invertebrates.	-

	concentration 1.8 mg/l Fresh water	Water flea	
2,2'-iminodiethylamine			
Remarks - Acute - Fish:	No applicable toxicity data.		
	Acute LC50 16 mg/l	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 53,500 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 16 mg/l	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
	Acute EC50 1,164 mg/l	Aquatic plants - Green algae	72 h
	Acute EC50 345,600 µg/l Fresh water	Aquatic plants - Algae	96 h
	Acute EC50 345.6 mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic plants:	Acute		
Remarks - Chronic - Fish:	No applicable toxicity data.		
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data.		
butyl glycidyl ether			
	Acute EC50 3.9 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h

Conclusion/Summary	:	Not available
Persistence/degradability		
Conclusion/Summary	:	Not available

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
bisphenol A	3.4	73	low
2,2'-iminodiethylamine	-5.58	0.65 2.80 - 6.30	low
butyl glycidyl ether	0.63	-	low

#### Mobility in soil

Soil/water partition coefficient	:	Not available
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International tra	nsport regula	ations			
Regulatory	UN/NA	Proper ship	ping name	Classes/*PG	Reportable
information	number				Quantity (RQ)
CFR	2735	POLYAMIN CORROSIV	NES, LIQUID, 'E, N.O.S.	Class 8 II	
IMO/IMDG	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Diethylenetriamine)		Class 8 II	
IATA (Cargo)	2735	POLYAMIN CORROSIV (Diethylenet		Class 8 II	
*PG : Packing gro	oup				
Environmentally	hazardous a	nd/or Marine	Pollutant :	Yes.	¥2
Special precaution	ons for user	:	Transport within user containers that are up transporting the prod or spillage.	oright and secure. Ens	
Section 15.	. Regula	tory info	ormation		
United States					

U.S. Federal regulations	:	<b>United States - TSCA 12(b) - Chemical export notification:</b> None required.
		United States - TSCA 5a2 - Final significant new use rules: Not listed
		United States - TSCA 5a2 - Proposed significant new use rules: Not
		listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		SARA 311/312 Classification - SKIN CORROSION, Category 1B

SARA 311/312 Classification - SERIOUS EYE DAMAGE, Category 1
SARA 311/312 Classification - SKIN SENSITISATION, Category 1
SARA 311/312 Classification - CARCINOGENICITY, Category 2
SARA 311/312 Classification - REPRODUCTIVE TOXICITY, Category 2
SARA 311/312 Classification - SPECIFIC TARGET ORGAN TOXICITY
SINGLE EXPOSURE, central nervous system (CNS), nervous system, Category 2
SARA 311/312 Classification - SPECIFIC TARGET ORGAN TOXICITY
SINGLE EXPOSURE, Respiratory tract irritation, Category 3
SARA 311/312 Classification - SPECIFIC TARGET ORGAN TOXICITY
REPEATED EXPOSURE, bladder, kidneys, liver, Category 2
SARA 311/312 Classification - Not applicable

#### Form R - Reporting requirements

CAS number
0-05-7
0

#### Supplier notification

Product name	CAS number
Phenol, 4,4'-(1-methylethylidene)bis-	80-05-7

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### California Prop. 65:

WARNING: This product may contain one or more chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

United States inventory (TSCA : All components are active or exempted. 8b)

#### **International regulations**

International lists	: Australia inventory (AIIC): All components are listed or exempted.
	Canada inventory: All components are listed or exempted.
	Japan inventory: All components are listed or exempted.
	China inventory (IECSC): All components are listed or exempted.
	Korea inventory (KECI): All components are listed or exempted.
	New Zealand Inventory (NZIoC): All components are listed or exempted.
	Philippines inventory (PICCS): Not determined.
	United States inventory (TSCA 8b): All components are active or exempted.
	Taiwan inventory (TCSI): All components are listed or exempted.

### **Section 16. Other information**

Hazardous Material Information System III (U.S.A.) :

Health	*	3
Flammability		1
Physical hazards		0

Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS<sup>®</sup> ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> is a registered mark of the National Paint & Coatings Association (NPCA). HMIS<sup>®</sup> materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. For more information on HMIS<sup>®</sup> Personal Protective Equipment (PPE) codes, consult the HMIS<sup>®</sup> Implementation Manual.

Full text of abbreviated H statements	:	Not applicable.
History		
Date of printing Date of issue/Date of revision Date of previous issue Version Prepared by Key to abbreviations		<ul> <li>10/24/2023</li> <li>09/22/2022</li> <li>11/10/2020</li> <li>11.0</li> <li>Product Safety Stewardship</li> <li>ATE = Acute Toxicity Estimate</li> <li>BCF = Bioconcentration Factor</li> <li>GHS = Globally Harmonized System of Classification and Labelling of Chemicals</li> <li>IATA = International Air Transport Association</li> <li>IBC = Intermediate Bulk Container</li> <li>IMDG = International Maritime Dangerous Goods</li> <li>LogPow = logarithm of the octanol/water partition coefficient</li> <li>MARPOL = International Convention for the Prevention of Pollution From Ships, 1973</li> <li>as modified by the Protocol of 1978. ("Marpol" = marine pollution)</li> <li>RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail</li> <li>UN = United Nations</li> <li>Not available</li> </ul>

#### Notice to reader

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.